

CUTTING-EDGE
TECHNOLOGIES

HYUNDAI

CATALOGUE Q1/2020



HYUNDAI

CCTV, VDP AND ACCESS CONTROL SOLUTIONS

THE POWER OF A WORLD-RENOWNED BRAND

HYUNDAI CORPORATION is one of the most important business groups in Korea and a benchmark in the digital era of the 21st century, offering multiple commercial and international distribution services for a wide range of highly prestigious products, including steel, heavy machinery, ships, automobiles, and electric equipment.

HYUNDAI CORPORATION is leading the electronic security market by developing and manufacturing CCTV.

The best cameras and recorders in the world are combined with other systems to offer a unique and powerful management platform, which improves the experience for all types of users (end customer, installers and ARCs) to a new level and through the "HYU-CONNECT" Software / App.

Its commitment to excellence has a hallmark under the name HYUNDAI NEXTGEN.



All HYUNDAI products have a **3 year warranty** except for LED / LCD CCTV monitors, which have 2 year warranty.

CCTV

HD ANALOG CAMERAS	4
HDTVI bullet and domes	5
4 in 1 bullet and domes	8
4 in 1 bullet and domes with motor zoom	14
4 IN 1 bullet cameras with positioner	18
4 in 1 PTZ domes	18

5 IN 1 DVR	20
ZVR Lite series	21
ZVR Pro series	22
ZVR Enterprise series	23
AI-SENSE ZVR	24
ZVR H.264	25
ZVR H.265	26
ZVR PoC	27
ZVR with CCTV HDD	28

IP WIFI SYSTEMS	29
WIFI NVR	30
WIFI Cameras	30

IP CAMERAS	32
Bullet and domes	33
NEXTGEN bullet and domes	34
Ai-Sense bullet and domes	41
NEXTGEN Panoramic/Fisheye domes	42
NEXTGEN compact and mini cameras	43
Bullet cameras with positioner	43
PTZ domes	44
NEXTGEN LPR cameras	46
People counter	46

THERMAL IP CAMERAS	47
Thermal Line cameras	48

IP NVR	52
NEXTGEN IP NVR	53
Ai-Sense IP NVR	56
NEXTGEN controllers	56

LED MONITORS	57
Monitors	58
Professional monitors	58
Videowall panels	60
Accessories	60

IP SWITCH	61
CCTV switches	62

NIGHT VISION	63
IR spotlight	64
Power supply for spotlights	64

ACCESSORIES	65
CCTV tester	66
Storage	66
Ethernet injectors / extensors	66
Video transmission by twisted pair	67
Connectors	68
Accessories for recorders	68
Mount brackets for cameras	68
Bracket compatibility chart	72

VIDEO DOORPHONE

VIDEO DOORPHONE	75
2 wire video doorphone	76
IP video doorphone	76
Station	78
Video doorphone kits	79
Video doorphone	79
Accessories	80

ACCESS CONTROL

ACCESS CONTROL AND PRESENCE	81
Standalone terminals	82
Controllers	84
Card and fingerprint readers	85

HYUNDAI

HD ANALOG CAMERAS

HDTVI CAMERAS BULLET AND DOMES

HDTVI

HDTVI BULLET **ULTRAPRO** 8MP, 2,8MM, SMART IR 40M

- 8MP@12,5fps, 0,003 lux
- Dual video output (TVI/CVBS)
- 3D-DNR, WDR 120dB, IP67



8MP 12,5fps **40M** SM-IR **2,8** mm **IP67**

EMP

HYU-437

HDTVI BULLET **PRO** 2MP, 5~50MM MOTOR, SMART IR 110M

- 2MP@25fps, 0,01 lux
- Dual video output (TVI/CVBS)
- Motor lens 5~50 mm
- 3D-DNR, WDR 120dB, IP66



2MP 25fps **110M** SM-IR **AUTO** FOCUS **IP66** **EMP**

HYU-530

HDTVI BULLET **ULTRAPRO** 8MP, 2,8~12MM MOTOR, SMART IR 80M

- 8MP@12,5fps, 0,003 lux
- Dual video output (TVI/CVBS)
- Motor lens 2,8~12 mm
- 3D-DNR, WDR 120dB, IP67



8MP 12,5fps **80M** SM-IR **AUTO** FOCUS **IP67** **EMP**

HYU-435

HDTVI DOME **ULTRAPRO** 2MP, 2,8~12MM MOTOR, SMART IR 40M

- 2MP@25fps, 0,005 lux
- TVI video output
- Motor lens 2,8~12 mm
- 3D-DNR, WDR 120dB, IP67



2MP 25fps **40M** SM-IR **AUTO** FOCUS **IP67** **EMP** **STARLIGHT**

HYU-509

HDTVI DOME **ULTRAPRO** 2MP, 2,8~12MM MOTOR, SMART IR 20M

- 2MP@25fps, 0,005 lux
- TVI video output
- Motor lens 2,8~12 mm
- 3D-DNR, WDR 120dB, IP50 (indoor)



2MP 25fps **20M** SM-IR **AUTO** FOCUS **IP50** **EMP** **STARLIGHT**

HYU-547

HDTVI DOME **ULTRAPRO** 2MP, 2,8~12MM MOTOR, SMART IR 40M

- 2MP@25fps, 0,005 lux
- TVI video output
- Motor lens 2,8~12 mm
- 3D-DNR, WDR 120dB, IP67



2MP 25fps **40M** SM-IR **AUTO** FOCUS **WDR** 120dB **IP67** **EMP** **STARLIGHT**

HYU-548

HDTVI DOME **ULTRAPRO** 2MP, 2,8~12MM MOTOR, SMART IR 40M

- 2MP@25fps, 0,005 lux
- TVI video output
- Motor lens 2,8~12 mm
- 3D-DNR, WDR 120dB, IP67



2MP 25fps **40M** SM-IR **AUTO** FOCUS **WDR** 120dB **IP67** **EMP** **STARLIGHT**

HYU-573

HDTVI DOME **ULTRAPRO** 8MP, 2,8MM, SMART IR 60M

- 8MP@12,5fps, 0,003 lux
- Dual video output (TVI/CVBS)
- 2,8 mm lens
- 3D-DNR, WDR 120dB, IP67



8MP 12,5fps **60M** SM-IR **2,8** mm **IP67** **EMP**

HYU-438

HDTVI DOME **ULTRAPRO** 8MP, 2,8~12MM MOTOR, SMART IR 80M

- 8MP@12,5fps, 0,003 lux
- Dual video output (TVI/CVBS)
- Motor lens 2,8~12 mm
- 3D-DNR, WDR 120dB, IP67



8MP 12,5fps **80M** SM-IR **AUTO** FOCUS **IP67** **EMP**

HYU-436

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

**HDTVI
CAMERAS**

**HDTVI BULLET POC 2MP,
2,8MM, SMART IR 20M**

- 2MP@25fps, 0,01 lux
- HDTVI video output
- 2,8 mm lens
- ATW, AGC, DNR, IP66

2MP
25fps

20M
SM-IR

IP66

PoC
Power over Coax

EMP

HYU-387



**HDTVI BULLET POC 5MP,
2,8MM, SMART IR 20M**

- 5MP@20fps, 0,01 lux
- HDTVI video output
- 2,8 mm lens
- 2D-DNR, D-WDR, IP67

5MP
20fps

20M
SM-IR

IP67

PoC
Power over Coax

SMP

HYU-569



**HDTVI BULLET POC 2MP,
2,7~12MM VF, SMART IR 40M**

- 2MP@25fps, 0,01 lux
- HDTVI video output
- Varifocal lens 2,7~12 mm
- ATW, AGC, DNR, IP66

2MP
25fps

40M
SM-IR

IP66

PoC
Power over Coax

EMP

HYU-388



**HDTVI BULLET POC 2MP, 2,7~13,5MM
MOTOR, SMART IR 80M**

- 2MP@25fps, 0,003 lux
- TVI video output
- Motor lens 2,7~13,5 mm
- 3D-DNR, WDR 130dB, IP67

2MP
25fps

80M
SM-IR

IP67

PoC
Power over Coax

EMP

HYU-656



**HDTVI BULLET POC 5MP, 2,7~13,5MM
MOTOR, SMART IR 40M**

- 5MP@20fps, 0,01 lux
- HDTVI video output
- Motor lens 2,7~13,5 mm
- 2D-DNR, D-WDR, IP67

5MP
20fps

40M
SM-IR

IP67

PoC
Power over Coax

SMP

HYU-571



**HDTVI DOME POC 2MP,
2,8MM, SMART IR 20M**

- 2MP@25fps, 0,01 lux
- HDTVI video output
- 2,8 mm lens
- ATW, AGC, DNR, IP66

2MP
25fps

20M
SM-IR

IP66

PoC
Power over Coax

EMP

HYU-389



**HDTVI DOME POC 2MP,
2,7~12MM VF, SMART IR 40M**

- 2MP@25fps, 0,01 lux
- HDTVI video output
- Varifocal lens 2,7~12 mm
- ATW, AGC, DNR, IP66

2MP
25fps

40M
SM-IR

IP66

PoC
Power over Coax

EMP

HYU-390



**HDTVI DOME WITH PIR 2MP,
2,8MM, SMART IR 20M**

- 2MP@25fps, 0,01 lux
- HDTVI video output
- 2,8 mm lens
- OSD, ATW, AGC, BLC, DNR

2MP
25fps

20M
SM-IR

IP67

EMP

HYU-566



**HDTVI DOME POC 5MP,
2,7~13,5MM MOTOR, SMART IR 40M**

- 5MP@20fps, 0,01 lux
- HDTVI video output
- Motor lens 2,7~13,5 mm
- 2D-DNR, D-WDR, IP67

5MP
20fps

40M
SM-IR

IP67

PoC
Power over Coax

SMP

HYU-572



**HDTVI DOME POC 5MP,
2,8MM, SMART IR 20M**

- 5MP@20fps, 0,01 lux
- HDTVI video output
- 2,8 mm lens
- 2D-DNR, D-WDR, IP67

5MP
20fps

20M
SM-IR

IP67

PoC
Power over Coax

SMP

HYU-570



**HDTVI
CAMERAS**

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

HDTVI DOME POC 2MP, 2,8~12MM MOTOR, SMART IR 40M

- 2MP@25fps, 0,005 lux
- TVI video output
- Motor lens 2,8~12 mm
- 3D-DNR, WDR 120dB, IP67



HYU-657

HDTVI VANDAL DOME POC 2MP, 2,7~13,5MM MOTOR, SMART IR 60M

- 2MP@25fps, 0,003 lux
- TVI video output
- Motor lens 2,7~13,5 mm
- 3D-DNR, WDR 130dB, IP67, IK10



HYU-658

HDTVI BULLET 2MP WITH PIR, SMART IR 20M, 2,8MM

- 2MP@25fps
- 2,8 mm lens
- BLC, DNR, white led on alarm
- PIR 11m /110°, IP67, 12V DC



HYU-565

HDTVI COMPACT CAMERA 2MP WITH PIR, SMART IR 20M, 2,8MM

- 2MP@25fps, 0,005 lux
- 2,8 mm lens
- WDR 120dB, 2 way audio
- PIR 11m /110°, not suitable for outdoors



HYU-483

HDTVI BULLET 2MP, SMART IR 20M, 2,8MM

- 2MP@25fps, 0,005 lux
- HDTVI video output
- 2,8 mm lens
- 3D-DNR, WDR 120dB



HYU-481

HDTVI BULLET 5MP WITH PIR, SMART IR 20M, 2,8MM

- 5MP/4MP@20fps/25fps
- 2,8 mm lens
- BLC, DNR, white led on alarm
- PIR 11m /110°, IP67, 12V DC



HYU-567

HDTVI DOME 2MP, SMART IR 20M, 2,8MM

- 2MP@25fps, 0,005 lux
- HDTVI video output
- 2,8 mm lens
- 3D-DNR, WDR 120dB



HYU-482

HDTVI DOME 2MP, SMART IR 20M, 2,8MM

- 2MP@25fps, 0,01 lux
- HDTVI video output
- 2,8 mm lens
- BLC, DNR



HYU-481

HDTVI DOME 5MP, SMART IR 20M, 2,8MM

- 5MP/4MP@20fps, 0,01 lux
- HDTVI video output
- 2,8 mm lens
- BLC, DNR



HYU-568

4 IN 1 DOME PRO 5MP, 2,8MM, SMART IR 20M

- 5MP@20fps, 0,01 lux
- 4 in 1 video output
- 2,8mm lens
- OSD menu via coaxial cable



HYU-487

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

**HDTVI
CAMERAS**

4 IN 1 CAMERAS BULLET AND DOMES

4IN1

4 IN 1 BULLET **LITE-ECO** 1MP, 2,8MM, SMART IR 20M

- 720P@25fps, 0,01 lux
- 4 in 1 video output
- 2,8 mm lens
- IP66

1MP 25fps **20M** SM-IR **2,8** mm **IP66**

TEOP HYU-510



4 IN 1 BULLET **LITE-ECO** 2MP, 2,8MM, SMART IR 40M

- 2MP@25fps, 0,02 lux
- 4 in 1 video output
- 2,8 mm lens
- 2D/3D-DNR, BLC, HLC, IP66

2MP 25fps **40M** SM-IR **2,8** mm **IP66** **EMP**

HYU-249



4 IN 1 BULLET **LITE-ECO** 5MP, 2,8MM, SMART IR 40M

- 5MP@20fps (TVI/AHD), 0,01 lux
- 4 in 1 video output
- 2,8 mm lens
- DNR, IP66

5MP 20fps **30M** SM-IR **2,8** mm **IP66** **SMP**

HYU-340N



4 IN 1 BULLET **LITE-ECO** 1MP, 2,8~12MM VF, SMART IR 40M

- 720P@25fps, 0,01 lux
- 4 in 1 video output
- Varifocal lens 2,8~12 mm
- No OSD, AWB, AGC, IP66

1MP 25fps **40M** SM-IR **IP66** **TEOP**

HYU-150N



4 IN 1 BULLET **PRO** 2MP, 2,8MM, SMART IR 20~30M

- 2MP@25fps, 0,01 lux
- 4 in 1 video output
- 2,8 mm lens
- 2D/3D-DNR, D-WDR, IP66

2MP 25fps **30M** SM-IR **2,8** mm **WDR** digital **IP66** **EMP**

HYU-698



4 IN 1 BULLET **LITE** 2MP, 2,8MM VF, SMART IR 20M

- 1080P@25fps, 0,01 lux
- 4 in 1 video output
- 2,8 mm lens
- No OSD, AWB, AGC, IP66

2MP 25fps **20M** SM-IR **IP66** **EMP**

HYU-761



4 IN 1 BULLET **PRO** 2MP, 2,8MM, SMART IR 20M

- 2MP@25fps, 0,01 lux
- 4 in 1 video output
- 2,8 mm lens
- D-WDR, IP66

2MP 25fps **20M** SM-IR **2,8** mm **WDR** digital **IP66** **EMP**

HYU-513



4 IN 1 BULLET **PRO** 2MP, 2,8MM, SMART IR 20M

- 2MP@25fps, 0,01 lux
- 4 in 1 video output
- 2,8 mm lens
- BLC, D-WDR, IP66

2MP 25fps **20M** SM-IR **2,8** mm **WDR** digital **IP66** **EMP**

HYU-511



4 IN 1 BULLET **PRO** 5MP, 3,6MM, SMART IR 30M

- 5MP@20fps (TVI/AHD), 0,02 lux
- 4 in 1 video output
- 3,6 mm lens
- 2D/3D-DNR, D-WDR, IP66

5MP 20fps **30M** SM-IR **3,6** mm **WDR** digital **IP66** **SMP**

HYU-469



4 IN 1
CAMERAS

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

**4 IN 1 BULLET PRO 5MP,
2,8MM, SMART IR 20M**

- 5MP/4MP@20fps/25fps, 0,01 lux
- 4 in 1 video output
- 2,8 mm lens
- 2D-DNR, D-WDR, IP67

5MP
20fps

30M
SM-IR

3,6
mm

WDR
digital

IP67

SMP

HYU-485



**4 IN 1 BULLET PRO 2MP,
2,8MM, SMART IR 30M**

- 2MP@25fps, 0,02 lux
- 4 in 1 video output
- 2,8 mm lens
- 2D/3D-DNR, D-WDR, IP66

2MP
25fps

30M
SM-IR

2,8
mm

WDR
digital

IP66

EMP

HYU-337



**4 IN 1 BULLET ULTRAPRO
2MP, 2,8MM, SMART IR 30M**

- 2MP@25fps, 0,005 lux
- 4 in 1 video output
- 2,8 mm lens
- 3D-DNR, WDR 120dB, IP67

2MP
25fps

30M
SM-IR

2,8
mm

WDR
120dB

IP67

EMP

HYU-673



**4 IN 1 BULLET PRO 8MP,
2,8MM, SMART IR 30M**

- 8MP/5MP@12fps/20fps, 0,01 lux
- 4 in 1 video output
- 2,8 mm lens
- D-WDR, IP67

8MP
12fps

30M
SM-IR

2,8
mm

WDR
digital

IP67

EMP

HYU-587



**4 IN 1 BULLET PRO 2MP,
2,8~12MM VF, SMART IR 40M**

- 2MP@25fps, 0,01 lux
- 4 in 1 video output
- Varifocal lens 2,8~12 mm
- D-WDR, IP66

2MP
25fps

20M
SM-IR

2,8
mm

IP66

EMP

HYU-517



**4 IN 1 BULLET PRO 2MP,
2,8~12MM VF, SMART IR 30~40M**

- 2MP@25fps, 0,01 lux
- 4 in 1 video output
- Varifocal lens 2,8~12 mm
- 2D/3D-DNR, D-WDR, IP66

2MP
25fps

40M
SM-IR

WDR
digital

IP66

EMP

HYU-705



**4 IN 1 BULLET PRO DE 3MP,
2,8~12MM VF, SMART IR 40M**

- 3MP@18fps (TVI/AHD), 0,01 lux
- 4 in 1 video output
- Varifocal lens 2,8~12 mm
- 2D-DNR, WDR 120dB, IP66

3MP
18fps

40M
SM-IR

WDR
120dB

IP66

SMP

HYU-244



**4 IN 1 BULLET PRO 2MP,
2,8~12MM VF, SMART IR 40M**

- 2MP@25fps, 0,01 lux
- 4 in 1 video output
- Varifocal lens 2,8~12 mm
- 2D/3D-DNR, D-WDR, IP66

2MP
25fps

40M
SM-IR

WDR
digital

IP66

EMP

HYU-335



**4 IN 1 DOME PRO 2MP,
2,8MM, SMART IR 15~20M**

- 2MP@25fps, 0,02 lux
- 4 in 1 video output
- 2,8 mm lens
- 2D-DNR, D-WDR, IP65

2MP
25fps

20M
SM-IR

2,8
mm

WDR
digital

IP65

EMP

HYU-697



**4 IN 1 BULLET PRO 5MP,
3,3~12MM VF, SMART IR 40M**

- 5MP@20fps (TVI/AHD), 0,02 lux
- 4 in 1 video output
- Varifocal lens 3,3~12 mm
- 2D/3D-DNR, D-WDR, IP66

5MP
20fps

40M
SM-IR

WDR
digital

IP66

SMP

HYU-471



HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

**4 IN 1
CAMERAS**

**4 IN 1 BULLET PRO 2MP,
2,8MM, SMART IR 20M**

- 2MP@25fps, 0,01 lux
- 4 in 1 video output
- 2,8 mm lens
- D-WDR, IP66

2MP 25fps **20M** SM-IR **2,8** mm **WDR** digital **IP66**

EMP

HYU-146



**4 IN 1 DOME PRO 2MP,
2,8MM, SMART IR 15~20M**

- 2MP@25fps, 0,02 lux
- 4 in 1 video output
- 2,8 mm lens
- 2D-DNR, D-WDR, IP65

2MP 25fps **20M** SM-IR **2,8** mm **WDR** digital **IP65**

EMP

HYU-700



**4 IN 1 DOME PRO 2MP,
2,8MM, SMART IR 20~30M**

- 2MP@25fps, 0,02 lux
- 4 in 1 video output
- 2,8 mm lens
- 2D-DNR, D-WDR, IP65

2MP 25fps **30M** SM-IR **2,8** mm **WDR** digital **IP65**

EMP

HYU-704



**4 IN 1 DOME PRO 2MP,
2,8MM, SMART IR 20M**

- 2MP@25fps, 0,01 lux
- 4 in 1 video output
- 2,8 mm lens
- D-WDR, IP66

2MP 25fps **20M** SM-IR **2,8** mm **WDR** digital **IP66**

EMP

HYU-503



**4 IN 1 DOME PRO 2MP,
2,8MM, SMART IR 20M**

- 2MP@25fps, 0,01 lux
- 4 in 1 video output
- 2,8 mm lens
- D-WDR, IP66

2MP 25fps **20M** SM-IR **2,8** mm **WDR** digital **IP66**

EMP

HYU-506



**4 IN 1 DOME PRO 2MP,
2,8MM, SMART IR 20M**

- 2MP@25fps, 0,01 lux
- 4 in 1 video output
- 2,8 mm lens
- D-WDR, IP66

2MP 25fps **20M** SM-IR **2,8** mm **WDR** digital **IP66**

EMP

HYU-502



**4 IN 1 DOME PRO 5MP,
3,6MM, SMART IR 20M**

- 5MP@20fps (TVI/AHD), 0,02 lux
- 4 in 1 video output
- 3,6 mm lens
- 2D/3D-DNR, D-WDR, IP66

5MP 20fps **20M** SM-IR **3,6** mm **WDR** digital **IP66**

EMP

HYU-464



**4 IN 1 DOME PRO 2MP,
2,8MM, SMART IR 20M**

- 2MP@25fps, 0,01 lux
- 4 in 1 video output
- 2,8 mm lens
- D-WDR, IP66

2MP 25fps **20M** SM-IR **2,8** mm **WDR** digital **IP66**

EMP

HYU-504



**4 IN 1 DOME PRO DE 3MP ,
2,8MM, SMART IR 40M**

- 3MP@18fps, 0,01 lux
- 4 in 1 video output
- 2,8 mm lens
- D-WDR 120dB, IP66

3MP 18fps **40M** SM-IR **2,8** mm **WDR** digital **IP66**

EMP

HYU-507



**4 IN 1 DOME PRO 2MP,
2,8MM, SMART IR 20M**

- 2MP@25fps, 0,01 lux
- 4 in 1 video output
- 2,8 mm lens
- D-WDR, IP66

2MP 25fps **20M** SM-IR **2,8** mm **WDR** digital **IP66**

EMP

HYU-505



HYUNDAI

**4 IN 1
CAMERAS**

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

**4 IN 1 DOME PRO 5MP,
2,8MM, SMART IR 20M**

- 5MP/4MP@20fps/25fps, 0,01 lux
- 4 in 1 video output
- 2,8 mm lens
- D-WDR, IP67

5MP
20fps

20M
SM-IR

2,8
mm

WDR
digital

IP67

SMP

HYU-488



**4 IN 1 DOME PRO 2MP,
2,8MM, SMART IR 15~20M**

- 2MP@25fps, 0,02 lux
- 4 in 1 video output
- 2,8 mm lens
- 2D-DNR, D-WDR, IP65

2MP
25fps

20M
SM-IR

2,8
mm

WDR
digital

IP65

EMP

HYU-699



**4 IN 1 VANDAL DOME PRO 5MP,
2,8MM, SMART IR 20M**

- 5MP/4MP@20fps/25fps, 0,01 lux
- 4 in 1 video output
- 2,8 mm lens
- D-WDR, IP67, IK10

5MP
20fps

20M
SM-IR

2,8
mm

WDR
digital

IP67

SMP

HYU-486



**4 IN 1 DOME ULTRAPRO 2MP,
2,8MM, SMART IR 50M**

- 2MP@25fps, 0,005 lux
- 4 in 1 video output
- 2,8 mm lens
- 3D-DNR, WDR 120dB, IP67

2MP
25fps

50M
SM-IR

2,8
mm

WDR
120dB

IP67

EMP

HYU-671



**4 IN 1 DOME PRO 8MP,
2,8MM, SMART IR 30M**

- 8MP/5MP@12fps/20fps, 0,01 lux
- 4 in 1 video output
- 2,8 mm lens
- D-WDR, IP67, IK10

8MP
12fps

30M
SM-IR

WDR
digital

IP67

SMP

HYU-588



**4 IN 1 DOME PRO 5MP,
2,8MM, SMART IR 20M**

- 5MP/4MP@20fps/25fps, 0,01 lux
- 4 in 1 video output
- 2,8 mm lens
- D-WDR, IP67

5MP
20fps

20M
SM-IR

2,8
mm

WDR
digital

IP67

SMP

HYU-576



**4 IN 1 DOME PRO 2MP,
2,8MM, SMART IR 40M**

- 2MP@25/30fps, 0,01 lux
- 4 in 1 video output
- 2,8 mm lens
- D-WDR, IP67, IK10

2MP
25fps

40M
SM-IR

WDR
digital

IP67

EMP

HYU-765



**4 IN 1 DOME PRO 8MP,
2,8MM, SMART IR 30M**

- 8MP/5MP@12fps/20fps, 0,01 lux
- 4 in 1 video output
- 2,8 mm lens
- D-WDR, IP67

8MP
12fps

30M
SM-IR

2,8
mm

WDR
digital

IP67

SMP

HYU-589



4 IN 1 BULLET PRO 2MP, IR 30M, 2,8MM

- 1080p@30fps, 0,01 lux
- Microphone incorporated
- Audio via coaxial
- 2,8 mm lens
- WDR-digital, 2D-DNR, IP67

2MP
30fps

2,8
mm

30M
SM-IR

IP67

EMP

HYU-806



4 IN 1 DOME PRO 2MP, IR 20M, 2,8MM

- 1080p@30fps, 0,01 lux
- Microphone incorporated
- Audio via coaxial
- 2,8 mm lens
- WDR-digital, 2D-DNR, IP67

2MP
30fps

2,8
mm

30M
SM-IR

IP67

EMP

HYU-807



HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

**4 IN 1
CAMERAS**

4 IN 1 DOME **PRO** 2MP, IR 20M, 2,8MM

- 1080p@30fps, 0,01 lux
- Microphone incorporated
- Audio via coaxial
- 2,8 mm lens
- WDR-digital, 2D-DNR, IP67

2MP 30fps **2,8** mm **30M** SM-IR **IP67** **EMP**



HYU-808

4 IN 1 DOME **PRO** 2MP, IR 20M, 2,8MM

- 1080p@30fps, 0,01 lux
- Microphone incorporated
- Audio via coaxial
- 2,8 mm lens
- WDR-digital, 2D-DNR, IP67

2MP 30fps **2,8** mm **30M** SM-IR **IP67** **EMP**



HYU-809

4 IN 1 BULLET **PRO** 5MP, IR 30M, 2,8MM

- 5MP@20fps, 0,01 lux
- Microphone incorporated
- Audio via coaxial
- 2,8 mm lens
- WDR-digital, 2D-DNR, IP67

5MP 20fps **2,8** mm **30M** SM-IR **IP67** **EMP**



HYU-811

4 IN 1 DOME **PRO** 5MP, IR 20M, 2,8MM

- 5MP@20fps, 0,01 lux
- Microphone incorporated
- Audio via coaxial
- 2,8 mm lens
- WDR-digital, 2D-DNR, IP67

5MP 20fps **2,8** mm **20M** SM-IR **IP67** **EMP**



HYU-812

4 IN 1 DOME **PRO** 5MP, IR 30M, 2,8MM

- 5MP@20fps, 0,01 lux
- Microphone incorporated
- Audio via coaxial
- 2,8 mm lens
- WDR-digital, 2D-DNR, IP67

5MP 20fps **2,8** mm **30M** SM-IR **IP67** **SMP**



HYU-813

4 IN 1 DOME **PRO** 5MP, IR 30M, 2,8MM

- 5MP@20fps, 0,01 lux
- Microphone incorporated
- Audio via coaxial
- 2,8 mm lens
- WDR-digital, 2D-DNR, IP67

5MP 20fps **2,8** mm **30M** SM-IR **IP67** **SMP**



HYU-814

4 IN 1 DOME **ULTRAPRO** 2MP, 2,8MM, SMART IR 30M

- 2MP@25fps, 0,005 lux
- 4 in 1 video output
- 2,8 mm lens
- 3D-DNR, WDR 120dB, IP67

2MP 25fps **30M** SM-IR **2,8** mm **WDR** 120dB **IP67** **EMP**



HYU-670

4 IN 1 DOME **ULTRAPRO** 2MP, 2,8MM, SMART IR 30M

- 2MP@25fps, 0,005 lux
- 4 in 1 video output
- 2,8 mm lens
- 3D-DNR, WDR 120dB, interior

2MP 25fps **30M** SM-IR **2,8** mm **WDR** 120dB **EMP**



HYU-669

4 IN 1 DOME **ULTRAPRO** 5MP, 24H COLOR MODE, 2,8MM

- 5MP@20fps, 0,0005 lux
- 4 in 1 video output
- 2,8 mm lens
- 3D-DNR, WDR 130dB, IP67

5MP 20fps **2,8** mm **WDR** 130dB **IP67** **SMP** ColorView



HYU-802

4 IN 1 BULLET **ULTRAPRO** 5MP, 24H COLOR MODE, 2,8MM

- 5MP@20fps, 0,0005 lux
- 4 in 1 video output
- 2,8 mm lens
- 3D-DNR, WDR 130dB, IP67

5MP 20fps **2,8** mm **WDR** 130dB **IP67** **SMP** ColorView



HYU-803

4 IN 1
CAMERAS

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

4 IN 1 DOME **ULTRAPRO 2MP,
24H COLOR MODE, 2,8MM**

- 1080p@30fps, 0.0008 Lux
- 4 in 1 video output
- 2,8 mm lens
- 3D-DNR, WDR 120dB, IP67

2MP 30fps **2,8** mm **WDR** 120dB **IP67** **EMP** ColorView



HYU-804

4 IN 1 BULLET **ULTRAPRO 2MP,
24H COLOR MODE, 2,8MM**

- 1080p@30fps, 0,0008 lux
- 4 in 1 video output
- 2,8 mm lens
- 3D-DNR, WDR 120dB, IP67

2MP 30fps **2,8** mm **WDR** 120dB **IP67** **EMP** ColorView



HYU-805

4 IN 1 DOME **ULTRAPRO 2MP,
24H COLOR MODE, 3,6MM**

- 2MP@25fps, 0,0005 lux
- 4 in 1 video output
- 3,6 mm lens
- 3D-DNR, WDR 120dB, IP67

2MP 25fps **2,8** mm **WDR** 120dB **IP67** **EMP** ColorView



HYU-586

4 IN 1 BULLET **ULTRAPRO 2MP,
24H COLOR MODE, 3,6MM**

- 2MP@25fps, 0,0005 lux
- 4 in 1 video output
- 3,6 mm lens
- WDR 120dB, IP67

2MP 25fps **2,8** mm **WDR** 120dB **IP67** **EMP** ColorView



HYU-585

4 IN 1 VANDAL DOME **ULTRAPRO 2MP,
2,8MM, SMART IR 30M**

- 2MP@25fps, 0,005 lux
- 4 in 1 video output
- 2,8 mm lens
- WDR 120dB, IP67, IK10

2MP 25fps **30M** SM-IR **2,8** mm **WDR** 120dB **IP67** **EMP**



HYU-675

4 IN 1 BULLET **ULTRAPRO
2MP, 2,7~13,5MM VF**

- 2MP@25fps, 0,001 lux
- 4 in 1 video output
- Varifocal lens 2,7~13,5 mm
- 2D/3D-DNR, D-WDR, IP66

2MP 25fps **WDR** digital **IP66** **EMP** STARLIGHT



HYU-55N

4 IN 1 DOME **PRO 2MP,
2,8~12MM VF, SMART IR 40M**

- 2MP@25fps, 0,01 lux
- 4 in 1 video output
- Varifocal lens 2,8~12 mm
- D-WDR, IP66

2MP 25fps **40M** SM-IR **WDR** digital **IP66** **EMP**



HYU-516

4 IN 1 DOME **PRO 2MP,
2,8~12MM VF, SMART IR 20~30M**

- 2MP@25fps, 0,02 lux
- 4 in 1 video output
- Varifocal lens 2,8~12 mm
- 2D-DNR, D-WDR, IP65

2MP 25fps **30M** SM-IR **WDR** digital **IP65** **EMP**



HYU-702

4 IN 1 DOME **PRO 3MP,
2,7~13MM VF, SMART IR 30M**

- 3MP@18fps (TVI/AHD), 0,01 lux
- 4 in 1 video output
- Varifocal lens 2,7~13 mm
- 2D-DNR, WDR 120dB, IP66

3MP 18fps **30M** SM-IR **WDR** 120dB **IP66** **EMP**



HYU-246

4 IN 1 DOME **PRO 2MP,
2,8~12MM VF, SMART IR 40M**

- 2MP@25fps, 0,01 lux
- 4 in 1 video output
- Varifocal lens 2,8~12 mm
- DNR, D-WDR, IP66

2MP 25fps **40M** SM-IR **WDR** digital **IP66** **EMP**



HYU-518

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

**4 IN 1
CAMERAS**

**4 IN 1 DOME PRO 2MP,
2,8~12MM VF, SMART IR 40M**

- 2MP@25fps, 0,01 lux
- 4 in 1 video output
- Varifocal lens 2,8~12 mm
- D-WDR, IP66

2MP 25fps **40M** SM-IR **WDR** digital **IP66** **EMP**



HYU-512

**4 IN 1 DOME PRO 2MP,
2,8~12MM VF, SMART IR 20~30M**

- 2MP@25fps, 0,02 lux
- 4 in 1 video output
- Varifocal lens 2,8~12 mm
- 2D-DNR, D-WDR, IP65

2MP 25fps **30M** SM-IR **WDR** digital **IP65** **EMP**



HYU-701

**4 IN 1 DOME PRO 2MP,
2,8~12MM VF, SMART IR 40M**

- 2MP@25fps, 0,01 lux
- 4 in 1 video output
- Varifocal lens 2,8~12 mm
- D-WDR, IP66

2MP 25fps **40M** SM-IR **WDR** digital **IP66** **EMP**



HYU-515

**4 IN 1 DOME PRO 2MP,
2,8~12MM VF, SMART IR 20~30M**

- 2MP@25fps, 0,02 lux
- 4 in 1 video output
- Varifocal lens 2,8~12 mm
- 2D-DNR, D-WDR, IP65

2MP 25fps **30M** SM-IR **WDR** digital **IP65** **EMP**



HYU-703

**4 IN 1 CAMERAS
BULLET AND DOMES
WITH MOTOR ZOOM**

4IN1

**4 IN 1 DOME ULTRAPRO 2MP,
VF 2,7~13,5MM**

- 2MP@25fps, 0,001 lux
- 4 in 1 video output
- Varifocal lens 2,7~13,5 mm
- 2D/3D-DNR, D-WDR, IP65

2MP 25fps **WDR** digital **IP65** **EMP** **STARLIGHT**



HYU-57N

**4 IN 1 BULLET PRO 5MP,
2,7~13,5MM MOTOR, SMART IR 40M**

- 5MP/4MP@20fps/25fps, 0,01 lux
- 4 in 1 video output
- Motor lens 2,7~13,5 mm
- D-WDR, IP67

5MP 20fps **40M** SM-IR **AUTO** **FOCUS** **WDR** digital **IP67** **SMP**



HYU-489

**4 IN 1 BULLET PRO 2MP,
2,8~12MM MOTOR, SMART IR 50M**

- 2MP@25fps
- 4 in 1 video output
- Motor lens 2,8~12 mm
- 2D-DNR, D-WDR, IP66

2MP 25fps **50M** SM-IR **AUTO** **FOCUS** **WDR** digital **IP66** **EMP**



HYU-165N

**4 IN 1 BULLET PRO 2MP, 5~50MM
MOTOR, SMART IR 60~80M**

- 2MP@25fps, 0,01 lux
- 4 in 1 video output
- Motor lens 5~50 mm
- 2D/3D-DNR, D-WDR, IP66

2MP 25fps **80M** SM-IR **AUTO** **FOCUS** **WDR** digital **IP66** **EMP**



HYU-399

**4 IN 1 BULLET PRO 2MP,
2,8~12MM MOTOR, SMART IR 60M**

- 2MP@25fps, 0,02 lux
- 4 in 1 video output
- Motor lens 2,8~12 mm
- 2D/3D-DNR, WDR 120dB, IP66

2MP 25fps **60M** SM-IR **AUTO** **FOCUS** **WDR** 120dB **IP66** **EMP**



HYU-250

**4 IN 1
CAMERAS**

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

**4 IN 1 BULLET PRO 5MP,
2,7~13,5MM MOTOR, SMART IR 50M**

- 5MP@20fps (TVI/AHD), 0,005 lux
- 4 in 1 video output
- Motor lens 2,7~13,5 mm
- 2D/3D-DNR, D-WDR, IP67



5MP 20fps **50M** SM-IR **AUTO** FOCUS **WDR** digital **IP67** **SMP** HYU-655

**4 IN 1 BULLET PRO 5MP,
2,7~13,5MM, SMART IR 80M**

- 5MP@20fps, 0,003 lux
- 4 in 1 video output
- Motor lens 2,7 ~ 13,5mm
- D-WDR, IP66



5MP 20fps **80M** SM-IR **WDR** digital **IP67** **SMP** HYU-763

**4 IN 1 BULLET PRO 8MP, 2,7~13,5MM
MOTOR, SMART IR 80M**

- 8MP/5MP@12fps/20fps, 0,01 lux
- 4 in 1 video output
- Motor lens 2,7~13,5 mm
- D-WDR, DNR, IP67



8MP 12ips **80M** SM-IR **AUTO** FOCUS **WDR** digital **IP67** **SMP** HYU-590

**4 IN 1 BULLET PRO 5MP, 5~50MM
MOTOR, SMART IR 60~80M**

- 5MP@20fps, 0,01 lux
- 4 in 1 video output
- Motor lens 5~50 mm
- 2D/3D-DNR, D-WDR, IP66



5MP 20fps **80M** SM-IR **AUTO** FOCUS **WDR** digital **IP66** **SMP** HYU-541

**4 IN 1 DOME PRO 5MP, 2,7~13,5MM,
SMART IR 60M**

- 5MP/4MP@20fps, 0,003 lux
- 4 in 1 video output
- Motor lens 2,7~13,5 mm
- OSD menu via coaxial cable



60M SM-IR **WDR** 130dB **IP67** **SMP** HYU-757

**MINI 4 IN 1 DOME 2MP, 2,7~13,5MM,
SMART IR 70M**

- 2MP@25fps, 0,005 lux
- 4 in 1 video output
- Motor lens 2,7~13,5 m



70M SM-IR **WDR** 120dB **IP67** **STARLIGHT** **EMP** EXIR2.0 HYU-759

**4 IN 1 DOME PRO 5MP,
2,7~13,5MM, SMART IR 60M**

- 5MP/4MP@20fps, 0,003 lux
- 4 in 1 video output
- Motor lens 2,7~13,5 mm
- OSD menu via coaxial cable (UTC)



60M SM-IR **WDR** 130dB **IP67** **SMP** HYU-758

**4 IN 1 DOME PRO 5MP,
2,7~13,5MM MOTOR, SMART IR 40M**

- 5MP/4MP@20fps/25fps, 0,01 lux
- 4 in 1 video output
- Motor lens 2,7~13,5 mm
- 2D-DNR, D-WDR, IP67



5MP 20fps **40M** SM-IR **AUTO** FOCUS **WDR** digital **IP67** **SMP** HYU-491

**4 IN 1 VANDAL DOME PRO 2MP, 2,7~13,5MM
MOTOR, SMART IR 60M**

- 2MP@25fps, 0,005 lux
- 4 in 1 video output
- Motor lens 2,7~13,5 mm
- 3D-DNR, WDR 120dB, IP67, IK10



2MP 25fps **60M** SM-IR **AUTO** FOCUS **WDR** 120dB **IP67** **EMP** HYU-604

**4 IN 1 DOME PRO 5MP,
2,7~13,5MM MOTOR, SMART IR 40M**

- 5MP/4MP@20fps/25fps, 0,01 lux
- 4 in 1 video output
- Motor lens 2,7~13,5 mm
- 2D-DNR, D-WDR, IP67



5MP 20fps **40M** SM-IR **AUTO** FOCUS **WDR** digital **IP67** **SMP** HYU-577

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

**4 IN 1
CAMERAS**

4 IN 1 VANDAL DOME PRO 5MP, 2,7~13,5MM MOTOR, SMART IR 40M

- 5MP/4MP@20fps/25fps, 0,01 lux
- 4 in 1 video output
- Motor lens 2,7~13,5 mm
- 2D-DNR, D-WDR, IP67, IK10

2MP 25fps **40M** SM-IR **AUTO** FOCUS **IP67** **VANDAL PROOF**

EMP

HYU-490



4 IN 1 DOME PRO 8MP, 2,7~13,5MM MOTOR, SMART IR 60M

- 8MP/5MP@12fps/20fps, 0,01 lux
- 4 in 1 video output
- Motor lens 2,7~13,5 mm
- DNR, D-WDR, IP67

8MP 12fps **60M** SM-IR **AUTO** FOCUS **WDR** digital **IP67**

BMP

HYU-591



4 IN 1 BULLET ULTRAPRO 2MP, 2,8~12MM MOTOR, SMART IR 30~40M

- 2MP@25fps, 0,001 lux
- 4 in 1 video output
- Motor lens 2,8~12 mm
- 2D/3D-DNR, D-WDR, IP66

40M SM-IR **AUTO** FOCUS **WDR** digital **IP66** **EMP** STARLIGHT

HYU-694



4 IN 1 DOME PRO 8MP, SMART IR 60M, MOTOR 2,7~13,5MM

- 8MP/5MP@12fps/20fps, 0,01 lux
- 4 in 1 video output
- Motor lens 2,7~13,5 mm
- DNR, D-WDR, IP67

8MP 12fps **60M** SM-IR **AUTO** FOCUS **WDR** digital **IP67** **BMP**

HYU-592



4 IN 1 BULLET ULTRAPRO 2MP, 2,8~12MM MOTOR, SMART IR 30M

- 2MP@25fps, 0,005 lux
- 4 in 1 video output
- Motor lens 2,8~12 mm
- 3D-DNR, WDR 120dB, IP67

2MP 25fps **40M** SM-IR **AUTO** FOCUS **WDR** 120dB **IP65** **EMP** STARLIGHT

HYU-508



4 IN 1 BULLET ULTRAPRO 2MP, 2,7~13,5MM MOTOR, SMART IR 70M

- 2MP@25fps, 0,005 lux
- 4 in 1 video output
- Motor lens 2,7~13,5 mm
- 3D-DNR, WDR 120dB, IP67

2MP 25fps **70M** SM-IR **AUTO** FOCUS **WDR** 120dB **IP66** **EMP** STARLIGHT

HYU-674



4 IN 1 DOME ULTRAPRO 2MP, 2,8~12MM MOTOR, SMART IR 30M

- 2MP@25fps, 0,001 lux
- 4 in 1 video output
- Motor lens 2,8~12 mm
- 2D/3D-DNR, D-WDR, IP66

30M SM-IR **AUTO** FOCUS **WDR** digital **IP66** **EMP** STARLIGHT

HYU-696



4 IN 1 DOME ULTRAPRO 2MP, 2,8~12MM MOTOR, SMART IR 30M

- 2MP@25fps, 0,001 lux
- 4 in 1 video output
- Motor lens 2,8~12 mm
- 2D/3D-DNR, D-WDR, IP66

2MP 25fps **30M** SM-IR **AUTO** FOCUS **WDR** digital **IP66** **EMP** STARLIGHT

HYU-695



4 IN 1 DOME PRO 2MP, 2,7~13,5MM MOTOR, SMART IR 70M

- 2MP@25fps, 0,005 lux
- 4 in 1 video output
- Motor lens 2,7~13,5 mm
- 3D-DNR, WDR 120dB, IP67

2MP 25fps **70M** SM-IR **AUTO** FOCUS **WDR** 120dB **IP67** **EMP**

HYU-672



4 IN 1 BULLET 2MP, 2,7~13,5MM, SMART IR 70M

- 2MP@25fps, 0,005 lux
- 4 in 1 video output
- Motor lens 2,7 ~ 13,5mm
- WDR true120dB, 3D-DNR

2MP 25fps **70M** SM-IR **WDR** digital **IP67** **STARLIGHT** **EMP**

HYU-762



**4 IN 1
CAMERAS**

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

HYUNDAI CAMERAS 4 IN 1 PIR



Detects the human body and **warns** people from intrusion.



Send notifications when the alarm is activated



Supports **live video** and **playback**.



White lights are activated by **blinking** as a deterrent effect

4 IN 1 DOME 2MP WITH PIR, SMART IR 20M, 2,8MM



NEW

- 2MP@25fps
- 2,8 mm lens
- BLC, DNR, white led on alarm
- PIR 11m /110°, IP67, 12V DC
- WDR 130dB
- Full color
- Smart Light up to 20 meters
- 1 alarm output

EXIR2.0

EMP



HYU-775

4 IN 1 BULLET 2MP WITH PIR, SMART IR 40M, 2,8MM



NEW

- 2MP@25fps
- 2,8 mm lens
- BLC, DNR, white led on alarm
- PIR 11m /110°, IP67, 12V DC
- WDR digital
- Smart Light up to 20 meters
- 1 alarm output

EXIR2.0

EMP



HYU-776

4 IN 1 DOME 2MP WITH PIR, SMART IR 20M, 2,8MM



EXIR2.0

EMP

- 2MP@25fps
- 2,8 mm lens
- BLC, DNR, white led on alarm
- PIR 11m /110°, IP67, 12V DC

- Color: 0.0005 Lux
- WDR ≥130 dB
- PIR detection
- Siren incorporated



NEW

HYU-777

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

**4 IN 1
CAMERAS**

4 IN 1 CAMERAS

BULLET CAMERAS WITH POSITIONER

4IN1

4 IN 1 BULLET **PRO** 2MP, PAN/TILT AND 4X ZOOM, SMART IR 40M

EMP

2MP 25fps **40M** SM-IR **AUTO** FOCUS **WDR** 120dB **IP66**

- 2MP@25fps
- 4 in 1 output (CVI/TVI/AHD/CVBS)
- Motor lens 2,8~12 mm
- 0°~250°@15°/s (H); -10°~55°@10°/s (V)
- 255 presets, 8 rounds, 4 patterns
- WDR 120dB, ROI, IP66



HYU-113N

3 IN 1 BULLET **LITE-ECO** 2MP, PAN/TILT AND 10X ZOOM, SMART IR 80M

EMP

2MP 25fps **80M** SM-IR **AUTO** FOCUS **IP66**

- 2MP@25fps
- 3 in 1 output (CVI/TVI/AHD)
- Motor lens 5,1~51 mm
- 0°~250°@15°/s (H); -10°~55°@10°/s (V)
- 255 presets, 8 rounds, 4 patterns
- 2D/3D-DNR, IP66



HYU-112N

4 IN 1 BULLET **LITE-ECO** 2MP, 4X ZOOM, SMART IR 40M

- 2MP@25fps, 0,1/0,01 lux
- 4 in 1 video output
- Motor lens 2,8~12 mm
- 0°~180°@20°/s (H)
- 0°~55°@10°/s (V)

2MP 25fps **40M** SM-IR **AUTO** FOCUS **IP65** **EMP**

- 1 preset point
- Auto/manual exposure
- Automatic white balance
- Mirror mode, image adjustment
- AGC, 2D/3D-DNR, IP65



HYU-454

4 IN 1 CAMERAS

PTZ DOME

4IN1

4 IN 1 PTZ DOME 2MP, 15X ZOOM, SMART IR 100M

EMP

2MP 25fps **100M** SM-IR **AUTO** FOCUS **WDR** 120dB **IP66**

- 2MP@25fps, 0,005/0,001 lux
- 4 in 1 video output
- Motor lens 5~75 mm
- 360°@80°/s (H); -15°~90°@80°/s (V)
- 256 presets (Pelco-D/P), 10 rounds, 5 patterns
- 3D-DNR, WDR 120dB, IP66
- Bracket and power supply is not included



HYU-689

4 IN 1 PTZ DOME 2MP, 25X ZOOM, SMART IR 100M

EMP

2MP 25fps **100M** SM-IR **AUTO** FOCUS **WDR** 120dB **IP66**

- 2MP@25fps, 0,005/0,001 lux
- 4 in 1 video output
- Motor lens 4,8~120 mm
- 360°@80°/s (H); -15°~90°@80°/s (V)
- 256 presets (Pelco-D/P), 10 rounds, 5 patterns
- 3D-DNR, WDR 120dB, IP66
- Bracket and power supply is included



HYU-430N

4 IN 1
CAMERAS

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

**4 IN 1 PTZ DOME 2MP,
10X ZOOM, IR 100M**

EMP

2MP 25fps **100M** SM-IR **AUTO** FOCUS **WDR** digital **IP66**



- 2MP@25fps, 0,05/0,01 lux
- 4 in 1 video output
- Motor lens 5,1~51 mm
- 360°@180°/s (H); 0°~90°@30°/s (V)
- 256 presets, 4 round groups, 4 autoscan groups
- 2D/3D-DNR, D-WDR, IP66
- Bracket and power supply is included

HYU-456

**4 IN 1 PTZ DOME 2MP,
ZOOM 20X, IR 150M**

EMP

2MP 25fps **150M** SM-IR **AUTO** FOCUS **IP66**



- 2MP@25fps, 0,1 lux
- 4 in 1 video output
- Motor lens 5~100 mm
- 360°@350°/s (H); -10°~90°@120°/s (V)
- 80 multiprotocol presets, 8 rounds, 4 patterns
- AWB, AGC, IP66, lens-cleaner
- Bracket and power supply is included

HYU-82

**4 IN 1 PTZ DOME 2MP,
25X ZOOM, SMART IR 150M**

EMP

2MP 25fps **150M** SM-IR **AUTO** FOCUS **WDR** 120dB **IP66**



- 2MP@25fps, 0,005/0,001 lux
- 4 in 1 video output
- Motor lens 4,8~120 mm
- 360°@120°/s (H); -15°~90°@120°/s (V)
- 256 presets (Pelco-D/P), 10 rounds, 5 patterns
- 2/1 I/O relay, 3D-DNR, WDR 120dB, IP66
- Bracket and power supply is not included

HYU-431N

**4 IN 1 PTZ DOME 2MP,
ZOOM 32X, SMART IR 150M**

EMP

2MP 25fps **150M** SM-IR **AUTO** FOCUS **WDR** 120dB **IP66**



- 2MP@25fps, 0,005/0,001 lux
- 4 in 1 video output
- Motor lens 4,8~153 mm
- 360°@160°/s (H); -15°~90°@120°/s (V)
- 256 presets (Pelco-D/P), 10 rounds, 5 patterns
- 3D-DNR, WDR 120dB, IP66
- Bracket and power supply is not included

HYU-692

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

**4 IN 1
CAMERAS**

HYUNDAI

5 IN 1
DVR



HYUNDAI 5 IN 1 DVR LITE SERIES WITH AUDIO VIA COAXIAL



5 IN 1 DVR LITE SERIES

ZVR

5 IN 1 DVR 4CH 2M-N

- 4ch CVI/TVI/AHD/CVBS+4ch IP
- H.265, dual stream
- 1080p lite @25/30 fps
- Audio via coaxial
- 1 HDD, 2 USB



EMn

HYU-778
(ZVR4104P-2MLITE-AUDIO)



5 IN 1 ZVR 8CH 2M-N

- 8ch CVI/TVI/AHD/CVBS+8ch IP
- H.265, dual stream
- 1080p lite @25/30 fps
- Audio via coaxial
- 1 HDD, 2 USB



EMn

HYU-779
(ZVR4108P-2MLITE-AUDIO)



5 IN 1 ZVR 16CH 2M-N

- 16ch CVI/TVI/AHD/CVBS+16ch IP
- H.265, dual stream
- 1080p lite @25/30 fps
- Audio via coaxial
- 1 HDD, 2 USB



EMn

HYU-780
(ZVR4116P-2MLITE-AUDIO)



5 IN 1 ZVR 4CH 2M-N

- 4ch CVI/TVI/AHD/CVBS+1ch IP
- H.265, dual stream
- 2MP (IP), 2M-N@25fps (TVI/CVI)
- Audio via coaxial
- VCA, 1 HDD, 2 USB



EMn

HYU-781
(ZVR4104M-A-2MLITE-AUDIO)



5 IN 1 ZVR 8CH 2M-N

- 8ch CVI/TVI/AHD/CVBS+2ch IP
- H.265, dual stream
- 2MP (IP), 2M-N@25fps (TVI/CVI)
- Audio via coaxial, 4 in / 1 out alarm
- VCA, 1 HDD, 2 USB



EMn

HYU-782
(ZVR4108M-A-2MLITE-AUDIO)



5 IN 1 ZVR 16CH 2M-N

- 16ch CVI/TVI/AHD/CVBS+2ch IP
- H.265, dual stream
- 2MP (IP), 2M-N@25fps (TVI/CVI)
- Audio via coaxial, 4 in / 1 out alarm
- VCA, 1 HDD, 2 USB



EMn

HYU-783
(ZVR4116M-A-2MLITE-AUDIO)



HYUNDAI 5 IN 1 DVR PRO SERIES WITH AUDIO VIA COAXIAL



5 IN 1 DVR SERIE PRO

ZVR

5 IN 1 ZVR 4CH 4M-N

- 4ch CVI/TVI/AHD/CVBS+2ch IP
- H.265, dual stream
- 4 MP lite@15fps
- Audio via coaxial
- 1 HDD, 2 USB

4MN
15 fps



H.265+
4MN

4K
ULTRA HD

NEW



HYU-784

(ZVR5104P-4MLITE-AUDIO)

5 IN 1 ZVR 16CH 4M-N

- 16ch CVI/TVI/AHD/CVBS+8ch IP
- H.265, dual stream
- 4 MP lite@15fps
- Audio via coaxial
- 1 HDD, 2 USB

4MN
15 fps



H.265+
4MN

HYU-786

(ZVR5116P-4MLITE-AUDIO)

4K
ULTRA HD

NEW



5 IN 1 ZVR 4CH 4M-N

- 4ch CVI/TVI/AHD/CVBS+2ch IP
- H.265, dual stream
- 4 MP lite@15fps
- Audio via coaxial
- VCA, 1 HDD, 2 USB

4MN
15 fps



H.265+
4MN

4K
ULTRA HD

NEW



HYU-790

(ZVR5104M-4MLITE-AUDIO)

5 IN 1 ZVR 8CH 4M-N

- 8ch CVI/TVI/AHD/CVBS+4ch IP
- H.265, dual stream
- 4 MP lite@15fps
- Audio via coaxial
- VCA, 1 HDD, 2 USB

4MN
15 fps



H.265+
4MN

HYU-791

(ZVR5108M-4MLITE-AUDIO)

4K
ULTRA HD

NEW



5 IN 1 ZVR 16CH 4M-N

- 16ch CVI/TVI/AHD/CVBS+8ch IP
- H.265, dual stream
- 4 MP lite@15fps
- Audio via coaxial
- VCA, 1 HDD, 2 USB

4MN
15 fps



H.265+
4MN

4K
ULTRA HD

NEW



HYU-792

(ZVR5116M-4MLITE-AUDIO)

5 IN 1 ZVR 4CH 4M-N

- 4ch CVI/TVI/AHD/CVBS+2ch IP
- H.265, dual stream
- 4 MP lite@15fps
- Audio via coaxial
- Alarm: 4 in / 8 out

4MN
15 fps



H.265+
4MN

HYU-793

(ZVR5104M-A-4MLITE-AUDIO)

4K
ULTRA HD

NEW



5 IN 1 ZVR 8CH 4M-N

- 8ch CVI/TVI/AHD/CVBS+4ch IP
- H.265, dual stream
- 4MP lite@15fps
- Audio via coaxial
- Alarm: 8 in / 16 out

4MN
15 fps



H.265+
4MN

4K
ULTRA HD

NEW



HYU-794

(DS-7208HQHI-K1(A/S))

5 IN 1
DVR

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

5 IN 1 ZVR 16CH 4M-N

4K
ULTRA HD

- 16ch CVI/TVI/AHD/CVBS+8ch IP
- H.265+, dual stream
- 4MP lite@15fps
- Audio via coaxial
- VCA, 1 HDD, 2 USB

4MP
15 fps



4MP

H.265+

HYU-795
(ZVR5116M-A-4MLITE-AUDIO)



NEW

HYUNDAI



ENTERPRISEseries

HYUNDAI 5 IN 1 DVR ENTERPRISE SERIES WITH AUDIO VIA COAXIAL



5 IN 1 DVR ENTERPRISE SERIES

ZVR

5 IN 1 ZVR 4CH 8MP

- 4ch CVI/TVI/AHD/CVBS+2ch IP
- H.265, dual stream
- 8 MP@8 fps
- Audio via coaxial
- VCA, 1 HDD, 2 USB

8MP
8 fps



H.265+
8MP

HYU-796
(AI-ZVR7104-5M-AUDIO)



4K
ULTRA HD

NEW

5 IN 1 ZVR 8CH 8MP

- 8ch CVI/TVI/AHD/CVBS+4ch IP
- H.265, dual stream
- 8 MP@8 fps
- Audio via coaxial
- VCA, 1 HDD, 2 USB

8MP
8 fps



H.265+
8MP

HYU-797
(AI-ZVR7108-5M-AUDIO)



4K
ULTRA HD

NEW

5 IN 1 ZVR 4CH 8M-N

- 4ch CVI/TVI/AHD/CVBS+4ch IP
- H.265, dual stream
- 8 MP lite@8 fps
- Audio via coaxial
- VCA, 1 HDD, 2 USB

8MP
8 fps



H.265+
8MP

HYU-799
(ZVR7104-A-5M-AUDIO)



4K
ULTRA HD

NEW

5 IN 1 ZVR 8CH 8M-N

- 8ch CVI/TVI/AHD/CVBS+8ch IP
- H.265, dual stream
- 8 MP lite@8 fps
- Audio via coaxial
- VCA, 1 HDD, 2 USB

8MP
8 fps



H.265+
8MP

HYU-800
(ZVR7208-A-4KLITE-AUDIO)



4K
ULTRA HD

NEW

5 IN 1 ZVR 8CH 8MP

- 8ch CVI/TVI/AHD/CVBS+8ch IP
- H.265, dual stream
- 8 MP lite@8 fps
- Audio via coaxial
- VCA, 1 HDD, 2 USB

8MP
8 fps



H.265+
8MP

HYU-801
(DS-7216HUHI-K2(S))



4K
ULTRA HD

NEW

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

5 IN 1
DVR

HYUNDAI **AISENSE**, THE FIRST MANUFACTURER WITH
ARTIFICIAL INTELLIGENCE APPLIED TO CCTV



5 IN 1 DVR AI-SENSE ZVR

ZVR

5 IN 1 ZVR 4CH 8MP

- 4ch CVI/TVI/AHD/CVBS+2ch IP
- H.265+, dual stream
- 8 MP@8 fps
- Audio via coaxial
- VCA, 1 HDD, 2 USB

8MP
8 fps



H.265+
BMP



aisense

HYU-796

((AI-ZVR7104-5M-AUDIO))

5 IN 1 ZVR 8CH 8MP

- 8ch CVI/TVI/AHD/CVBS+4ch IP
- H.265+, dual stream
- 8 MP@8 fps
- Audio via coaxial
- VCA, 1 HDD, 2 USB

8MP
8 fps



H.265+
BMP



aisense

HYU-797

((AI-ZVR7108-5M-AUDIO))

5 IN 1 AISENSE ZVR 16 CHANNEL 4M-N

- 16 ch CVI/TVI/AHD/CVBS/IP + 8 ch IP
- H.265+, H.264+, dual stream
- 6MP (IP), 4M-N@15fps (TVI/AHD)
- 1080P HDMI output
- 2 way audio, 4ch AI

4MN
15 fps



H.265+
4MN



aisense

HYU-582

((AI-ZVR5116M-4MLITE))

5 IN 1 AISENSE ZVR 8 CHANNELS 5MP

- 8ch CVI/TVI/AHD/CVBS/IP + 16ch IP
- H.265+, H.264+, dual stream
- 8MP (IP), 5MP@8fps (TVI/AHD)
- 4 in / 1 out audio, 8 in / 4 out alarm
- 1 HDD, RJ45 Gigabit, 2 USB, 1 RS485

4K
HDMI



H.265+
SMP



aisense

HYU-584

((AI-ZVR7108-5M))

5 IN 1 AISENSE ZVR DE 4 CANALES 5MP

- 4 ch CVI/TVI/AHD/CVBS/IP + 8 ch IP
- H.265+, H.264+, dual stream
- 8MP (IP), 5MP@12fps (TVI/AHD)
- 4 in / 1 out audio, 4 in / 1 out alarm
- 1 HDD, RJ45 Fast, 2 USB, 1 RS485

5MP
12 fps



H.265+
SMP



aisense

HYU-583

((AI-ZVR7104-5M))

5 IN 1 AISENSE ZVR 4CH 4M-N

- 4ch CVI/TVI/AHD/CVBS+6ch IP
- H.265+, dual stream
- 6MP (IP), 4M-N@15fps (TVI/AHD)
- 2 way audio, 1 HDMI, 1 VGA, 1 BNC
- 2ch AI, 1 HDD, 2 USB, 1 RS485

4MN
15 fps



H.265+
4MN



aisense

HYU-580

((AI-ZVR5104M-4MLITE))

5 IN 1 AISENSE ZVR 8CH 4M-N

- 8ch CVI/TVI/AHD/CVBS+12ch IP
- H.265+, dual stream
- 6MP (IP), 4M-N@15fps (TVI/AHD)
- 2 way audio, 1 HDMI, 1 VGA, 1 BNC
- 4ch AI, 1 HDD, 2 USB, 1 RS485

4MN
15 fps



H.265+
4MN



aisense

HYU-581

((AI-ZVR5108M-4MLITE))

5 IN 1
DVR

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

5 IN 1 DVR ZVR H.264

ZVR

5 IN 1 ZVR 4CH 2M-N

- 4ch CVI/TVI/AHD/CVBS+1ch IP
- H.264+, dual stream
- 720P (IP), 2M-N@25fps (TVI/CVI)
- 2 way audio
- 1 HDD, 2 USB



EMn



HYU-234
(ZVR4104P-2MLITE)

5 IN 1 ZVR 8CH 2M-N

- 8ch CVI/TVI/AHD/CVBS+2ch IP
- H.264+, dual stream
- 720P (IP), 2M-N@25fps (TVI/CVI)
- 2 way audio
- 1 HDD, 2 USB



HYU-235
(ZVR4108P-2MLITE)

5 IN 1 ZVR 16CH 2M-N

- 16ch CVI/TVI/AHD/CVBS+2ch IP
- H.264+, dual stream
- 720P (IP), 2M-N@25fps (TVI/CVI)
- 2 way audio
- 1 HDD, 2 USB



HYU-236
(ZVR4116P-2MLITE)

5 IN 1 ZVR 4CH 2M-N

- 4ch CVI/TVI/AHD/CVBS+1ch IP
- H.264+, dual stream
- 1,3MP (IP), 2M-N@25fps (TVI/CVI)
- 2 way audio, 4 in / 1 out alarm
- VCA, 1 HDD, 2 USB



HYU-527
(ZVR4104M-A-2MLITE)

5 IN 1 ZVR 8CH 2M-N

- 8ch CVI/TVI/AHD/CVBS+2ch IP
- H.264+, dual stream
- 2MP (IP), 2M-N@25fps (TVI/CVI)
- 2 way audio, 4 in / 1 out alarm
- VCA, 1 HDD, 2 USB



HYU-528
(ZVR4108M-A-2MLITE)

5 IN 1 ZVR 16CH 2M-N

- 16ch CVI/TVI/AHD/CVBS+2ch IP
- H.264+, dual stream
- 2MP (IP), 2M-N@25fps (TVI/CVI)
- 2 way audio, 4 in / 1 out alarm
- VCA, 1 HDD, 2 USB



HYU-529
(ZVR4116M-A-2MLITE)

5 IN 1 ZVR 4CH 5MP

- 4ch CVI/TVI/AHD/CVBS+2ch IP
- H.264+, dual stream
- 4MP (IP), 5MP@10fps (TVI/AHD)
- 4 in / 1 out audio, 4 in / 1 out alarm
- 1 HDD, 2 USB, 1 RS485



HYU-292
(ZVR6104-A-5MLITE)

5 IN 1 ZVR 16CH 3MP

- 16ch CVI/TVI/AHD/CVBS+2ch IP
- H.264+, dual stream, HDMI (4K)
- 4MP (IP), 3MP@15fps (TVI)
- 4 in / 1 out audio, 16/4 I/O alarm
- 2 HDD, RJ45 GB, 2 USB, 1 RS485



HYU-231
(ZVR7216-A-3M)

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

**5 IN 1
DVR**

5 IN 1 DVR ZVR H.265

ZVR

5 IN 1 ZVR 4CH 4M-N

- 4ch CVI/TVI/AHD/CVBS+1ch IP
- H.265+, dual stream
- 4MP (IP), 4M-N/3MP@15fps (TVI)
- 2 way audio
- 1 HDD, 2 USB

4MN
15 fps



H.265+
4Mn



HYU-383
(ZVR5104P-4MLITE)

5 IN 1 ZVR 8CH 4M-N

- 8ch CVI/TVI/AHD/CVBS+2ch IP
- H.265+, dual stream
- 4MP (IP), 4M-N/3MP@15fps (TVI)
- 2 way audio
- 1 HDD, 2 USB

4MN
15 fps



H.265+
4Mn



HYU-384
(ZVR5108P-4MLITE)


5 IN 1 ZVR 16CH 4M-N

- 16ch CVI/TVI/AHD/CVBS+2ch IP
- H.265+, dual stream
- 4MP (IP), 4M-N/3MP@15fps (TVI)
- 2 way audio
- 1 HDD, 2 USB

4MN
15 fps



H.265+
4Mn



HYU-385
(ZVR5116P-4MLITE)

5 IN 1 ZVR 4CH 4M-N

- 4ch CVI/TVI/AHD/CVBS+1ch IP
- H.265+, dual stream
- 4MP (IP), 4M-N/3MP@15fps (TVI)
- 2 way audio
- 1 HDD, 2 USB, 1 RS485

4MN
15 fps



H.265+
4Mn



HYU-370
(ZVR5104M-4MLITE)

5 IN 1 ZVR 8CH 4M-N

- 8ch CVI/TVI/AHD/CVBS+2ch IP
- H.265+, dual stream
- 4MP (IP), 4M-N/3MP@15fps (TVI)
- 2 way audio
- 1 HDD, 2 USB, 1 RS485

4MN
15 fps



H.265+
4Mn



HYU-371
(ZVR5108M-4MLITE)

5 IN 1 ZVR 16CH 4M-N

- 16ch CVI/TVI/AHD/CVBS+2ch IP
- H.265+, dual stream, HDMI (4K)
- 4MP (IP), 4M-N/3MP@15fps (TVI)
- 2 way audio
- 1 HDD, RJ45 GB, 2 USB, 1 RS485

4K
HDMI

4MN
15 fps



H.265+
4Mn



HYU-372
(ZVR5116M-4MLITE)

5 IN 1 ZVR 4CH 4M-N

- 4ch CVI/TVI/AHD/CVBS+1ch IP
- H.265+, dual stream
- 4MP (IP), 4M-N/3MP@15fps (TVI)
- 2 way audio, 4 in / 1 out alarm
- 1 HDD, 2 USB, 1 RS485

4MN
15 fps



H.265+
4Mn



HYU-373
(ZVR5104M-A-4MLITE)

5 IN 1 ZVR 8CH 4M-N

- 8ch CVI/TVI/AHD/CVBS+2ch IP
- H.265+, dual stream
- 4MP (IP), 4M-N/3MP@15fps (TVI)
- 2 way audio, 8/1 I/O alarm
- 1 HDD, 2 USB, 1 RS485

4MN
15 fps



H.265+
4Mn



HYU-374
(ZVR5108M-A-4MLITE)

5 IN 1 ZVR 16CH 4M-N

- 16ch CVI/TVI/AHD/CVBS+2ch IP
- H.265+, dual stream, HDMI (4K)
- 4MP (IP), 4M-N/3MP@15fps (TVI)
- 2 way audio, 4 in / 1 out alarm
- 1 HDD, RJ45 GB, 2 USB, 1 RS485

4K
HDMI

4MN
15 fps



H.265+
4Mn



HYU-375
(ZVR5116M-A-4MLITE)

5 IN 1
DVR

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

5 IN 1 ZVR 32CH 4M-N

- 32ch CVI/TVI/AHD/CVBS+8ch IP
- H.265+, dual stream, HDMI (4K)
- 6MP (IP), 4M-N@15fps (TVI)
- 4 in / 1 out audio, **16/4 I/O alarm**



H.265+
4MN

HYU-446
(ZVR5432-A-4MLITE)

5 IN 1 ZVR 4CH 5MP

- 4ch CVI/TVI/AHD/CVBS+2ch IP
- H.265+, dual stream
- 6MP (IP), 5MP@12fps (TVI)
- 2 way audio, **4 in / 1 out alarm**
- 1 HDD, 2 USB, 1 RS485



H.265+
SMP

HYU-376
(ZVR7104-A-5M)

5 IN 1 ZVR 8CH 8MP

- 8ch CVI/TVI/AHD/CVBS+2ch IP
- H.265+, dual stream, HDMI (4K)
- 6MP (IP), 8MP@7fps (TVI)
- 4 in / 1 out audio, **8 in / 4 out alarm**
- 2 HDD, RJ45 GB, 2 USB, 1 RS485



4K
ULTRA HD



H.265+
8MP

HYU-377
(ZVR7208-A-4KLITE)

5 IN 1 ZVR 16CH 5MP + 16CH IP

- 4ch CVI/TVI/AHD/CVBS+2ch IP
- H.265+, dual stream
- 5MP (IP), 5MP@12fps (TVI)
- Audio via coaxial
- 1 HDD, 2 USB, 1 RS485



4K
ULTRA HD

NEW



H.265+
SMP

HYU-764
(DS-7216HUHI-K1)

5 IN 1 ZVR 4CH 8MP

- 4ch CVI/TVI/AHD/CVBS+2ch IP
- H.265+, dual stream, HDMI (4K)
- 8MP (IP), 8MP@10fps (TVI)
- Audio: 4 in / 1 out
- 2 HDD, RJ45 GB, 2 USB, 1 RS485



4K
ULTRA HD



H.265+
8MP

HYU-379
(ZVR8104-A-4K)

5 IN 1 ZVR 8CH 8MP

- 8ch CVI/TVI/AHD/CVBS+2ch IP
- H.265+, dual stream, HDMI (4K)
- 8MP (IP), 8MP@10fps (TVI)
- 8/1 I/O audio, **8/1 I/O alarm**
- 2 HDD, RJ45 GB, 2 USB, 1 RS485



4K
ULTRA HD



H.265+
8MP

HYU-380
(ZVR8208-A-4K)

5 IN 1 DVR ZVR PoC

ZVR

NEW POC CONNECTIVITY: POWER SUPPLY VIA COAXIAL

Power Over Coaxial "PoC" or power through coaxial cable, is the result of providing power to the cameras from a PoC DVR directly, operating through a single point; thus eliminating the need to have to connect the camera to a power outlet independently.

5 IN 1 POC ZVR 4CH 3MP

- 4ch CVI/TVI/AHD/CVBS+1ch IP
- H.265+, dual stream
- 4MP (IP), 3MP@15fps (TVI)
- 2 way audio
- 2 HDD, 2 USB, 1 RS485, PoC



POC
Power over Coax



H.265+
SMP

HYU-391
(ZVR5104M-POC)

5 IN 1 POC ZVR 8CH 3MP

- 8ch CVI/TVI/AHD/CVBS+2ch IP
- H.265+, dual stream
- 4MP (IP), 3MP@15fps (TVI)
- 2 way audio
- 2 HDD, 2 USB, 1 RS485, PoC



POC
Power over Coax



H.265+
SMP

HYU-392
(ZVR5208M-POC)

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

**5 IN 1
DVR**

5 IN 1 POC ZVR 16CH 3MP

- 16ch CVI/TVI/AHD/CVBS + 2ch IP
- H.265+, dual stream, HDMI (4K)
- 4MP (IP), 3MP@15fps (TVI)
- 2 way audio, HDMI (4K)
- 2 HDD, RJ45 GB, 2 USB, 1 RS485, PoC



**H.265+
SMP**

HYU-393
(ZVR5216M-POC)



5 IN 1 POC ZVR 4CH 5MP

- 4ch CVI/TVI/AHD/CVBS+2ch IP
- H.265+, dual stream
- 6MP (IP), 5MP@12fps (TVI/AHD)
- 2 way audio, 4 in / 1 out alarm
- 2 HDD, 2 USB, 1 RS485, PoC



**H.265+
SMP**

HYU-562
(ZVR7104-A-POC)



5 IN 1 POC ZVR 8CH 5MP

- 8ch CVI/TVI/AHD/CVBS+4ch IP
- H.265+, dual stream
- 6MP (IP), 5MP@12fps (TVI/AHD)
- 2 way audio, 8 in / 4 out alarm
- 2 HDD, 2 USB, 1 RS485, PoC



**H.265+
SMP**

HYU-563
(ZVR7208-A-POC)



5 IN 1 POC ZVR (5MP) 16CH 8MP

- 16ch CVI/TVI/AHD/CVBS+8ch IP
- H.265+, dual stream, HDMI (4K)
- 6MP (IP), 8MP@8fps (TVI)
- 4 in / 1 out audio, 4 in / 1 out alarm
- 2 HDD, RJ45 GB, 2 USB, 1 RS485, PoC



**H.265+
SMP**

HYU-564
(ZVR7216-A-POC)



ZVR

5 IN 1 DVR ZVR WITH CCTV HDD

HYU-384 + 1 HDD 1TB



HYU-384-1TB

HYU-385 + 1 HDD 2TB



HYU-385-2TB

HYU-383 + 1 HDD 1TB



HYU-383-1TB

HYU-371 + 1 HDD 1TB



HYU-371-1TB

HYU-372 + 1 HDD 2TB



HYU-372-2TB

HYU-370 + 1 HDD 1TB



HYU-370-1TB

HYU-376 + 1 HDD 1TB



HYU-376-1TB

HYU-377 + 1 HDD 1TB



HYU-377-1TB

HYU-373 + 1 HDD 1TB



HYU-373-1TB

5 IN 1 ZVR 16CH 5MP + 16CH IP

- 4ch CVI/TVI/AHD/CVBS+2ch IP
- H.265+, dual stream
- 5MP (IP), 5MP@12fps (TVI)
- 2 way audio,
- 1 HDD 2TB, 2 USB, 1 RS485



**H.265+
SMP**

- H.265 Pro+, H.265 Pro, H.265, H.264+, H.264
- Audio: 1 in / 1 out
- Video output HDMI (4K) and VGA (1080P)



HYU-764-2TB

**5 IN 1
DVR**

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

HYUNDAI

WIFI IP SYSTEMS



IP WIFI SYSTEMS

WIFI NVR

NEXT
GEN

4CH WIFI NVR, 4MP@50MB/S

- H.265+/H.264+, dual stream
- HDMI and VGA output
- 50/40Mbps input/output
- 1ch@4MP
- Up to 1 HDD, RJ45, 2 USB



HYU-707



NVR 8CH WITH WIFI, 4MP@50MB/S

- H.265+/H.264+, dual stream
- HDMI and VGA output
- 50/40Mbps input/output
- 1ch@4MP
- Up to 1 HDD, RJ45, 2 USB



HYU-708



IP WIFI SYSTEMS

WIFI CAMERAS

NEXT
GEN

WIFI IP CAMERA 2MP, 2,8MM, IR 5M, 2 WAY AUDIO

- 2MP@25fps, 0,01 lux
- H.264, dual stream
- 2,8 mm lens
- 2 way audio, MicroSD, 3D-NR, D-WDR



HYU-432



WIFI IP CAMERA 1MP, 2,8MM, IR 5M, PAN/TILT

- 720P@25fps, 0,01 lux
- H.264/MJPEG, dual stream
- 2,8 mm lens
- 2 way audio, MicroSD, 3D-NR, D-WDR



HYU-298



WIFI IP CAMERA 2MP, 2,8MM, IR 5M, PAN/TILT

- 2MP@25fps, 0,01 lux
- H.264, dual stream
- 2,8 mm lens
- 2 way audio, MicroSD, 3D-NR, D-WDR



HYU-605



WIFI IP CAMERA 2MP, 2,8MM, IR 5M, PAN/TILT

- 2MP@25fps, 0,01 lux
- H.264, dual stream
- 2,8 mm lens
- 2 way audio, MicroSD, 3D-NR, D-WDR



HYU-605N



WIFI IP CAMERA 4MP, 2,8MM, IR 10M

- 4MP/3MP/2MP@25fps, 0,018 lux
- H.265+/H.265, triple stream
- 2,8 mm lens
- 2 way audio
- MicroSD, WDR 120dB, IVS, PoE



HYU-496



WIFI IP CAMERA 2MP, 2,8MM, IR 10M

- 2MP@25fps, 0,028 lux
- H.265+/H.265, triple stream
- 2,8 mm lens
- 2 way audio
- MicroSD, WDR 120dB, IVS, PoE



HYU-630



WIFI IP
SYSTEMS

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

WIFI IP CAMERA 6MP, 2,8MM, IR 10M

- 6MP/5MP@20fps, 0,028 lux
- H.265+/H.264+, triple stream
- 2,8 mm lens
- 2 way audio
- MicroSD, WDR 120dB, IVS, PoE

6MP
20 fps

10M
IR

WDR
120dB

IVS



H.265+
5MP



HYU-495

WIFI IP BULLET 2MP, 2,8MM, IR 30M

- 2MP@25fps, 0,028 lux
- H.265+/H.264+, dual stream
- 2,8 mm lens
- MicroSD, reset button, microphone
- 3D-DNR, D-WDR, ROI, IP66

2MP
25 fps

30M
IR

WDR
digital

IP66



H.265+
4MP



HYU-648

WIFI IP DOME 2MP, 2,8 MM, IR 30M

- 2MP@25fps, 0,28 lux
- H.265+/H.264+, dual stream
- 2,8 mm lens
- 3D-DNR, D-WDR, ROI

2MP
25fps

30M
SM-IR

WDR
digital

IP66

H.265+
4MP



HYU-649

WIFI IP BULLET 4MP, 2,8MM, IR 30M

- 4MP/3MP@20fps/25fps, 0,028 lux
- H.265+/H.264+, dual stream
- 2,8 mm lens
- MicroSD, reset button, microphone
- 3D-DNR, D-WDR, ROI, IP66

4MP
20 fps

30M
IR

WDR
digital

IP66



H.265+
4MP



HYU-663

WIFI IP DOME 4MP, 2,8MM, IR RANGE 10M

4MP

4MP
20 fps

30M
IR

WDR
digital

IP66



- 4MP/3MP@20fps/25fps, 0,028 lux
- H.265+/H.264+, dual stream
- 2,8 mm lens
- 3D-DNR, D-WDR, ROI
- MicroSD, IP66



HYU-664

WIFI IP DOME 2MP FOR INDOORS 2,8MM, IR RANGE 10M

4MP

10M
IR

WDR
120dB

- 2MP@25fps, 0,01 lux
- H.264+/H.264/MJPEG, dual stream
- 2,8 mm lens, Pan&Tilt
- 3D-DNR, WDR 120dB, ROI, MicroSD
- Reset button, not suitable for outdoors



HYU-356

WIFI IP VANDAL DOME 4MP, 2,8MM, IR RANGE 10M

4MP

10M
IR

WDR
120dB

IVS

IP67



- 4MP@20fps, 0,01 lux
- H.264+/H.264/MJPEG, dual stream
- 2,8 mm lens
- 3D-DNR, WDR 120dB, ROI, IVS
- MicroSD, IP67, IK08, PoE



HYU-394

WIFI IP VANDAL DOME 6MP, 2,8MM, IR RANGE 10M

6MP H.265

10M
IR

WDR
120dB

IVS

IP66



- 6MP/5MP@20fps, 0,01 lux
- H.265+/H.264+, triple stream
- 2,8 mm lens
- 3D-DNR, WDR 120dB, ROI, IVS
- MicroSD, IP66, IK08, PoE



HYU-498

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

WIFI IP
SYSTEMS

HYUNDAI

IP CAMERAS

COMPATIBILITY
PLUG&PLAY
HIKVISION
DAHUA

IP CAMERAS BULLET AND DOMES

HIKVISION
dahua
TECHNOLOGY

IP BULLET 2MP, 2,8MM, SMART IR 20M, 2 WAY AUDIO

- 2MP@25fps, 0,1/0,01 lux
- H.265+/MJPEG, dual stream
- 2,8 mm lens
- D-WDR, IP66, PoE, reset button

20M SM-IR WDR digital 2,8 mm IP66 H.265+ EMP



HYU-305N

IP BULLET 5MP, 2,8MM, SMART IR 25M, 2 WAY AUDIO

- 5MP@10fps, 3MP/2MP@25fps
- H.265+, dual stream
- 2,8 mm lens
- D-WDR, IP66, PoE, reset button

25M SM-IR WDR digital 2,8 mm IP66 H.265+ SMP



HYU-750

IP BULLET 2MP, 2,7~13MM MOTOR, SMART IR 40M, 2 WAY AUDIO

- 2MP@25fps, 0,1/0,01 lux
- H.264/MJPEG, dual stream
- Motor lens 2,7~13 mm
- D-WDR, IP66, PoE, reset button

40M SM-IR WDR digital AUTO FOCUS IP66 EMP



HYU-300

IP BULLET 2MP, 2,8~12MM MOTOR, SMART IR 40M, 2 WAY AUDIO

- 2MP@20fps
- H.265/H.264, dual stream
- Motor lens 2,8~12 mm
- WDR 120dB, IP66, PoE, reset button

40M SM-IR WDR 120dB AUTO FOCUS IP66 H.265 EMP



HYU-748

IP BULLET 4MP, 2,7~13,5MM MOTOR, SMART IR 40M

- 4MP@25fps, 0,01 lux
- H.265/H.264, dual stream
- Motor lens 2,7~13,5 mm
- 2D/3D-DNR, D-WDR, IP66, PoE

40M SM-IR WDR digital AUTO FOCUS IP66 H.265 4MP



HYU-333

IP BULLET 4MP, 2,8~12MM MOTOR, SMART IR 60M, 2 WAY AUDIO

- 4MP@15fps
- H.265/H.264, dual stream
- Motor lens 2,8~12 mm
- WDR 120dB, IP66, PoE, reset button

60M SM-IR WDR 120dB AUTO FOCUS IP66 H.265 4MP



HYU-256

IP BULLET 4MP, 2,8~12MM MOTOR, SMART IR 40M, 2 WAY AUDIO

- 4MP@15fps, 0,1/0,01 lux
- H.265/MJPEG, dual stream
- Motor lens 2,8~12 mm
- WDR 120dB, IP66, PoE, reset button

40M SM-IR WDR 120dB AUTO FOCUS IP66 H.265 4MP



HYU-307

IP BULLET 8MP, 3,6~12MM MOTOR, SMART IR 40M, 2 WAY AUDIO

- 8MP@25fps, 0,01 lux
- H.265/MJPEG, dual stream
- Motor lens 3,6~12 mm
- WDR 120dB, IP66, PoE, reset button

40M SM-IR WDR 120dB AUTO FOCUS IP66 H.265 SMP



HYU-339

IP DOME 2MP, 2,8MM, SMART IR 30M, 2 WAY AUDIO

- 2MP@20fps
- H.265/H.264, dual stream
- 2,8 mm lens
- WDR 120dB, IP66, PoE, reset button

30M SM-IR WDR 120dB AUTO FOCUS IP66 H.265 EMP



HYU-749

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

IP
CAMERAS

**IP DOME 5MP, 2,8MM,
SMART IR 30M, 2 WAY AUDIO**

- 5MP@10fps, 3MP/2MP@25fps
- H.265+, dual stream
- 2,8 mm lens
- D-WDR, IP66, PoE, reset button

30M SM-IR **WDR** digital **AUTO** FOCUS **IP66** **H.265** **5MP**



HYU-751

**IP DOME 2MP, 2,7~13,5MM MOTOR,
SMART IR 40M, 2 WAY AUDIO**

- 2MP@25fps, 0,1/0,01 lux
- H.265/H.264, dual stream
- Motor lens 2,7~13,5 mm
- D-WDR, IP66, PoE, reset button

40M SM-IR **WDR** digital **AUTO** FOCUS **IP66** **H.265** **2MP**



HYU-302N

**IP DOME 4MP, 2,8~12MM MOTOR,
SMART IR 40M, 2 WAY AUDIO**

- 4MP@25fps
- H.265/H.264, dual stream
- Motor lens 2,8~12 mm
- WDR 120dB, IP66, PoE, reset button

40M SM-IR **WDR** 120dB **AUTO** FOCUS **IP66** **H.265** **4MP**



HYU-255

**IP VANDAL DOME 4MP, 2,7~13MM MOTOR,
SMART IR 30M, 2 WAY AUDIO**

- 4MP@25fps
- H.265/H.264, dual stream
- Motor lens 2,7~13 mm
- WDR 120dB, IP66, PoE, reset button

30M SM-IR **WDR** 120dB **AUTO** FOCUS **IP66** **H.265** **4MP**



HYU-257

**IP DOME 8MP, 3,6~12MM MOTOR,
SMART IR 40M, 2 WAY AUDIO**

- 8MP@25fps, 0,01 lux
- H.265/MJPEG, dual stream
- Motor lens 3,6~12 mm
- WDR 120dB, IP66, PoE, reset button

40M SM-IR **WDR** 120dB **AUTO** FOCUS **IP66** **H.265** **8MP**



HYU-338

**IP CAMERAS
NEXTGEN BULLET AND DOMES**



HYUNDAI

PerformanceLine & ValueLine



**IP BULLET 2MP, 2,8MM,
SMART IR 30M**

- 2MP@25fps, 0,01 lux
- H.265+/H.264+, dual stream
- 2,8 mm lens
- 3D-DNR, D-WDR, ROI, IP67, PoE

30M SM-IR **WDR** digital **2,8** mm **IP67** **H.265+** **2MP**



HYU-414

**IP BULLET 4MP, 2,8MM,
SMART IR 30M**

- 4MP@20fps, 0,01 lux
- H.265+/H.264+, dual stream
- 2,8 mm lens
- 3D-DNR, D-WDR, ROI, IP67, PoE

30M SM-IR **WDR** digital **2,8** mm **IP67** **H.265+** **4MP**



HYU-408

**IP
CAMERAS**

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

IP BULLET 4MP, 2,8MM, SMART IR 30M

30M
SM-IR

WDR
120dB

AUTO
FOCUS

IP67

H.265
EMP

- 4MP@20fps, 0,01 lux
- H.265/MJPEG, dual stream
- 2,8 mm lens
- 3D-DNR, WDR 120dB, IP67, PoE

- Stream 1: 4MP, 1080P, 720P (20 fps)
- Stream 2: D1, CIF, VGA, QVGA (20 fps)
- IR illumination: 30 meters



HYU-752

IP BULLET 5MP, 2,8MM, SMART IR 30M

- 5MP@12fps, 0,028 lux
- H.265+/H.264+, dual stream
- 2,8 mm lens
- 3D-DNR, WDR 120dB, ROI, IP67, PoE

30M
SM-IR

WDR
120dB

2,8
mm

IP67

H.265+
SMP



HYU-615

IP BULLET 5MP, 2,8~12MM MOTOR, SMART IR 30M

- 5MP@12fps, 0,02 lux
- H.265+/H.264+, dual stream
- Motor lens 2,8~12 mm
- MicroSD, 3D-DNR, WDR 120dB, IP67, PoE

30M
SM-IR

WDR
120dB

AUTO
FOCUS

IP67

H.265+
SMP



HYU-618

IP BULLET 4MP, 2,8~12MM MOTOR, SMART IR 30M

- 4MP@20fps, 0,018 lux
- H.265+/H.264+, dual stream
- Motor lens 2,8~12 mm
- MicroSD, 3D-DNR, WDR 120dB, IP67, PoE

30M
SM-IR

WDR
120dB

AUTO
FOCUS

IP67

H.265+
LMP



HYU-411

IP BULLET 2MP, 2,8MM, SMART IR 30M

- 2MP@25fps, 0,028 lux
- H.265/MJPEG, dual stream
- 2,8 mm lens
- MicroSD, 3D-DNR, WDR 120dB, IP67, PoE

30M
SM-IR

WDR
120dB

AUTO
FOCUS

IP67

H.265
EMP



HYU-768

IP BULLET 2MP, 2,8~12MM MOTOR, SMART IR 30M

- 2MP@25fps, 0,028 lux
- H.265+/H.264+, dual stream
- Motor lens 2,8~12 mm
- MicroSD, 3D-DNR, WDR 120dB, IP67, PoE

30M
SM-IR

WDR
120dB

AUTO
FOCUS

IP67

H.265+
EMP



HYU-771

IP VANDAL DOME 5MP, 2,8~12MM MOTOR, SMART IR 30M

- 5MP/4MP@12fps/20fps, 0,02 lux
- H.265+/H.264+, dual stream
- Motor lens 2,8~12 mm
- MicroSD, WDR 120dB, IP67, IK10, PoE

30M
SM-IR

AUTO
FOCUS

WDR
120dB

IP67

VANDAL
PROOF

H.265+
SMP



HYU-619

IP DOME 5MP, 2,8~12MM MOTOR, SMART IR 30M

- 5MP/4MP@12fps/20fps, 0,02 lux
- H.265+/H.264+, dual stream
- Motor lens 2,8~12 mm
- MicroSD, WDR 120dB, ROI, IP67, PoE

30M
SM-IR

AUTO
FOCUS

WDR
120dB

IP67

H.265+
SMP



HYU-620

IP DOME 2MP, 2,8MM, SMART IR 30M

- 2MP@25fps, 0,01 lux
- H.265+/H.264+, dual stream
- 2,8 mm lens
- 3D-DNR, WDR 120dB, IP67, PoE

30M
SM-IR

2,8
mm

WDR
120dB

IP67

H.265+
EMP



HYU-416N

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

IP
CAMERAS

IP BULLET 4MP, 2,8~12MM MOTOR, SMART IR 30M

- 4MP@20fps, 0,01 lux
- H.265+/MJPEG, dual stream
- Motor lens 2,8~12 mm
- MicroSD, 3D-DNR, WDR 120dB, IP67, PoE

30M SM-IR WDR 120dB AUTO FOCUS IP67 H.265+ **4MP**

HYU-760



IP DOME 2MP, 2,8~12MM MOTOR, SMART IR 30M

- 2MP@25fps, 0,028 lux
- H.265+/H.264+, dual stream
- Motor lens 2,8~12 mm
- MicroSD, 3D-DNR, WDR 120dB, IP67, PoE

30M SM-IR WDR 120dB AUTO FOCUS IP67 H.265+ **2MP**

HYU-772



IP DOME 4MP, 2,8~12MM MOTOR, SMART IR 30M

- 4MP@20fps, 0,018 lux
- H.265+/MJPEG, dual stream
- Motor lens 2,8~12 mm
- MicroSD, 3D-DNR, WDR 120dB, IP67, PoE

30M SM-IR WDR 120dB AUTO FOCUS IP67 H.265+ **4MP**

HYU-767



IP DOME 4MP, 2,8~12MM MOTOR, SMART IR 20/30M

- 4MP@20fps, 0,01 lux
- H.265+/MJPEG, dual stream
- Motor lens 2,8~12 mm
- MicroSD, 3D-DNR, WDR 120dB, IP67, PoE

30M SM-IR WDR 120dB AUTO FOCUS IP67 H.265+ **4MP**

HYU-766



IP DOME 2MP, 2,8MM, SMART IR 30M

- 2MP@25fps, 0,028 lux
- H.265+/MJPEG, dual stream
- 2,8 mm lens
- 3D-DNR, WDR 120dB, IP67, PoE

30M SM-IR WDR 120dB IP67 H.265+ **2MP**

HYU-769



IP DOME 2MP, 2,8MM, SMART IR 30M

- 2MP@25fps, 0,028 lux
- H.265+/MJPEG, dual stream
- 2,8 mm lens
- 3D-DNR, WDR 120dB, IP67, PoE

30M SM-IR WDR 120dB IP67 H.265+ **2MP**

HYU-770



IP VANDAL DOME 2MP, 2,8MM, SMART IR 30M

- 1080P@25fps, 0,01/0,028 lux
- H.265+/H.264+, dual stream
- 2,8 mm lens
- D-WDR, ROI, IP67, IK10, PoE

30M SM-IR 2,8 mm WDR digital IP67 VANDAL PROOF H.265+ **2MP**

- Motion detection and privacy mask
- Adjustment of brightness, saturation, contrast, sharpness, mirror
- Network interface: RJ45 (10/100 Base-T)

HYU-415



IP DOME 4MP, 2,8~12MM MOTOR, SMART IR 30M

- 4MP@20fps, 0,02 lux
- H.265+/MJPEG, dual stream
- Motor lens 2,8~12 mm
- MicroSD, 3D-DNR, WDR 120dB, IP67, PoE

30M SM-IR WDR 120dB AUTO FOCUS IP67 H.265+ **4MP**

HYU-773



IP DOME 5MP, 2,8MM, SMART IR 30M

- 5MP@12fps, 0,028 lux
- H.265+/H.264+, dual stream
- 2,8 mm lens
- 3D-DNR, WDR 120dB, IP67, PoE

30M SM-IR 2,8 mm WDR 120dB IP67 H.265+ **5MP**

HYU-616



IP
CAMERAS

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

IP VANDAL DOME 4MP, 2,8MM, SMART IR 30M

- 4MP@20fps, 0,01/0,028 lux
- H.265+/H.264+, dual stream
- 2,8 mm lens
- D-WDR, ROI, IP67, IK10, PoE

30M
SM-IR

2,8
mm

WDR
digital

IP67

VANDAL
PROOF

H.265+
LMP

HYU-409



IP DOME 2MP, 2,8MM, SMART IR 30M

- 4MP@20fps, 0,01/0,028 lux
- H.265+/H.264+, dual stream
- 2,8 mm lens
- 3D-DNR, D-WDR, ROI, IP67, PoE

30M
SM-IR

WDR
digital

2,8
mm

IP67

H.265+
LMP

HYU-410



IP DOME 4MP, 2,8MM, SMART IR 30M

- 4MP@20fps, 0,01 lux
- H.265+, MJPEG dual stream
- 2,8mm lens
- WDR 120dB, IP67, PoE, reset button

30M
SM-IR

WDR
120dB

AUTO
FOCUS

IP66

H.265+
BMP

HYU-753



IP DOME 5MP, 2,8MM, SMART IR 30M

- 5MP@12fps, 0,028 lux
- H.265+/H.264+, dual stream
- 2,8 mm lens
- 3D-DNR, WDR 120dB, IP67, PoE

30M
SM-IR

2,8
mm

WDR
120dB

IP67

H.265+
SMP

HYU-617



IP DOME 4MP, 2,8MM, SMART IR 30M

- 4MP@20fps, 0,01 lux
- H.265+/H.264+, dual stream
- 2,8 mm lens
- 3D-DNR, WDR 120dB, IP67, PoE

30M
SM-IR

2,8
mm

WDR
120dB

IP67

H.265+
LMP

HYU-410N



IP DOME 2MP, 2,8~12MM MOTOR, SMART IR 20~30M

- 2MP@25fps, 0,02 lux
- H.265+/H.264+, dual stream
- Motor lens 2,8~12 mm
- 3D-DNR, D-WDR, ROI, IP67, PoE

30M
SM-IR

AUTO
FOCUS

WDR
digital

IP67

H.265+
EMP

HYU-418



IP DOME 4MP, 2,8~12MM MOTOR, SMART IR 20~30M

- 4MP@20fps, 0,02 lux
- H.265+/H.264+, dual stream
- Motor lens 2,8~12 mm
- 3D-DNR, D-WDR, ROI, IP67, PoE

30M
SM-IR

AUTO
FOCUS

WDR
digital

IP67

H.265+
LMP

HYU-412



IP VANDAL DOME 2MP, 2,8~12MM MOTOR, SMART IR 30M

- 2MP@25fps, 0,01/0,018 lux
- H.265+/H.264+, dual stream
- Motor lens 2,8~12 mm
- D-WDR, ROI, IP67, IK10, PoE

30M
SM-IR

AUTO
FOCUS

WDR
digital

IP67

H.265+
EMP

HYU-419



IP DOME 4MP, 2,8~12MM, SMART IR 20-30M

- 4MP@20fps, 0,01 lux
- H.265+/H.264+, dual stream
- Motor lens 2,8~12 mm
- 3D-DNR, WDR 120dB, IP67, PoE

30M
SM-IR

WDR
120dB

IP67

H.265+
LMP

HYU-412N



IP VANDAL DOME 4MP, 2,8~12MM MOTOR, SMART IR 30M

- 4MP@20fps, 0,018 lux
- H.265+/H.264+, dual stream
- Motor lens 2,8~12 mm
- MicroSD, WDR 120dB, IP67, IK10, PoE

30M
SM-IR

AUTO
FOCUS

WDR
120dB

IP67

H.265+
LMP

HYU-413



HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

IP
CAMERAS



IP BULLET 4MP, 2,8MM, SMART IR 30M

- 4MP/3MP@25fps, 0,018 lux
- H.265+/H.264+, triple stream
- 2,8 mm lens
- MicroSD, WDR 120dB, IVS, IP67, PoE



30M SM-IR **WDR** 120dB **2,8** mm **IVS** **IP67** **H.265+** **4MP**

HYU-738

IP BULLET 2MP, 2,8MM, SMART IR 30M

- 2MP@25fps, 0,028 lux
- H.265+/H.264+, triple stream
- 2,8 mm lens
- MicroSD, WDR 120dB, IVS, IP67, PoE



30M SM-IR **WDR** 120dB **2,8** mm **IVS** **IP67** **H.265+** **2MP**

HYU-737

IP BULLET 6MP, 2,8MM, SMART IR 30M

- 6MP/5MP@20fps, 0,028 lux
- H.265+/H.264+, triple stream
- 2,8 mm lens
- 3D-DNR, WDR 120dB, IVS, IP67, PoE



30M SM-IR **WDR** 120dB **2,8** mm **IVS** **IP67** **H.265+** **6MP**

HYU-492

IP BULLET 8MP, 2,8MM, SMART IR 30M

- 8MP@12fps, 0,028 lux
- H.265+/H.264+, triple stream
- 2,8 mm lens
- 3D-DNR, WDR 120dB, IVS, IP67, PoE



30M SM-IR **WDR** 120dB **2,8** mm **IVS** **IP67** **H.265+** **8MP**

HYU-424

IP BULLET 8MP, 2,8MM, SMART IR 30M

- 8MP@20fps, 0,01 lux
- H.265/H.264/MJPEG, triple stream
- 2,8 mm lens
- MicroSD, WDR 120dB, IVS, IP67, PoE



30M SM-IR **2,8** mm **WDR** 120dB **IVS** **IP67** **H.265** **8MP**

HYU-284

IP BULLET 2MP, SMART IR 50M

- 2MP@25fps, 0,018 lux
- H.265+/H.264+, triple stream
- Motor lens 2,8~12 mm
- 2 way audio, 1 in / 1 out alarm
- MicroSD, WDR 120dB, IVS, IP67, IK10, PoE+



50M SM-IR **AUTO** FOCUS **WDR** 120dB **IVS** **IP67** **H.265+** **2MP**

HYU-739

IP BULLET 4MP, SMART IR 50M

- 4MP/3MP@25fps, 0,018 lux
- H.265+/H.264+, triple stream
- Motor lens 2,8~12 mm
- 2 way audio, 1 in / 1 out alarm
- MicroSD, WDR 120dB, IVS, IP67, IK10, PoE+



50M SM-IR **AUTO** FOCUS **WDR** 120dB **IVS** **IP67** **H.265+** **4MP**

HYU-740

IP BULLET 4MP, 2,8~12MM MOTOR, SMART IR 30M

- 4MP@20fps, 0,014 lux
- H.264+/MJPEG, dual stream
- Motor lens 2,8~12 mm
- MicroSD, 3D-DNR, WDR 120dB, IVS, IP67, PoE



30M SM-IR **WDR** 120dB **AUTO** FOCUS **IVS** **IP67** **4MP**

HYU-203

IP BULLET 6MP, 2,8~12MM MOTOR, SMART IR 50M

- 6MP/5MP@20fps, 0,028 lux
- H.265+/H.264+, triple stream
- Motor lens 2,8~12 mm
- 3D-DNR, WDR 120dB, IVS, IP67, IK10, PoE



50M SM-IR WDR 120dB AUTO FOCUS IVS IP67 H.265+ **6MP** HYU-499

IP BULLET 8MP, 2,8~12MM MOTOR, IR 50M

- 8MP@20fps, 0,01 lux
- H.265+/H.264+, triple stream
- Motor lens 2,8~12 mm
- 2 way audio 1 in / 1 out alarm, MicroSD
- WDR 120dB, IVS, IP67, IK10, PoE+



50M SM-IR WDR 120dB AUTO FOCUS IVS IP67 H.265+ **8MP** NightFighter HYU-405

IP VANDAL DOME 4MP, 2,8MM, SMART IR 30M

- 4MP/3MP@25fps, 0,018 lux
- H.265+/H.264+, triple stream
- 2,8 mm lens
- MicroSD, WDR 120dB, IVS, IP67, IK10, PoE



30M SM-IR WDR 120dB 2,8 mm IVS IP67 H.265+ **4MP** HYU-742

IP VANDAL DOME 2MP, 2,8MM, SMART IR 30M

- 2MP@25fps, 0,028 lux
- H.265+/H.264+, triple stream
- 2,8 mm lens
- MicroSD, WDR 120dB, IVS, IP67, IK10, PoE



30M SM-IR WDR 120dB 2,8 mm IVS IP67 H.265+ **2MP** HYU-741

IP DOME 6MP, 2,8MM, SMART IR 30M

- 6MP/5MP@20fps, 0,028 lux
- H.265+/H.264+, triple stream
- 2,8 mm lens
- 3D-DNR, WDR 120dB, IVS, IP67, PoE



30M SM-IR 2,8 mm WDR 120dB IVS IP67 H.265+ **6MP** HYU-494

IP VANDAL DOME 6MP, 2,8MM, SMART IR 30M

- 6MP/5MP@20fps, 0,028 lux
- H.265+/H.264+, triple stream
- 2,8 mm lens
- WDR 120dB, IVS, IP67, IK10, PoE



30M SM-IR 2,8 mm WDR 120dB IVS IP67 H.265+ **6MP** HYU-493

IP DOME 8MP, 2,8MM, SMART IR 40M

- 8MP@20fps, 0,01 lux
- H.265+/H.264+, triple stream
- 2,8 mm lens
- MicroSD, WDR 120dB, IVS, IP67, PoE



40M SM-IR 2,8 mm WDR 120dB IVS IP67 H.265 **8MP** HYU-285

IP DOME 8MP, 2,8MM, SMART IR 30M

- 8MP@12fps, 0,028 lux
- H.265+/H.264+, triple stream
- 2,8 mm lens
- MicroSD, WDR 120dB, IVS, IP67, PoE



30M SM-IR 2,8 mm WDR 120dB IVS IP67 H.265 **8MP** HYU-425

IP VANDAL DOME 8MP, 2,8MM, SMART IR 30M

- 8MP@12fps, 0,028 lux
- H.265+/H.264+, triple stream
- 2,8 mm lens
- WDR 120dB, IVS, IP67, IK10, PoE



30M SM-IR 2,8 mm WDR 120dB IVS IP67 H.265 **8MP** HYU-426

IP VANDAL DOME 8MP, 2,8MM, SMART IR 30M

- 8MP@20fps, 0,01 lux
- H.265+/H.264+, triple stream
- 2,8 mm lens
- MicroSD, WDR 120dB, IP67, IK10, PoE



30M SM-IR 2,8 mm WDR 120dB IVS IP67 H.265 **8MP** HYU-286

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

IP
CAMERAS

IP VANDAL DOME 2MP, 2,8~12MM VARIFOCAL, IR 30M

- 2MP@25fps, 0,014 lux
- H.264/MJPEG, dual stream
- Varifocal lens 2,8~12 mm
- MicroSD, D-WDR, IVS, IP67, IK10, PoE

30M SM-IR **WDR** digital **IVS** **IP67** **EMP**



HYU-241

IP DOME 2MP, SMART IR 30M

- 2MP@25fps, 0,018 lux
- H.265+/H.264+, triple stream
- Motor lens 2,8 ~12 mm
- 2 way audio, 1 in / 1 out alarm
- MicroSD, WDR 120dB, IVS, IP67, IK10, PoE

30M SM-IR **AUTO** FOCUS **WDR** 120dB **IVS** **IP67** **H.265+** **EMP**



HYU-743

IP VANDAL DOME 6MP

- 6MP/5MP@20fps, 0,018 lux
- H.265+/H.264+, triple stream
- Motor lens 2,8~12 mm
- 2 way audio, 1 in / 1 out alarm, MicroSD
- WDR 120dB, IVS, IP67, IK10, PoE

30M SM-IR **AUTO** FOCUS **WDR** 120dB **IVS** **IP67** **H.265+** **EMP**



HYU-500

IP DOME 4MP, SMART IR 30M

- 4MP/3MP@25fps, 0,018 lux
- H.265+/H.264+, triple stream
- Motor lens 2,8~12 mm
- 2 way audio, 1 in / 1 out alarm
- MicroSD, WDR 120dB, IVS, IP67, IK10, PoE

30M SM-IR **AUTO** FOCUS **WDR** 120dB **IVS** **IP67** **H.265+** **4MP**



HYU-744

IP VANDAL DOME 8MP

- 8MP@20fps, 0,014 lux
- H.265+/H.264+, triple stream
- Motor lens 2,8~12 mm
- 2 way audio, 1 in / 1 out alarm, MicroSD
- WDR 120dB, IVS, IP67, IK10, PoE

30M SM-IR **AUTO** FOCUS **WDR** 120dB **IVS** **IP67** **H.265+** **EMP**



HYU-396

IP VANDAL DOME 8MP

- 8MP@20fps, 0,014 lux
- H.265+/H.264+, triple stream
- Motor lens 2,8~12 mm
- 2 way audio, 1 in / 1 out alarm, MicroSD
- WDR 120dB, IVS, IP67, IK10, PoE

30M SM-IR **AUTO** FOCUS **WDR** 120dB **IVS** **IP67** **H.265+** **EMP**



HYU-397

IP VANDAL DOME 8MP

- 8MP@20fps, 0,01 lux
- H.265+/H.264+, triple stream
- Motor lens 2,8~12 mm
- 2 way audio, 1 in / 1 out alarm, MicroSD
- WDR 120dB, IVS, IP67, IK10, PoE+

30M SM-IR **AUTO** FOCUS **WDR** 120dB **IVS** **IP67** **H.265+** **EMP**

NightFighter

- 1 ROI per stream
- Audio: 1 in / 1 out
- 1 in / 1 out alarm



HYU-406

HYUNDAI

Solutions Line



HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

IP
CAMERAS

IP BULLET COLORVIEW 2MP, COLOR 24H, WHITE LED, 4MM

- 2MP@25fps, 0,0035 lux
- H.265+/H.264+, triple stream
- 4 mm lens
- MicroSD, WDR 120dB, IVS, IP67, PoE



2MP 25fps **4** mm **WDR** 120dB **IP67** **EMP** ColorView **H.265+** **HYU-679**

IP BULLET COLORVIEW 4MP, COLOR 24H, WHITE LED, 4MM

- 4MP@25fps, 0,0014 lux
- H.265+/H.264+, triple stream
- 4 mm lens
- MicroSD, WDR 120dB, IVS, IP67, PoE



2MP 25fps **4** mm **WDR** 120dB **IP67** **4MP** ColorView **H.265+** **HYU-678**

IP DOME COLORVIEW 2MP, COLOR 24H, WHITE LED, 4MM

- 2MP@25fps, 0,0035 lux
- H.265+/H.264+, triple stream
- 4 mm lens
- MicroSD, WDR 120dB, IVS, IP67, PoE



2MP 25fps **4** mm **WDR** 120dB **IP67** **EMP** ColorView **H.265+** **HYU-677**

IP DOME COLORVIEW 4MP, COLOR 24H, WHITE LED, 4MM

- 4MP@25fps, 0,0014 lux
- H.265+/H.264+, triple stream
- 4 mm lens
- MicroSD, WDR 120dB, IVS, IP67, PoE



2MP 25fps **4** mm **WDR** 120dB **IP67** **4MP** ColorView **H.265+** **HYU-676**

IP CAMERAS AI SENSE BULLET AND DOMES



IP BULLET AI-SENSE 2MP, 2,8MM, SMART IR 50M

- 2MP@25fps, 0,009 lux
- H.265/H.264, dual stream
- 2,8 mm lens, MicroSD
- WDR 120dB, IVS/IA, IP67, PoE



NightFighter

50M SM-IR **2,8** mm **WDR** 120dB **IA** **IP67** **H.265** **EMP** **HYU-612**

IP BULLET AI-SENSE 4MP, 2,8MM, SMART IR 50M

- 4MP@25fps, 0,012 lux
- H.265/H.264, dual stream
- 2,8 mm lens, MicroSD
- WDR 120dB, IVS/IA, IP67, PoE



NightFighter

50M SM-IR **2,8** mm **WDR** 120dB **IA** **IP67** **H.265** **4MP** **HYU-611**

IP BULLET AI-SENSE 2MP, SMART IR 50M

- 2MP@25fps, 0,007 lux
- H.265+/H.264+, dual stream
- Motor lens 2,8~12 mm
- 2 way audio, 1 in / 1 out alarm
- MicroSD, WDR 120dB, IVS/IA, IP67, IK10, PoE+



50M SM-IR **AUTO** FOCUS **WDR** 120dB **IA** **IP67** **H.265+** **EMP** **HYU-666**

IP BULLET AI-SENSE 4MP, SMART IR 50M

- 4MP@25fps, 0,01 lux
- H.265+/H.264+, dual stream
- Motor lens 2,8~12 mm
- 2 way audio, 1 in / 1 out alarm
- MicroSD, WDR 120dB, IVS/IA, IP67, IK10, PoE+



50M SM-IR **AUTO** FOCUS **WDR** 120dB **IA** **IP67** **H.265+** **4MP** **HYU-668**

IP DOME AI-SENSE 2MP, 2,8MM, SMART IR 50M

- 2MP@25fps, 0,009 lux
- H.265+/H.264, dual stream
- 2,8 mm lens
- MicroSD, WDR 120dB, IVS/IA, IP67, PoE



50M SM-IR **2,8** mm **WDR** 120dB **IA** **IP67** **H.265** **EMP** **HYU-610**

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

**IP
CAMERAS**

IP VANDAL DOME AI-SENSE 2MP, 2,8MM, SMART IR 30M

- 2MP@25fps, 0,009 lux
- H.265/H.264, dual stream
- 2,8 mm lens, MicroSD
- WDR 120dB, IVS/IA, IP67, IK10, PoE

30M
SM-IR

2,8
mm

WDR
120dB

IA

IP67

H.265
EMP



HYU-614

IP DOME AI-SENSE 4MP, 2,8MM, SMART IR 50M

- 4MP@25fps, 0,012 lux
- H.265/H.264, dual stream
- 2,8 mm lens
- MicroSD, WDR 120dB, IVS/IA, IP67, PoE

50M
SM-IR

2,8
mm

WDR
120dB

IA

IP67

H.265
4MP



HYU-609

IP DOME AI-SENSE 2MP, SMART IR 30M

- 2MP@25fps, 0,007 lux
- H.265+/H.264+, dual stream
- Motor lens 2,8~12 mm
- Audio, 1 in / 1 out alarm, MicroSD
- WDR 120dB, IVS/IA, IP67, IK10, PoE

30M
SM-IR

AUTO
FOCUS

WDR
120dB

IA

IP67

H.265+
EMP



HYU-665

IP VANDAL DOME AI-SENSE 4MP, 2,8MM, SMART IR 30M

- 4MP@25fps, 0,012 lux
- H.265/H.264, dual stream
- 2,8 mm lens, MicroSD
- WDR 120dB, IVS/IA, IP67, IK10, PoE

30M
SM-IR

2,8
mm

WDR
120dB

IA

IP67

H.265
4MP



HYU-613

IP DOME AI-SENSE 4MP, SMART IR 30M

- 4MP@25fps, 0,01 lux
- H.265+/H.264+, dual stream
- Motor lens 2,8~12 mm
- Audio, 1 in / 1 out alarm, MicroSD
- WDR 120dB, IVS/IA, IP67, IK10, PoE

30M
SM-IR

AUTO
FOCUS

WDR
120dB

IA

IP67

H.265+
4MP



HYU-667

IP CAMERAS PANORAMIC/FISHEYE DOMES NEXTGEN

NEXT
GEN

IP FISHEYE DOME 5MP FOR INDOORS 1,05MM 180°, IR RANGE 8M

5MP

30M
SM-IR

WDR
120dB

1,05
mm

IVS



- 5MP/3MP@25fps, 0,01 lux
- H.264/MJPEG, dewarping
- 1,05 mm fisheye lens (180°)
- 3D-DNR, WDR 120dB, IVS
- MicroSD, PoE

HYU-353

IP FISHEYE DOME DE 12MP, 1,98MM 360°, IR RANGE 15M, VANDAL PROTECTION

12MP

15M
SM-IR

WDR
digital

1,98
mm

IVS

IP66



- 12MP@20fps, 0,01/0,04 lux
- H.264/MJPEG, dual stream
- 1,98 mm fisheye lens (360°)
- 3D-DNR, D-WDR, IVS
- MicroSD, IP66, IK10, PoE

HYU-544

IP
CAMERAS

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

NEW HYUNDAI PANORAMIC SYSTEM

Based on three fixed cameras integrated in a PTZ dome housing to cover 360° and offer an advanced autotracking system, ideal for indoor 24/7 surveillance. These three fixed cameras offer a total panoramic view of the scene with a 1/2.8" 2MP CMOS in real time (130° horizontal view per camera). The sensor provides perfect images in low light conditions (0.01 Lux) and also includes Smart IR LEDs to illuminate up to 20 m under 0 lux conditions.

The PTZ tracking camera uses a 1/2.8" CMOS and 4X (2.8 ~ 12mm) motorized optical zoom to capture close-up images. The P/T range covers 350° (horizontal) and 0 ~ 90° (vertical) to control almost the entire horizontal view of any installation under manual or automatic control.

IP PTZ PANORAMIC DOME 2MP, 4X ZOOM, IR RANGE Ø20M

10M IR **AUTO** FOCUS **WDR** digital **IVS** **PoE+**

H.265

EMP

- 2MP@25fps, 0,05/0,01 lux
- 3 pano-cameras+1 PTZ camera
- H.265/H.264/MJPEG
- 2 mm lens (pano-cameras)
- Viewing angle: 128,5°x3
- Motor lens 2,8~12 mm
- IR range of 10 m (radius)



HYU-484

NEXT
GEN

IP CAMERAS

NEXTGEN COMPACT AND MINI CAMERAS

IP MINI CAMERA 2MP, 3,7MM

- 2MP@25fps, 0,109/0,022 lux
- H.265+/H.264+, triple stream
- 3,7 mm lens
- 3D-DNR, D-WDR, IVS
- Adjustable bracket



2,8 mm

WDR digital

IVS

H.265

EMP

HYU-404

IP MINI CAMERA 1MP, 2,8MM

- 720P@30fps, 0,028 lux
- H.264/MJPEG, dual stream
- 2,8 mm lens
- 3D-DNR, D-WDR, IVS
- Adjustable bracket



2,8 mm

WDR digital

IVS

TEOP

HYU-401

IP CAMERAS

BULLET CAMERAS WITH POSITIONER

IP BULLET 5MP, PAN/TILT Y ZOOM 5X, SMART IR 40M

- 5MP@18fps, 0,01 lux
- H.265/H.264, dual stream
- Motor lens 2,7~13,5 mm
- 180°@20°/s (H); 55°@10°/s (V)



HIK P&P

40M IR

AUTO FOCUS

WDR digital

IP65

EMP
H.265

HYU-453

IP BULLET 2MP, PAN/TILT AND 4X ZOOM, IR 40M

- 2MP@30fps, 0,01 lux
- H.265/H.264, dual stream
- Motor lens 2,8~12 mm
- 180°@20°/s (H); 60°@10°/s (V)



HIK P&P

40M IR

AUTO FOCUS

WDR digital

IP65

EMP
H.265

HYU-542

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

IP
CAMERAS

IP BULLET 2MP, PAN/TILT AND 4X ZOOM, IR 80M

- 2MP@25fps
- Motor lens 2,8~12 mm
- 250°@15°/s (H); -10°~55°@10°/s (V)
- 255 presets, 8 rounds, 4 patterns



HYU-111



IP BULLET 2MP, PAN/TILT AND 10X ZOOM, IR 80M

- 2MP@25fps
- Motor lens 5,1~51 mm
- 0°~250°@15°/s (H); -10°~55°@10°/s (V)
- 255 presets, 8 rounds, 4 patterns



HYU-110



IP BULLET 4MP, 10X ZOOM, IR 80M

- 4MP@25fps, 0,05/0,01 lux
- H.265/H.264
- Motor lens 4,7~47 mm
- 0°~250°@15°/s (H)
- -10°~55°@10°/s (V)



HYU-261



IP CAMERAS PTZ DOMES

PTZ IP DOME 4MP, 4X ZOOM, IR 15M

- 4MP@25fps, 0,005/0,001 lux
- Motor lens 2,8~12 mm
- 0,1°~100°/sec.(H), 0,1°~100°/sec.(V)
- 300 presets, 2 way audio
- WDR 120dB, IVS, MicroSD, IP66, IK8, PoE



- Horizontal pos.: 0° ~ 355°
- Vertical pos.: 0° ~ 90°
- 4X optical zoom: 2,8 ~ 12 mm
- Speed zoom of 2 sec.
- OSD menu



HYU-626N

PTZ IP DOME 2MP, 4X ZOOM, IR 20M

- 2MP@25fps, 0,005/0,001 lux
- Motor lens 2,8~12 mm
- 330°@100°/s (H); 90°@100°/s (V)
- 300 presets, 2 way audio
- WDR 120dB, IVS, MicroSD, IP66, IK10, PoE



HYU-625N



PTZ IP DOME 4MP, 15X ZOOM, SMART IR 100M, POE+

- 4MP@25fps, 0,005/0,001 lux
- H.265+/MJPEG, triple stream
- Motor lens 5~75 mm
- 350°@80°/s (H); 90°@80°/s (V)



HYU-688



PTZ IP DOME 2MP, 4X ZOOM, IR 30M

- 2MP@25fps, 0,05/0,005 lux
- Motor lens 2,8~12 mm
- 350°@60°/s (H); 90°@50°/s (V)
- 300 presets, audio, 1 in / 1 out alarm
- MicroSD, D-WDR, ROI, MicroSD, PoE



HYU-237



PTZ IP DOME 2MP, 25X ZOOM, IR 100M

- 4MP@25fps, 0,05/0,005 lux
- Motor lens 4,8~120 mm
- 350°@80°/s (H); -15°~90°@80°/s (V)
- 300 presets, 2 way audio, MicroSD
- WDR 120dB, IVS, IP66, PoE+



HYU-428N



HYUNDAI

IP
CAMERAS

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

PTZ IP DOME 4MP, 25X ZOOM, SMART IR 100M, POE+

- 4MP@25fps, 0,005/0,001 lux
- H.265+/MJPEG, triple stream
- Motor lens 4,8~120 mm
- 350°@80°/s (H); 90°@80°/s (V)

4MP
25fps

100M
SM-IR

WDR
120dB

IP66

PoE+

H.265+



HYU-687

PTZ IP DOME 2MP, 25X ZOOM, SMART IR 150M, HI-POE

H.265+

2MP
25fps

150M
SM-IR

WDR
120dB

IVS

IP66

- 2MP@25fps, 0,005/0,001 lux
- H.265+/MJPEG, triple stream
- Motor lens 4,8~120 mm
- 360°@120°/s (H); 90°@80°/s (V)
- 300 presets, 8 rounds, 4 patterns
- 2 way audio, WDR 120dB, IVS
- MicroSD, IP66, Hi-PoE



HYU-386

PTZ IP DOME 4MP, ZOOM 30X, SMART IR 150M, HI-POE

H.265+

4MP
25fps

150M
SM-IR

WDR
120dB

IVS

IP66

- 4MP@25fps, 0,005/0,002 lux
- H.265+/H.264+, triple stream
- Motor lens 5,9~177 mm
- 360°@160°/s (H); -15°~90°@120°/s (V)
- 300 presets, 8 rounds, 4 patterns
- MicroSD, D-WDR, IVS, IP66, Hi-PoE
- 2 way audio, 2/1 I/O alarm



HYU-691

PTZ IP DOME 2MP, ZOOM 40X, IR 150M

- 2MP@25fps, 0,05/0,01 lux
- H.265/H.264, dual stream
- 40X optical zoom
- 360°@350°/s (H); 90°@120°/s (V)
- 256 presets, 8 rounds, 4 patterns
- 2 way audio, WDR 120dB
- 1 in / 1 out alarm, IP66, lens-cleaner

H.265+

HIK
P&P

2MP
25fps

150M
SM-IR

WDR
120dB

IP66



HYU-455

PTZ IP DOME 2MP, ZOOM 32X, SMART IR 150M, HI-POE

- 2MP@50fps, 0,005/0,001 lux
- H.265+/H.264+, triple stream
- Motor lens 4,8~153 mm
- 360°@160°/s (H); -15°~90°@160°/s (V)
- 300 presets, 8 rounds, 4 patterns
- MicroSD, WDR 120dB, IVS, IP66, Hi-PoE
- 2 way audio, 2/1 I/O alarm

H.265+

2MP
50fps

150M
SM-IR

WDR
120dB

IVS

IP66



HYU-690

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

IP
CAMERAS

IP CAMERAS

LPR NEXTGEN CAMERAS

NEXT
GEN

IP BULLET 2MP, 2,8~12MM MOTOR, SMART IR 50M, LPR, POE+

- 2MP@50fps, 0,0027 lux, H.264+, triple stream
- Motor lens 2,8~12 mm
- 2 way audio, 1 in / 1 out alarm, 1 BNC, MicroSD, reset button
- Embedded LPR, WDR 120dB, IVS, IP67, junction box, PoE+



50M SM-IR AUTO FOCUS LPR WDR 120dB IVS ALARM IP67 EMP NightFighter

HYU-444

IP BULLET 2MP, 8~32MM MOTOR, SMART IR 50M, LPR, POE+

- 2MP@50fps, 0,0027 lux, H.264+, triple stream
- Motor lens 8~32 mm
- 2 way audio, 1 in / 1 out alarm, 1 BNC, MicroSD, reset button
- Embedded LPR, WDR 120dB, IVS, IP67, junction box, PoE+



50M SM-IR AUTO FOCUS LPR WDR 120dB IVS ALARM IP67 EMP NightFighter

HYU-652

IP CAMERAS

PEOPLE COUNTER

NEXT
GEN

IP CAMERA FOR PEOPLE COUNTER WITH DOUBLE LENS

PoE



- 640x480@25fps en stream 1
- 640x960@25fps en stream 2
- 2 mm lens + 2,8 mm
- Distinguish people who enter, leave or pass
- 3D-NR, 1 ROI per stream
- 1 in / 1 out alarm
- Not suitable for outdoors, PoE

HYU-519

HYUNDAI

Exclusive sale for professionals.
RRP, VAT is not included
 Contact your supplier for further information.
info@hyundai-security.tech | www.hyundai-security.tech

IP
CAMERAS

HYUNDAI

IP CAMERAS

THERMAL



IP DUAL THERMAL BULLET OF 7MM, 2MP VISIBLES, IR 30M



THERMAL LINE
H.265+



- Thermal resolution 160x120
- 7 mm lens (33,9°x25°)
- People detection up to 140m
- Vehicle detection up to 429m
- Temperature detection
- 2 way audio, 2/2 I/O alarm, D-WDR
- MicroSD, IP66, heater, PoE+

- Dynamic detail enhancement
- Temperature range of -20°C ~ +150°C
- Accuracy temperature of ±8°C
- Supports 3 types of temperature measurement rules

HYU-555

IP DUAL THERMAL BULLET OF 10MM, 2MP VISIBLES, IR 30M



THERMAL LINE



- Thermal resolution 160x120
- 10 mm lens (23,3°x17,6°)
- People detection up to 200m
- Vehicle detection up to 613m
- Temperature detection
- 2 way audio, 2/2 I/O alarm, D-WDR
- MicroSD, IP66, heater, PoE+

- 15 adjustable color palettes, 3D-DNR
- Dynamic detail enhancement
- Temperature range of -20°C ~ +150°C
- Accuracy temperature of ±8°C
- Supports 3 types of temperature measurement rules

HYU-556

IP DUAL THERMAL BULLET OF 15MM, 2MP VISIBLES, IR 30M

THERMAL LINE



- Thermal resolution 384x288
- 15 mm lens (24,2°x18,4°)
- People detection up to 441m
- Vehicle detection up to 1,3km
- Temperature detection
- 2 way audio, 2/2 I/O alarm, D-WDR
- MicroSD, IP67, PoE+
- 15 adjustable color palettes, 3D-DNR

- Image detail enhancement
- Supports 4 types of VCA rules (intrusion, line crossing, region input and region output), maximum 8 rules
- Temperature range of -20°C ~ +150°C
- Accuracy temperature of ±8°C

HYU-747

**IP THERMAL
CAMERAS**

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

**IP DUAL THERMAL BULLET OF 3MM,
2MP VISIBLES, IR 40M**

THERMAL LINE



- Thermal resolution 160x120
- 3 mm lens (50°x37,2°)
- People detection up to 91m
- Vehicle detection up to 280m
- Temperature detection
- Thermal sensibility (NETD): <40 mk (@25°C, f/1.1)
- Spectral range: 8 µm ~ 14 µm
- Focal distance (thermal): 3,1 mm
- Viewing angle (thermal): 50° x 37,2°
- 2 way audio
- Alarm: 2 in / 2 out
- 15 adjustable color palettes
- MicroSD, D-WDR, IP66, PoE
- Includes bracket and tube base



HYU-745

**IP DUAL THERMAL BULLET OF 6MM, 2MP
VISIBLES, IR 40M**

THERMAL LINE



- Thermal resolution 160x120
- 6 mm lens (25°x18,7°)
- People detection up to 182m
- Vehicle detection up to 559m
- Temperature detection
- 2 way audio
- Alarm: 2 in / 2 out
- 15 adjustable color palettes
- MicroSD, D-WDR, IP66, PoE
- Includes bracket and tube base



HYU-746

**IP DUAL THERMAL DOME OF 1,8MM, 2MP
VISIBLES, IR 15M**

THERMAL LINE



- Thermal resolution 160x120
- 1,8 mm lens (90°x66,4°)
- People detection up to 53m
- Vehicle detection up to 162m
- Temperature detection
- 2,1 mm visible lens
- 2 way audio
- Alarm: 1 in / 1 out
- 15 adjustable color palettes
- MicroSD, WDR 120dB, IP66, PoE



HYU-659

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

**IP THERMAL
CAMERAS**

**IP THERMAL BULLET OF 35MM,
AUDIO, ALARM, POE+**

THERMAL LINE



H.265+



- Resolution of 384x288
- Focal distance: 35 mm
- Viewing angle: 10,66° x 8,002°
- Minimum focus distance of 40 m.
- People detection: 1029 m

- Vehicle detection: 3157m
- Temperature detection: 819m
- Temperature measurement distance: 413m
- Fire detection distance: 2058m
- Fire detection distance: 1029m

HYU-443

**IP THERMAL BULLET OF 7MM,
AUDIO, ALARM, POE+**

THERMAL LINE



**EMP
H.265+**



- Thermal resolution 384x288
- 7 mm lens (60°x43,8°)
- People detection up to 206m
- Vehicle detection up to 631m
- Temperature detection

- 2 way audio, 2/2 I/O alarm
- MicroSD, IP66, PoE+, base and bracket
- Dynamic detail enhancement
- 15 adjustable color palettes

HYU-439

**IP THERMAL BULLET OF 15MM,
AUDIO, ALARM, POE+**

THERMAL LINE



H.265+



- Thermal resolution 384x288
- 15 mm lens (24,55°x18,54°)
- People detection up to 441m
- Vehicle detection up to 1353m
- Temperature detection
- 2 way audio, 2/2 I/O alarm
- MicroSD, IP66, PoE+, base and bracket
- AGC adaptive, DDE, 3D-DNR

- Dynamic detail enhancement
- 15 adjustable color palettes
- Supports 3 types of temperature measurement rules, 21 rules (10 points, 10 regions and 1 line)
- Temperature range: -20°C ~ +150°C
- Temperature accuracy: ±8°C
- Supports 10 points of fire detection

HYU-441

**IP THERMAL
CAMERAS**

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

IP THERMAL BULLET OF 25MM, AUDIO, ALARM, POE+

THERMAL LINE



- Thermal resolution 384x288
- 25 mm lens (14,88°x11,19°)
- People detection up to 735m
- Vehicle detection up to 2255m
- Temperature detection
- 2 way audio, 2/2 I/O alarm
- MicroSD, IP66, PoE+, base and bracket

- Dynamic detail enhancement
- 15 adjustable color palettes
- Temperature range: -20°C ~ +150°C
- Temperature accuracy: ±8°C
- Supports 10 points of fire detection



HYU-442

IP THERMAL BULLET OF 10MM, AUDIO, ALARM, POE+

THERMAL LINE



- Thermal resolution 384x288
- 10 mm lens (36°x27°)
- People detection up to 294m
- Vehicle detection up to 902m
- Temperature detection
- 2 way audio, 2/2 I/O alarm
- MicroSD, IP66, PoE+, base and bracket

- Dynamic detail enhancement
- 15 adjustable color palettes
- Supports 3 types of temperature measurement rules
- Temperature range: -20°C ~ +150°C
- Temperature accuracy: ±8°C



HYU-440

IP THERMAL BULLET OF 6,2MM, AUDIO, ALARM, POE



THERMAL LINE

- Thermal resolution 160x120
- 6,2 mm lens (25°x18,7°)
- People detection up to 182m
- Vehicle detection up to 559m
- Temperature detection

- 2 way audio
- Alarm: 2 in / 2 out
- 15 adjustable color palettes
- MicroSD, 3D-DNR, IP66, PoE
- Includes bracket and tube base



HYU-661

IP THERMAL BULLET OF 3,1MM, AUDIO, ALARM, POE



THERMAL LINE

- Thermal resolution 160x120
- 3,1 mm lens (50°x37,2°)
- People detection up to 53m
- Vehicle detection up to 162m
- Temperature detection

- 2 way audio
- Alarm: 2 in / 2 out
- 15 adjustable color palettes
- MicroSD, 3D-DNR, IP66, PoE
- Includes bracket and tube base



HYU-660

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

**IP THERMAL
CAMERAS**

HYUNDAI

IP
NVR



IP NVR NEXTGEN IP NVR



NVR 8CH, 4MP@60MB/S

- H.265+, H.264+, dual stream
- HDMI and VGA output
- 60/60Mbps of in/out
- 1ch@4MP
- Up to 1 HDD, 2 USB



HYU-526
(NVR3108P)

NVR 4CH, 4MP@40MB/S

- H.265+, H.264+, dual stream
- HDMI and VGA output
- 40/60Mbps of in/out
- 1ch@4MP
- Up to 1 HDD, 2 USB



HYU-525
(NVR3104P)

NVR 4CH, 4MP@40MB/S, 4 POE+


- H.265+, H.264+, dual stream
- HDMI and VGA output
- 40/60Mbps of in/out
- 1ch@4MP
- Up to 1 HDD, 2 USB, 4 PoE/PoE+



HYU-523
(NVR3104P-4P)

NVR 8CH, 4MP@60MB/S, 8 POE+


- H.265+, H.264+, dual stream
- HDMI and VGA output
- 60/60Mbps of in/out
- 1ch@4MP
- Up to 1 HDD, 2 USB, 8 PoE/PoE+



HYU-524
(NVR3108P-8P)

NVR 16CH, 8MP@40MB/S, 16 POE+

- H.265+/H.264+, dual stream
- HDMI (4K) and VGA output
- 160/80Mbps of in/out
- Simultaneous playback 16 CHANNEL, 1 ch 8MP
- Supports 1 HDD SATA, RJ45 GB, 2 USB, 16 PoE/PoE+



HYU-754

NVR DE 32CH, 6MP@160MB/S

- H.264+/MPEG4, dual stream
- HDMI and VGA output
- 160/80Mbps of in/out
- Decoding of 12ch@720P, 4 in / 1 out alarm
- Up to 2 HDD, RJ45 GB, 2 USB



HYU-733
(NVR4232M-4K)

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

NVR
IP

NVR 4CH, 8MP@40MB/S, 4 POE+

- H.265+/H.264+, dual stream
- HDMI (4K) and VGA output
- 40/80Mbps of in/out
- Decoding of 1ch@8MP
- **1 HDD (1TB) included**, RJ45 GB, 2 USB, 4 PoE



HYU-445-1TB

(NVR3104M-4P-4KLITE-1TB)

NVR 4CH, 8MP@40MB/S, 4 POE+

- H.265/H.264, dual stream
- HDMI (4K) and VGA output
- 40/80Mbps of in/out
- Decoding of 1ch@8MP
- Up to 1 HDD, 2 USB, 4 PoE/PoE+



HYU-280

(NVR4104M-4P-4K)

NVR 8CH, 8MP@80MB/S, 8 POE+

- H.265/H.264+, dual stream
- HDMI (4K) and VGA output
- 80/160Mbps of in/out
- Decoding of 2ch@8MP, 4 in / 1 out alarm
- Up to 2 HDD, RJ45 GB, 2 USB, 8 PoE/PoE+



HYU-281

(NVR4208M-8P-4K)

NVR 32CH, 12MP@256MB/S, 16 POE+

- H.265+/H.264+, dual stream
- HDMI (4K) and VGA output
- 256/160Mbps of in/out
- Decoding 4CH@8MP, 16/4 I/O alarm
- Dewarping, Up to 4 HDD, RJ45 GB, 3 USB, RS485 16 PoE+



HYU-382

(NVR5432-16P-4K/MS)

NVR 64CH, 12MP@320MB/S

- H.265+/H.264+/MPEG4, dual stream
- 2 HDMI output (1 at 4K) and 2 VGA output (1 at 2K)
- 320/256Mbps of in/out
- Decoding 2ch@12MP, 1/2 I/O audio
- Up to 8HDD (RAID0/1/5/6/10), 1 eSATA
- 16/4 I/O alarm, POS, 2 RJ45 GB, 3 USB, RS485



HYU-736

(NVR7864-4K)

NVR
IP

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

NVR 4CH, 8MP@40MB/S, 4 POE+

- H.265+/H.264+, dual stream
- HDMI (4K) and VGA output
- 40/80Mbps of in/out
- 4 channel 1080p simultaneous playback, 1 ch 8MP
- Supports 1 HDD SATA, RJ45 GB, 4 PoE+



HYU-755

(DS-7604NI-Q1/4P)

NVR 8CH, 8MP@80MB/S, 8 POE+

- H.265+/MPEG4, dual stream
- HDMI (4K) and VGA output
- 80/80Mbps of in/out
- 8 channel 720p simultaneous playback, 1 ch 8MP
- Supports 1 HDD SATA, RJ45 GB, 8 PoE+



HYU-756

(DS-7608NI-Q1/8P)

NVR 16CH, 8MP@160MB/S, 16 POE+

- H.265/H.264+, dual stream
- HDMI (4K) and VGA output
- 160/160Mbps of in/out
- Decoding of 2ch@8MP, 4 in / 1 out alarm
- Up to 2 HDD, RJ45 GB, 2 USB, 16 PoE/PoE+



HYU-282

(NVR4216M-16P-4K)

NVR 8CH, 12MP@80MB/S, 8 POE+

- H.265/H.264+, **POS function**
- HDMI (4K) and VGA output
- 80/256Mbps of in/out
- Decoding 4CH@8MP, 4 in / 1 out alarm
- Up to 2 HDD, RJ45 GB, 2 USB, 8 PoE/PoE+



HYU-473

(NVR5208-8P-4K/POS)

NVR 8CH, 8MP@80MB/S

- H.265+/H.264+, dual stream
- HDMI (4K) and VGA output
- 80/160Mbps of in/out
- Decoding of 2ch@8MP, 4 in / 1 out alarm
- Up to 2 HDD, RJ45 GB, 2 USB



HYU-735

(NVR4208M)

NVR 16CH, 8MP@160MB/S

- H.265+/H.264+, dual stream
- HDMI (4K) and VGA output
- 160/160Mbps of in/out
- Decoding of 2ch@8MP, 4 in / 1 out alarm
- Up to 2 HDD, RJ45 GB, 2 USB



HYU-734

(NVR4216M)

NVR 16CH, 12MP@160MB/S, 16 POE+

- H.265/H.264, dual stream
- HDMI (4K) and VGA output
- 160/256Mbps of in/out
- Decoding 4CH@8MP, 4 in / 1 out alarm
- Up to 4 TPV, Up to 2 HDD, RJ45 GB, 2 USB, 16 PoE+



HYU-520

(NVR5216-16P-4K/POS)

NVR 4CH, 8MP@40MB/S, 4 POE+

- H.265+/H.264+, dual stream
- HDMI (4K) and VGA output
- 40/80Mbps of in/out
- 4 channel 1080p simultaneous playback, 1 ch 8MP
- 1 HDD 1TB, RJ45 GB, 4 PoE+



HYU-755-1TB

(HYU-755 + HDD-1TB)

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

NVR
IP

IP NVR IP NVR AI-SENSE



HYUNDAI AISENSE ZVR SERIES

Aisense is able to differentiate, with great precision, a human body and a vehicle on a stage with a large number of objects. Not only can detect human and vehicle intrusion, it also can filter out false alarms that could have been triggered by moving objects that are not a threat.



NVR AISENSE 8CH, 12MP@80MB/S, 8 POE+

- H.265/H.265+/H.264/H.264+, dual stream
- Video output HDMI (4K), VGA and BNC
- 80/256Mbps of in/out
- Decoding 8CH@8MP
- 4 in / 1 out alarm, 4ch AI
- Up to 2 HDD, RJ45 GB, 2 USB, 8 PoE/PoE+



HYU-634
(NVR7208-8P-AI)

NVR AISENSE 16CH, 12MP@160MB/S, 16 POE+

- H.265/H.265+/H.264/H.264+, dual stream
- Video output HDMI (4K), VGA and BNC
- 160/256Mbps of in/out
- Decoding of 12ch@8MP
- 4 in / 1 out alarm, 4ch AI
- Up to 2 HDD, RJ45 GB, 2 USB, 16 PoE/PoE+



HYU-654
(NVR7216-16P-AI)

IP NVR NEXTGEN CONTROLLER



4 AXIS IP KEYBOARD

- For DVR/DVS, NVR, matrix, IP CAMERAS
- PTZ control and snapshot
- Up to 1.000 devices
- LCD display of 128x64
- USB 2.0, RS485, RS232, RS422
- 1 administrator and 15 operators



HYU-195N

4 AXIS IP KEYBOARD

- For DVR/DVS, matrix, IP CAMERAS
- PTZ control and snapshot
- Up to 1.000 devices
- LCD display of 128x64
- RJ45, USB 2.0, RS485, RS232
- Remote access and web browser



HYU-354

4 AXIS IP KEYBOARD, WITH WIFI

- Para DVR/NVR, matrix, IP CAMERAS
- Up to 2000 devices
- H.265, display up to 16ch
- 10" LCD touchscreen, HDMI, 2 way audio
- 1 RJ45, 2 USB, 1 RS485, 1 RS232, 1 RS422, PoE



HYU-579

NVR
IP

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

HYUNDAI

LED MONITORS

LED MONITORS MONITORS

LED MONITOR OF 19,5"

- 1600x900 (16:9)
- 200 cd/m2
- Contrast 1000:1
- 16,7 million colors
- 5ms response time
- 1 HDMI, 1 DVI, 1 VGA
- VESA 75x75 mount



HYU-268

LED MONITOR OF 21,5"

- 1920x1080 (16:9)
- 220 cd/m2
- Contrast 700:1
- 16,7 million colors
- 5ms response time
- 1 HDMI, 1 VGA
- VESA 75x75 mount



HYU-269

LED MONITOR OF 24"

- 1920x1080 (16:9)
- 220 cd/m2
- Contrast 700:1
- 16,7 million colors
- 5ms response time
- 1 HDMI, 1 VGA
- VESA 75x75 mount



HYU-270

LED MONITOR OF 24"

- 1920x1080 (16:9)
- 220 cd/m2
- Contrast 700:1
- 16,7 million colors
- 5ms response time
- 1 HDMI, 1 VGA



HYU-270-NV

LED MONITORS PROFESSIONAL MONITORS

LED MONITOR OF 15"

- 1024x768 (4:3)
- 350 cd/m2
- Contrast 700:1
- 16,7 million colors
- 5ms response time
- 1 HDMI, 2 BNC, 1 VGA
- MTBF: 50.000h



HYU-457

LED MONITOR OF 21,5"

- 1920x1080 (16:9)
- 250 cd/m2
- Contrast 1000:1
- 16,7 million colors
- 5ms response time
- 1 HDMI, 1 VGA, audio input
- VESA 75x75



HYU-685

LED MONITOR OF 22"

- 1920x1080 (16:9)
- 350 cd/m2
- Contrast 1000:1
- 16,7 million colors
- 5ms response time
- 1 HDMI, 1 VGA
- 2x3W speaker, VESA 75x75



HYU-532

LED MONITOR OF 24"

- 1920x1080 (16:9)
- 200 cd/m2
- Contrast 1000:1
- 16,7 million colors
- 5ms response time
- 1 HDMI, 1 VGA
- 2x3W speaker, VESA 75x75



HYU-686

LED
MONITORS

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

LED MONITOR OF 10,4"

- 800x600 (4:3)
- 350 cd/m²
- Contrast 500:1
- Angle: 70°(H) y 60°(V)
- Response time: 10ms
- 1 HDMI, 2/1 I/O BNC, 1 VGA
- 2x3W speaker, VESA 75x75



HYU-537

LED MONITOR OF 10,5"

- 1280x800 (16:9)
- 300 cd/m²
- Contrast 800:1
- 16,7 million colors
- Response time: 8ms
- 1 HDMI, 2/2 I/O BNC, 1 VGA, Audio
- 1W speaker, VESA 75x75



HYU-273

LED MONITOR OF 23,6"

- 1920x1080 (16:9), 250 cd/m²
- Contrast 1000:1
- 16,7 million colors
- Response time: 5ms
- 1 HDMI, 1/1 I/O BNC, 1 VGA



HYU-621

LED MONITOR OF 22"

- 1920x1080 (16:9)
- 350 cd/m²
- Contrast 1000:1
- 16,7 million colors
- Response time: 5ms
- 1 HDMI, 2/1 I/O BNC, 1 VGA
- 2x3W speaker, VESA 75x75



HYU-533

LED MONITOR OF 23,6"

- 19:5, 220 cd/m²
- Contrast 1000:1
- 16,7 million colors
- Response time: 5ms
- 1 HDMI, 1/1 I/O BNC, 1 VGA



HYU-810

LED MONITOR OF 22"

- 1920x1080 (16:9), 350 cd/m²
- Contrast 1000:1
- 16,7 million colors
- 5ms response time
- 1 HDMI, 1 BNC, 1 VGA



HYU-459

4K LED MONITOR OF 28"

- 3840x2160 (16:9/4:3)
- 250 cd/m²
- Contrast 1000:1
- 1.073 million colors
- Response time: 5ms
- 1 DP, 2 HDMI, 1/1 I/O BNC, 1 VGA
- 5W speaker, VESA 100x100



HYU-369

4K LED MONITOR OF 28"

- 19:5, 220 350cd/m
- Contrast 1000:1
- 16,7 million colors
- Response time: 5ms
- 1 HDMI, 1 DP, 1 USB, 1 audio, 2x3W(Stereo)



HYU-824

4K LED MONITOR OF 28"

- 3840x2160 (16:9)
- 300 cd/m²
- Contrast 1000:1
- 1.073 million colors
- Response time: 3,5ms
- 1 CVBS, 1 DP, 1 HDMI, 1 DVI, 1 VGA
- VESA 100x100



HYU-684

LED MONITOR OF 32"

- 1920x1080 (16:9)
- 300 cd/m²
- Contrast 3000:1
- 16,7 million colors
- Response time: 20ms
- 1 HDMI, 3/2 E/S BNC, 1 VGA, 1 DVI
- Video components, VESA 200x200



HYU-534N

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

**LED
MONITORS**

LED MONITOR OF 43"

- 1920x1080 (16:9)
- 350 cd/m2
- Contrast 1200:1
- 16,7 million colors
- Response time: 8ms
- 1 HDMI, 5/1 E/S BNC, 1 VGA, 1 DVI
- Video components, VESA 200x200



HYU-536N

4K LED MONITOR OF 43"

- 3840x2160 (16:9)
- 350 cd/m2
- Contrast 5000:1
- Color depth 1,073G
- Response time: 5ms
- 1 HDMI, 1 Display Port, 1 DVI, 1 VGA
- 2x3W speaker, VESA 200x200



HYU-535

4K LED MONITOR OF 55"

- 3840x2160 (16:9)
- 350 cd/m2
- Contrast 5000:1
- Color depth 1,073G
- Response time: 5ms
- 1 HDMI, 1 Display Port, 1 DVI, 1 VGA
- 2x3W speaker, VESA 400x200



HYU-538

MONITORS VIDEOWALL

4K LED UNIT OF 46" FOR VIDEOWALL

- D-LED DID Panel
- Native resolution 1920x1080
- Aspect ratio 16:9
- 500 cd/m2
- Contrast 4000:1



- 16,7 million colors
- Response time: 5ms
- 1 HDMI, 1 Display Port, 1 BNC, 1 VGA
- VESA 500x400



HYU-539

4K LED UNIT OF 55" FOR VIDEOWALL

- D-LED DID Panel
- Native resolution 1920x1080
- Aspect ratio 16:9
- 500 cd/m2
- Contrast 4000:1



- 16,7 million colors
- Response time: 5ms
- 1 HDMI, 1 Display Port, 1 BNC, 1 VGA
- VESA 500x400



HYU-540

LED MONITORS ACCESSORIES

1 CH PASSIVE EXTENDER

- VGA transmitter + VGA receiver
- VGA cable (male-female)
- Up to 1024x768
- Power supply is not required
- Up to 35 meters using CAT5/5E/6E cable
- Plug&Play, easy installation
- MTBF: >10.000h



HYU-447

LED
MONITORS

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

HYUNDAI

IP SWITCHES

IP SWITCH CCTV SWITCHES

UNMANAGEABLE SWITCH OF 4XPOE + 1 UPLINK


- 4 PoE RJ45 10/100M
- 1 Uplink RJ45 10/100M
- 15,4W per port, 30W in total
- Capacity of 1Gbps
- MAC address: 2K



HYU-262

UNMANAGEABLE SWITCH OF 4XPOE + 1 UPLINK

- 4 PoE RJ45 10/100M
- 1 Uplink RJ45 10/100M
- 15,4W per port, 30W in total
- Capacity of 1Gbps
- MAC address: 1K



HYU-623

UNMANAGEABLE SWITCH OF 8XPOE + 1 UPLINK

- 8 PoE RJ45 10/100M
- 1 Uplink RJ45 10/100M
- 30W per port, 58W in total
- Capacity of 1,8Gbps
- MAC address: 4K



HYU-624

UNMANAGEABLE SWITCH OF 8XPOE + 1 UPLINK

- 8 PoE RJ45 10/100M
- 1 Uplink RJ45 10/100M
- 30W per port, 96W in total
- Capacity of 1,8Gbps
- MAC address: 2K



HYU-263

UNMANAGEABLE SWITCH OF 4XPOE + 2 UPLINK **NEW**


- 4 PoE RJ45 10/100M
- 2 Uplink RJ45 10/100M
- Port 1: 60 W, Port 2 to 4: 30W
- Capacity of 1,2Gbps
- MAC address: 2K



HYU-821

UNMANAGEABLE SWITCH OF 8XPOE + 2 UPLINK **NEW**

- 8 PoE RJ45 10/100M
- 2 Uplink RJ45 10/100M
- Port 1: 60 W, Port 2 to 8: 30W
- Capacity of 5,6Gbps
- MAC address: 16K



HYU-822

UNMANAGEABLE SWITCH OF 8XPOE GIGABIT



- 8 PoE RJ45 10/100/1000M
- 30W per port, 96W in total
- Capacity of 16Gbps
- MAC address: 8K
- Transmission up to 250 m
- Use cable CAT5 or superior

HYU-400

UNMANAGEABLE SWITCH OF 16XPOE + 2 RJ45 GIGABIT



- 16 PoE RJ45 10/100M
- 2 RJ45 10/100/1000M
- 30W per port, 150W total
- Capacity of 7,2Gbps
- MAC address: 4K

HYU-264

HYUNDAI

NIGHT
VISION

NIGHT VISION IR SPOTLIGHT

IR SPOTLIGHT, IR 40M

- 6 high power led
- Wavelength 850nm
- Up to 40 meters, 45°
- Polycarbonate vandal panel
- Includes adjustable bracket

40M
IR

IP66

VANDAL
PROOF



HYU-475

IR SPOTLIGHT, IR 50M

- 12 high power led
- Wavelength 850nm
- Up to 50 meters, 60°
- Polycarbonate vandal panel
- Includes adjustable bracket

50M
IR

IP66

VANDAL
PROOF



HYU-476

IR SPOTLIGHT, IR 100M

- 12 high power led
- Wavelength 850nm
- Up to 100 meters, 30°
- Polycarbonate vandal panel
- Includes adjustable bracket

100M
IR

IP66

VANDAL
PROOF



HYU-650N

IR SPOTLIGHT, IR 40M

40M
IR

IP66

VANDAL
PROOF

PoE

- 6 high power led
- Wavelength 850nm
- Up to 40 meters, 45°
- Polycarbonate vandal panel
- Includes adjustable bracket
- PoE



HYU-477

IR SPOTLIGHT, IR 50M

50M
IR

IP66

VANDAL
PROOF

PoE

- 6 high power led
- Wavelength 850nm
- Up to 50 meters, 30°
- Polycarbonate vandal panel
- Includes adjustable bracket
- PoE



HYU-478

NIGHT VISION POWER SUPPLY FOR SPOTLIGHTS

12V DC/1A POWER SUPPLY

- Circuit with professional technology
- Stable constant current output
- Supports a wide voltage input
- Suitable for outdoors, dust proof
- Aluminum case

IP66



HYU-479

12V DC/2A POWER SUPPLY

- Circuit with professional technology
- Stable constant current output
- Supports a wide voltage input
- Suitable for outdoors, dust proof
- Aluminum case

IP66



HYU-480

NIGHT
VISION

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

HYUNDAI

ACCESSORIES

ACCESSORIES

CCTV TESTER

MULTIFUNCTION CCTV TESTER , TVI/CVI/AHD/CVBS/IP

- 7" touchscreen
- CVI@4MP, TVI@3MP, AHD@2MP
- CVBS loop test
- IP cameras H.265@8MP/4K
- 2 way audio



4K
ULTRA HD

4MP
Onvif | HDCVI | HDTVI

8MP
AHD | CVBS

H.265

- PTZ control, UTP function, TDR function
- HDMI 1080P IN/OUT
- Android OS
- Output: 12V and 5V, PoE 48V
- WiFi incorporated



HYU-274

MULTIFUNCTION CCTV TESTER , TVI/CVI/AHD/SDI/CVBS/IP

- 7" touchscreen
- CVI@8MP, TVI/AHD@8MP
- SDI@1080P, CVBS loop test
- IP cameras H.265@8MP/4K
- WiFi, 2 way audio



4K
ULTRA HD

8MP
Onvif | HDCVI | HDTVI

4MP
AHD | CVBS

H.265

- PTZ control, UTP function, TDR function
- HDMI 1080P IN/OUT
- Android OS
- Output: 12V and 5V, PoE 48V
- Multimeter and fiber meter



HYU-403N

MULTIFUNCTION CCTV TESTER , TVI/CVI/AHD/CVBS/IP

- 7" retina display
- CVI@8MP/4K, TVI/AHD@5MP
- CVBS test loop
- IP CAMERAS H.265@8MP/4K
- 2 way audio



4K
ULTRA HD

8MP
Onvif | HDCVI | HDTVI

4MP
AHD | CVBS

H.265

- Control PTZ, test UTP, TDR function
- HDMI input / HDMI 4K output
- Android OS
- Output 12V and 5V, PoE 48V
- WiFi (creates access point)



HYU-501

ACCESSORIES

STORAGE

16GB MICRO SDHC™

- Special for videosurveillance
- High speed of read/write
- Class 10 TLC



HYU-433

ACCESSORIES

ETHERNET INJECTORS / EXTENSORS

PASSIVE IP EXTENSOR

- Extensor composed by transmitter and receiver
- Up to 100 meters
- Power supply is not required



HYU-452

POE INJECTOR IP68

- IEEE 802.3af
- Input 44V~57V
- Output 12V DC /1A
- Short circuit protection



HYU-170

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

ACCESSORIES

VIDEO TRANSMISSION BY TWISTED PAIR

HD VIDEO PASSIVE BALUN

- CVI: 250m@1080P
- TVI: 250m@1080P
- AHD: 200m @1080P
- Water resistant



HYU-451

HD VIDEO PASSIVE BALUN


- 1 video channel CVI/TVI/AHD
- CVI: 250m@1080P
- TVI: 250m@1080P
- AHD: 220m @1080P



HYU-2834

2X HD PASSIVE TRANSCEIVERS

- 1 video channel CVI/TVI/AHD
- CVI: 250m@1080P
- TVI: 250m@1080P/720P
- AHD: 200m @1080P



HYU-159

2X HD PASSIVE TRANSCEIVERS

- 1 video channel CVI/TVI/AHD
- CVI: 250m@1080P
- TVI: 250m@1080P/720P
- AHD: 200m @1080P



HYU-155

2X HD PASSIVE TRANSCEIVERS

- 1 video channel CVI/TVI/AHD
- CVI: 200m@1080P
- TVI: 200m@1080P
- AHD: 200m @720P/960H



HYU-157

2X HD PASSIVE TRANSCEIVERS

- 1 video channel CVI/TVI/AHD
- CVI: 200m@1080P
- TVI: 200m@1080P
- AHD: 200m @720P/960H



HYU-157N

2X HD PASSIVE TRANSCEIVERS

- 1 video channel CVI/TVI/AHD
- CVI: 200m@1080P
- TVI: 200m@1080P
- AHD: 200m @720P/960H



HYU-158

2X HD PASSIVE TRANSCEIVERS

- 1 video channel CVI/TVI/AHD
- CVI: 250m@1080P
- TVI: 250m@1080P/720P
- AHD: 200m @1080P



HYU-156

2X HD PASSIVE TRANSCEIVERS

- 1 video channel CVI/TVI/AHD
- CVI: 250m@1080P
- TVI: 200m@1080P
- AHD: 200m @720P/960H



HYU-160

2X HD PASSIVE TRANSCEIVERS

- 1 video channel CVI/TVI/AHD
- CVI: 200m@8MP/5MP/4MP
- TVI: 150m@8MP, 200m@5MP
- AHD: 180m@8MP, 200m@5MP



HYU-635

2X HD PASSIVE TRANSCEIVERS

- 1 video channel CVI/TVI/AHD
- CVI: 200m@8MP/6MP/4MP
- Supports 4K (CVI), 6MP (CVI), 5MP, 4MP, 1080P, 720P



HYU-596

2X HD PASSIVE TRANSCEIVERS

- 1 video channel CVI/TVI/AHD
- CVI: 200m@8MP/6MP/4MP
- Supports 4K (CVI), 6MP (CVI), 5MP, 4MP, 1080P, 720P



HYU-597

2X HD TRANSCEIVERS

- 1 ch CVI/TVI/AHD
- CVI: 200m@4MP, 250m@1080P
- TVI: 200m@4MP, 250m@1080P
- AHD: 200m@4MP, 200m@1080P



HYU-402

4CH HD RECEIVER

- 4ch CVI/TVI/AHD
- CVI: 400m@1080P, 250m@720P
- TVI: 250m@1080P/720P
- AHD: 200m@1080P, 350m@720P



HYU-448

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

ACCESSORIES

16CH HD RECEIVER



- CVI: 400m@1080P, 250m@720P
- TVI: 250m@1080P/720P
- AHD: 200m@1080P, 350m@720P

HYU-450

ACCESSORIES CONNECTORS

CONNECTOR DC

- Female DC connector
- Insertion terminal



HYU-348

CONNECTOR DC

- Female DC connector
- Screw terminal



HYU-344

CONNECTOR DC

- Male DC connector
- Screw terminal



HYU-343

CONNECTOR BNC

- Female BNC connector
- Screw terminal



HYU-346

CONNECTOR RCA

- Female RCA connector
- Insertion terminal



HYU-351

CONNECTOR RCA

- Male RCA connector
- Insertion terminal



HYU-352

CONNECTOR BNC

- Male BNC connector
- Screw terminal



HYU-345

CONNECTOR DC

- Male DC connector
- Insertion terminal



HYU-347

CONNECTOR BNC

- Female BNC connector
- Insertion terminal



HYU-350

CONNECTOR BNC

- Male BNC connector
- Insertion terminal



HYU-349

ACCESSORIES FOR RECORDERS

RACK MOUNT KIT

- Bracket for Nexgen DVR 1U rack mount



HYU-398

REMOTE CONTROL

- Remote control for ZVR and NVR NextGen



HYU-474

ACCESSORIES MOUNT BRACKET FOR CAMERAS

JUNCTION BOX



HYU-172

JUNCTION BOX



HYU-27

JUNCTION BOX



HYU-152

JUNCTION BOX



HYU-153

BASE DE CONEXIONES



HYU-472

NEW

HYUNDAI


Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

JUNCTION BOX



HYU-355

JUNCTION BOX



HYU-332

JUNCTION BOX



HYU-543

JUNCTION BOX



HYU-198
(DS-1280ZJ-DM21)

JUNCTION BOX



HYU-200N
(DS-1260ZJ)

JUNCTION BOX



HYU-197N
(DS-1280ZJ-DM18)

JUNCTION BOX



HYU-199N
(DS-1280ZJ-M)

PLATE FOR HYU-202



HYU-774

NEW

JUNCTION BOX



HYU-248N
(DS-1280ZJ-XS)

JUNCTION BOX



HYU-301N
(DS-1280ZJ-S)

JUNCTION BOX



HYU-607

JUNCTION BOX




HYU-252

JUNCTION BOX



HYU-522
(DS-1280ZJ-DM22)

JUNCTION BOX



HYU-601
(DS-1280ZJ-DM45)

INCLINED BASE



HYU-359
(DS-1259ZJ)

INCLINED BASE



HYU-363
(DS-1281ZJ-M)

JUNCTION BOX



HYU-844

NEW

INCLINED BASE




HYU-365
(DS-1281ZJ-DM23)

WALL MOUNT



HYU-212
(DS-1258ZJ)

WALL MOUNT



HYU-693
(DS-2102ZJ-W)

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

ACCESSORIES

WALL MOUNT



HYU-30

INCLINED BASE



HYU-521
(DS-1281ZJ-S)

WALL MOUNT



HYU-574
(DS-2102ZJ)

WALL MOUNT



HYU-253

WALL MOUNT




HYU-204
(DS-1273ZJ-135)

WALL MOUNT



HYU-598
(DS-1273ZJ-130)

WALL MOUNT



HYU-366
(DS-1294ZJ)

WALL MOUNT



HYU-603
(DS-1273ZJ-140)

WALL MOUNT



HYU-357
(DS-1272ZJ-110)

WALL MOUNT



HYU-595
(DS-1272ZJ-110-TRS)

WALL MOUNT



HYU-434
(DS-1294ZJ-TRL)

WALL MOUNT



HYU-600
(DS-1273ZJ-140-DM45)

WALL MOUNT



HYU-213N
(DS-1273-130-TRL)

WALL MOUNT



HYU-608

WALL MOUNT



HYU-215N
(DS-1602)

WALL MOUNT



HYU-215
(DS-1602ZJ)

WALL MOUNT



HYU-600
(DS-1273ZJ-140-DM45)

CEILING MOUNT



HYU-575
(DS-1227ZJ-P1)

CEILING MOUNT



HYU-360
(DS-1271ZJ-110)

**BASE FOR
HYUNDAI DOMES**



HYU-840
DS-1281ZJ-DM23-BLACK

NEW

HYUNDAI

Exclusive sale for professionals.
RRP, VAT is not included
Contact your supplier for further information.
info@hyundai-security.tech | www.hyundai-security.tech

ACCESSORIES

BASE FOR
HYUNDAI DOMES

NEW



HYU-839
DS-1280ZJ-XS-BLACK

BASE FOR
HYUNDAI DOMES

NEW



HYU-841
DS-1281ZJ-M-BLACK

WALL MOUNT
FOR HYUNDAI DOMES

NEW



HYU-842
DS-1272ZJ-110-TRS-BLACK

BASE FOR
HYUNDAI DOMES

NEW



HYU-843
DS-1273ZJ-130-TRL-BLACK

BASE FOR
HYUNDAI DOMES

NEW



HYU-838
DS-1280ZJ-S-BLACK

BASE FOR
HYUNDAI DOMES

NEW



HYU-837
DS-1280ZJ-M-BLACK

BRACKET FOR
HYUNDAI
MINI DOMES

NEW



HYU-835

BASE FOR
HYUNDAI DOMES

NEW



HYU-836
(DS-1272ZJ)

CEILING MOUNT

NEW



HYU-602N
(DS-1271ZJ-140-DM45)

CEILING MOUNT



HYU-599
(DS-1271ZJ-130)

CEILING MOUNT



HYU-362
(DS-1271ZJ-130-TRL)

CEILING MOUNT



HYU-367
(DS-1297ZJ)

CEILING MOUNT



HYU-364
(DS-1271ZJ-135)

WALL MOUNT

NEW



HYU-603N
(DS-1273ZJ-140)

CEILING MOUNT



HYU-602
(DS-1271ZJ-140-DM45)

CEILING MOUNT



HYU-221
(DS-1663ZJ)

CEILING MOUNT



HYU-219N
(DS-1662)

CEILING MOUNT



HYU-218N
(DS-1661ZJ)

PARAPET BRACKET



HYU-210
(DS-1660ZJ)

SWAN NECK BRACKET



HYU-578
(DS-1619ZJ)

CEILING MOUNT



HYU-219
(DS-1662ZJ)

CEILING MOUNT



HYU-54

HYUNDAI

Exclusive sale for professionals.


RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

ACCESSORIES

BRACKET FOR EMBEDD



HYU-202
(DS-1272ZJ)

COLUMN BRACKET



HYU-214
(DS-1275ZJ)

CORNER BRACKET



HYU-59

COLUMN BRACKET



HYU-208
(DS-1602ZJ-POLE)

COLUMN BRACKET



HYU-56

CORNER BRACKET



HYU-358
(DS-1276ZJ)

JUNCTION BOX



HYU-545
(DS-1273ZJ)

CURREN ADAPTER



HYU-827

NEW

JUNCTION BOX



HYU-546
(DS-1602ZJ-BOX)

CORNER BRACKET



HYU-216
(DS-1602ZJ-CORNER)

WALL MOUNT + JUNCTION BOX



HYU-217
(DS-1602ZJ-BOX)

RAIN SHADE



HYU-361
(DS-1250ZJ)

ACCESSORIES SUPPORT COMPATIBILITY CHART

CAMERA	JUNCTION BOX	INCLINED BASE	WALL MOUNT	CEILING MOUNT	EMBEDDED BRACKET	PARAPET BRACKET	CORNICE BRACKET	ANTI RAIN VISOR	COLUMN BRACKET	CORNER COLUMN
HYU-146	HYU-884									
HYU-203	HYU-200N	-	-	-	-	-	-	-	HYU-214	HYU-358
HYU-241	HYU-198	HYU-365	HYU-204	HYU-364	HYU-202	-	-	-	HYU-214	HYU-358
HYU-244	HYU-200/251	-	-	-	-	-	-	-	-	-
HYU-246	HYU-251	-	-	-	-	-	-	-	-	-
HYU-249	HYU-332	-	-	-	-	-	-	-	-	-
HYU-250	HYU-252	-	-	-	-	-	-	-	-	-
HYU-256	HYU-252	-	-	-	-	-	-	-	-	-
HYU-257	-	-	HYU-253	-	-	-	-	-	-	-
HYU-284	HYU-248N	-	-	-	-	-	-	-	HYU-214	HYU-358
HYU-285	HYU-199N	HYU-363	HYU-213N	-	-	-	-	-	HYU-214	HYU-358
HYU-286	HYU-197N	HYU-359	HYU-212/357	HYU-360	-	-	-	HYU-361	HYU-214	HYU-358
HYU-333	HYU-355	-	-	-	-	-	-	-	-	-
HYU-335	HYU-355	-	-	-	-	-	-	-	-	-
HYU-337	HYU-355	-	-	-	-	-	-	-	-	-
HYU-339	HYU-200/251	-	-	-	-	-	-	-	-	-
HYU-340N	HYU-332	-	-	-	-	-	-	-	-	-
HYU-353	-	-	HYU-366	HYU-367	-	-	-	-	-	-
HYU-386	HYU-217	-	HYU-215N	HYU-218N	-	HYU-210	HYU-578	-	HYU-208	HYU-216
HYU-387	HYU-248N	-	-	-	-	-	-	-	HYU-214	HYU-358
HYU-388	HYU-301N	HYU-521	-	-	-	-	-	-	HYU-214	HYU-358
HYU-389	HYU-301N	-	HYU-595	-	-	-	-	-	HYU-214	HYU-358
HYU-390	HYU-199N	HYU-363	HYU-213	-	-	-	-	-	HYU-214	HYU-358
HYU-394	HYU-522	-	-	-	-	-	-	-	HYU-214	HYU-358

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

CAMERA	JUNCTION BOX	INCLINED BASE	WALL MOUNT	CEILING MOUNT	EMBEDDED BRACKET	PARAPET BRACKET	CORNICE BRACKET	ANTI RAIN VISOR	COLUMN BRACKET	CORNER COLUMN
HYU-397	HYU-198	HYU-365	HYU-204	HYU-364	HYU-202	-	-	-	HYU-214	HYU-358
HYU-408	HYU-248N	-	-	-	-	-	-	-	HYU-214	HYU-358
HYU-409	HYU-197N	HYU-359	HYU-212/357	HYU-360	-	-	-	HYU-361	HYU-214	HYU-358
HYU-410	HYU-301N	HYU-521	HYU-595	-	-	-	-	-	HYU-214	HYU-358
HYU-411	HYU-200	-	-	-	-	-	-	-	HYU-214	HYU-358
HYU-412	HYU-199N	HYU-363	HYU-213	HYU-362	-	-	-	-	HYU-214	HYU-358
HYU-413	HYU-198	HYU-365	HYU-204	HYU-364	HYU-202	-	-	-	HYU-214	HYU-358
HYU-414	HYU-248N	-	-	-	-	-	-	-	HYU-214	HYU-358
HYU-415	HYU-197N	HYU-359	HYU-212/357	HYU-360	-	-	-	HYU-361	HYU-214	HYU-358
HYU-416N	HYU-301N	HYU-521	HYU-595	-	-	-	-	-	HYU-214	HYU-358
HYU-418	HYU-199N	HYU-363	HYU-213	HYU-362	-	-	-	-	HYU-214	HYU-358
HYU-419	HYU-198	HYU-365	HYU-204	HYU-364	HYU-202	-	-	-	HYU-214	HYU-358
HYU-424	HYU-248N	-	-	-	-	-	-	-	HYU-214	HYU-358
HYU-425	HYU-199N	HYU-363	HYU-213N	HYU-362	-	-	-	-	HYU-214	HYU-358
HYU-426	HYU-197N	HYU-359	HYU-212/357	HYU-360	-	-	-	HYU-361	HYU-214	HYU-358
HYU-428N	HYU-217	-	HYU-215N	HYU-218N	-	HYU-210	HYU-578	-	HYU-208	HYU-216
HYU-431N	HYU-217	-	HYU-215N	HYU-218N	-	HYU-210	HYU-578	-	HYU-208	HYU-216
HYU-435	HYU-301N	-	-	-	-	-	-	-	HYU-214	HYU-358
HYU-436	HYU-199N	HYU-363	HYU-213	-	-	-	-	-	HYU-214	HYU-358
HYU-437	HYU-248	-	-	-	-	-	-	-	HYU-214	HYU-358
HYU-438	HYU-301N	HYU-521	HYU-595	-	-	-	-	-	HYU-214	HYU-358
HYU-453	HYU-543	-	-	-	-	-	-	-	-	-
HYU-454	HYU-543	-	-	-	-	-	-	-	-	-
HYU-455	-	-	-	HYU-59	-	-	-	-	HYU-56	HYU-54
HYU-464	HYU-27	-	-	-	-	-	-	-	-	-
HYU-469	HYU-355	-	-	-	-	-	-	-	-	-
HYU-471	HYU-355	-	-	-	-	-	-	-	-	-
HYU-481	HYU-248N	-	-	-	-	-	-	-	HYU-214	HYU-358
HYU-482	HYU-301N	HYU-521	HYU-595	-	-	-	-	-	HYU-214	HYU-358
HYU-484	-	-	HYU-434	-	-	-	-	-	-	-
HYU-485	HYU-248N	-	-	-	-	-	-	-	HYU-214	HYU-358
HYU-486	HYU-197N	HYU-359	HYU-212/357	HYU-360	-	-	-	-	HYU-214	HYU-358
HYU-487	HYU-248N	-	HYU-595	-	-	-	-	-	HYU-214	HYU-358
HYU-488	HYU-248N	-	HYU-595	-	-	-	-	-	HYU-214	HYU-358
HYU-490	HYU-601	-	HYU-600	HYU-602	-	-	-	-	HYU-214	HYU-358
HYU-491	HYU-199N	HYU-363	HYU-213N	-	-	-	-	-	HYU-214	HYU-358
HYU-492	HYU-248N	-	-	-	-	-	-	-	HYU-214	HYU-358
HYU-493	HYU-197N	HYU-359	HYU-212/357	HYU-360	-	-	-	HYU-361	HYU-214	HYU-358
HYU-494	HYU-199N	HYU-363	HYU-213N	-	-	-	-	-	HYU-214	HYU-358
HYU-498	HYU-522	-	-	-	-	-	-	-	HYU-214	HYU-358
HYU-500	HYU-198	HYU-365	HYU-204	HYU-364	HYU-202	-	-	-	HYU-214	HYU-358
HYU-502	HYU-248N	-	HYU-595	-	-	-	-	-	HYU-214	HYU-358
HYU-503	HYU-248N	-	HYU-595	-	-	-	-	-	HYU-214	HYU-358
HYU-504	HYU-248N	-	HYU-595	-	-	-	-	-	HYU-214	HYU-358
HYU-505	HYU-301N	HYU-521	HYU-595	-	-	-	-	-	HYU-214	HYU-358
HYU-506	HYU-248N	-	HYU-595	-	-	-	-	-	HYU-214	HYU-358
HYU-507	HYU-301N	HYU-521	HYU-595	-	-	-	-	-	HYU-214	HYU-358
HYU-508	HYU-301N	-	-	-	-	-	-	-	HYU-214	HYU-358
HYU-509	HYU-199N	HYU-363	HYU-213N	-	-	-	-	-	HYU-214	HYU-358
HYU-510	HYU-248N	-	-	-	-	-	-	-	HYU-214	HYU-358
HYU-511	HYU-248N	-	-	-	-	-	-	-	HYU-214	HYU-358
HYU-512	HYU-199N	HYU-363	HYU-213	-	-	-	-	-	HYU-214	HYU-358
HYU-513	HYU-248N	-	-	-	-	-	-	-	HYU-214	HYU-358
HYU-515	HYU-199N	HYU-363	HYU-213N	-	-	-	-	-	HYU-214	HYU-358
HYU-516	HYU-199N	HYU-363	HYU-213N	-	-	-	-	-	HYU-214	HYU-358
HYU-517	HYU-301N	-	-	-	-	-	-	-	HYU-214	HYU-358
HYU-518	HYU-199N	HYU-363	HYU-213N	-	-	-	-	-	HYU-214	HYU-358
HYU-519	-	-	HYU-574/693	HYU-575	-	-	-	-	-	-
HYU-530	HYU-301N	-	-	-	-	-	-	-	HYU-214	HYU-358
HYU-542	HYU-543	-	-	-	-	-	-	-	-	-
HYU-544	HYU-607	-	HYU-608	-	-	-	-	-	HYU-214	HYU-358
HYU-547	-	-	HYU-598	HYU-599	-	-	-	-	HYU-214	HYU-358
HYU-548	-	-	HYU-213	-	-	-	-	-	HYU-214	HYU-358
HYU-55N	HYU-172/332	-	-	-	-	-	-	-	-	-
HYU-565	HYU-248N	-	-	-	-	-	-	-	HYU-214	HYU-358
HYU-566	HYU-301N	HYU-521	HYU-595	-	-	-	-	-	HYU-214	HYU-358
HYU-567	HYU-248N	-	-	-	-	-	-	-	HYU-214	HYU-358
HYU-568	HYU-301N	HYU-521	HYU-595	-	-	-	-	-	HYU-214	HYU-358
HYU-569	HYU-248	-	-	-	-	-	-	-	HYU-214	HYU-358
HYU-570	HYU-301N	HYU-521	HYU-595	-	-	-	-	-	HYU-214	HYU-358
HYU-572	HYU-199N	HYU-363	HYU-213	-	-	-	-	-	HYU-214	HYU-358
HYU-573	HYU-199N	HYU-363	HYU-213N	-	-	-	-	-	HYU-214	HYU-358
HYU-576	HYU-248N	-	HYU-595	-	-	-	-	-	HYU-214	HYU-358
HYU-577	-	-	HYU-213	-	-	-	-	-	HYU-214	HYU-358
HYU-586	HYU-301N	-	HYU-595	-	-	-	-	-	HYU-214	HYU-358
HYU-588	HYU-197N	HYU-359	HYU-212/357	HYU-360	-	-	-	-	HYU-214	HYU-358

CAMERA	JUNCTION BOX	INCLINED BASE	WALL MOUNT	CEILING MOUNT	EMBEDDED BRACKET	PARAPET BRACKET	CORNICE BRACKET	ANTI RAIN VISOR	COLUMN BRACKET	CORNER COLUMN
HYU-589	HYU-301N	-	HYU-595	-	-	-	-	-	HYU-214	HYU-358
HYU-590	HYU-301N	-	-	-	-	-	-	-	HYU-214	HYU-358
HYU-591	HYU-199N	HYU-363	HYU-213N	-	-	-	-	-	HYU-214	HYU-358
HYU-592	-	-	HYU-603	-	-	-	-	-	HYU-214	HYU-358
HYU-605N	-	-	-	-	-	-	-	-	-	-
HYU-611	HYU-200N	-	-	-	-	-	-	-	HYU-214	HYU-358
HYU-612	HYU-200N	-	-	-	-	-	-	-	HYU-214	HYU-358
HYU-615	HYU-248N	-	-	-	-	-	-	-	HYU-214	HYU-358
HYU-616	HYU-197N	HYU-359	HYU-212/357	HYU-360	-	-	-	HYU-361	HYU-214	HYU-358
HYU-617	HYU-301N	-	HYU-595	-	-	-	-	-	HYU-214	HYU-358
HYU-618	HYU-200N	-	-	-	-	-	-	-	HYU-214	HYU-358
HYU-619	HYU-198	HYU-365	HYU-204	HYU-364	HYU-202	-	-	-	HYU-214	HYU-358
HYU-620	HYU-199N	HYU-363	HYU-213	HYU-362	-	-	-	-	HYU-214	HYU-358
HYU-625N	HIK-122	-	-	-	-	-	-	-	-	-
HYU-626N	HIK-122	-	-	-	-	-	-	-	-	-
HYU-648	HYU-301N	-	-	-	-	-	-	-	HYU-214	HYU-358
HYU-656	HYU-301N	-	-	-	-	-	-	-	HYU-214	HYU-358
HYU-657	HYU-199N	HYU-363	HYU-213N	-	-	-	-	-	HYU-214	HYU-358
HYU-658	HYU-601	-	HYU-600	HYU-602	-	-	-	-	HYU-214	HYU-358
HYU-663	HYU-301N	-	-	-	-	-	-	-	HYU-214	HYU-358
HYU-666	HYU-301N	-	-	-	-	-	-	-	HYU-214	HYU-358
HYU-668	HYU-301N	-	-	-	-	-	-	-	HYU-214	HYU-358
HYU-669	HYU-248N	-	HYU-595	-	-	-	-	-	HYU-214	HYU-358
HYU-670	HYU-248N	-	HYU-595	-	-	-	-	-	HYU-214	HYU-358
HYU-671	HYU-301N	HYU-521	HYU-595	-	-	-	-	-	HYU-214	HYU-358
HYU-672	HYU-199N	HYU-363	HYU-213	-	-	-	-	-	HYU-214	HYU-358
HYU-674	HYU-301N	-	-	-	-	-	-	-	HYU-214	HYU-358
HYU-675	HYU-197N	HYU-359	HYU-212/357	HYU-360	-	-	-	-	HYU-214	HYU-358
HYU-676	-	-	HYU-603	-	-	-	-	-	HYU-214	HYU-358
HYU-677	-	-	HYU-603	-	-	-	-	-	HYU-214	HYU-358
HYU-678	HYU-301N	-	-	-	-	-	-	-	HYU-214	HYU-358
HYU-679	HYU-301N	-	-	-	-	-	-	-	HYU-214	HYU-358
HYU-687	HYU-217	-	HYU-215N	HYU-218N	-	HYU-210	HYU-578	-	HYU-208	HYU-216
HYU-688	HYU-217	-	HYU-215N	HYU-218N	-	HYU-210	HYU-578	-	HYU-208	HYU-216
HYU-689	HYU-217	-	HYU-215N	HYU-218N	-	HYU-210	HYU-578	-	HYU-208	HYU-216
HYU-690	HYU-217	-	HYU-215N	HYU-218N	-	HYU-210	HYU-578	-	HYU-208	HYU-216
HYU-691	HYU-217	-	HYU-215N	HYU-218N	-	HYU-210	HYU-578	-	HYU-208	HYU-216
HYU-692	HYU-217	-	HYU-215N	HYU-218N	-	HYU-210	HYU-578	-	HYU-208	HYU-216
HYU-694	HYU-332	-	-	-	-	-	-	-	-	-
HYU-695	-	-	HYU-30	-	-	-	-	-	-	-
HYU-696	HYU-152/836	-	HYU-30	-	-	HYU-835	-	-	-	-
HYU-697	HYU-836	-	-	-	-	-	-	-	-	-
HYU-698	HYU-332	-	-	-	-	-	-	-	-	-
HYU-699	HYU-27	-	-	-	-	-	-	-	-	-
HYU-700	HYU-153	-	-	-	-	-	-	-	-	-
HYU-702	-	-	HYU-30	-	-	-	-	-	-	-
HYU-703	HYU-152	-	HYU-30	-	-	-	-	-	-	-
HYU-752	HYU-248N	-	-	-	-	-	-	-	HYU-214	HYU-216
HYU-753	HYU-838	-	-	-	-	HYU-842	-	-	-	-
HYU-775	HYU-301N	-	HYU-595	-	-	-	-	-	-	-
HYU-776	HYU-248N	-	-	-	-	-	-	-	-	-
HYU-777	HYU-301N	-	HYU-595	-	-	-	-	-	-	-
HYU-759	HYU-837	HYU-841	-	-	-	HYU-843	-	-	-	-
HYU-768	HYU-839	-	-	-	-	-	-	-	-	-
HYU-769	HYU-840	-	-	-	-	-	-	-	-	-
HYU-82	-	-	-	HYU-59	-	-	-	-	HYU-56	HYU-54
HYU-802	HYU-301N	-	-	HYU-595	-	-	-	-	-	-
HYU-803	HYU-248N	-	-	-	-	-	-	-	-	-
HYU-804	HYU-301N	-	HYU-595	-	-	-	-	-	-	-
HYU-805	HYU-248N	-	-	-	-	-	-	-	-	-
HYU-806	HYU-248N	-	-	-	-	-	-	-	-	-
HYU-807	HYU-248N	-	HYU-595	-	-	-	-	-	-	-
HYU-808	HYU-839	-	HYU-842	-	-	-	-	-	-	-
HYU-809	HYU-248N	-	HYU-595	-	-	-	-	-	-	-
HYU-811	HYU-248N	-	-	-	-	-	-	-	-	-
HYU-812	HYU-248N	-	HYU-595	-	-	-	-	-	-	-
HYU-813	HYU-248N	-	HYU-595	-	-	-	-	-	-	-
HYU-814	HYU-839	-	HYU-842	-	-	-	-	-	-	-

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

ACCESSORIES

HYUNDAI

VIDEO DOOR PHONE

VIDEO DOORPHONE 2 WIRE VDP

VDP KIT THAT INCLUDES:

- 1X 2 WIRE STATION**
 - 2 wire VDP station
- 1X 2 WIRE MONITOR FOR INDOORS**
 - 7" touchscreen for indoors at 2 wires
- 1X 2 WIRE POWER SUPPLY**
 - Power supply with 9 ch interface



HYU-629

VDP KIT THAT INCLUDES:

- 1X 2 WIRE STATION**
 - 2 wire VDP station
- 1X 2 WIRE MONITOR FOR INDOORS**
 - 7" touchscreen for indoors at 2 wires
- 1X 2 WIRE POWER SUPPLY**
 - Power supply with 4 ch interface



HYU-825

VIDEO DOORPHONE VDP IP

IP VIDEO DOORPHONE STATION FOR OUTDOORS

- CMOS HD camera
- Call button
- Mifare proximity reader
- Microphone and speaker
- 4/1 I/O alarm
- RS485 Half Duplex, IP65, PonC



HYU-558

7" IP MONITOR FOR INDOOR

- 7" capacitive touchscreen
- Touch buttons
- Emergency call
- Microphone and speaker
- 2/2 I/O alarm, PonC
- Not suitable for outdoors



HYU-559

VIDEO
DOORPHONE

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

SWITCH NETWORK DISTRIBUTOR AND POWER

- Switch for device interconnection
- 8x RJ45 100Mbps
- Supports up to 6 channels PoC
- Can connect up to 8 x HYU-560
on cascade



HYU-560

IP VIDEO DOORPHONE STATION FOR OUTDOORS

- 2MP HD camera
- Call button, microphone and speaker
- Alarm: 4 in / 2 out
- TCP/IP, RTSP, WDR, IP65



HYU-709

IP65 EMP

PROTECTIVE BOX FOR VDP

- Temperature: -40°C a +60°C
- RH: 10% a 95%
- Dimensions: 122 × 116.4 × 58mm
- Weight: 298.9 g
- Material: SECC



HYU-828

VIDEO DOORPHONE STATION FOR OUTDOORS

- 2MP CMOS of high performance
- 155° fisheye lens
- IR supplement, 2 way audio
- 1 RJ45, 1 RS485, IP65, 24V DC



HYU-632

IP65 EMP

2 WIRE POWER SUPPLY WITH 6 CHANNEL INTERFACE

- 6 interface indicators to
- show network status
- Power supply: 24 VDC
- Temperature: -10 °C at 50 °C
- RH : 10% a 90%



HYU-833

7" IP MONITOR FOR INDOORS

- 7" touchscreen
- 2 ch transmission plan
- Microphone and speaker
- 8/2 I/O alarm
- 1 RJ45, WiFi 802.11b/g/n



HYU-834

KEYBOARD MODULE FOR OUTDOORS WITH 12 BUTTONS

- Keyboard module
- Unlock by password
- Call supported with door number
- Requires mount frame
- Connection band RS485, IP65, IK07
- Power supply from other module



HYU-713

INDICATOR MODULE FOR OUTDOORS

- Status indicator module for video doorphones
- Call indicator, door aperture and 2 way audio
- Backlight compensation
- Connection band RS485, IP65
- Power supply from other module



HYU-712

7" IP MONITOR FOR INDOORS

- 7" touchscreen
- Touch buttons
- Microphone and speaker
- 8/2 I/O alarm
- SD slot
- 1 RS485
- 1 RJ45, WiFi,
- PoE standard
- Not suitable for outdoors



HYU-723

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

VIDEO
DOORPHONE

VDP IP STATION FOR OUTDOORS

- 2 MP HD camera
- Call button
- Microphone and speakers
- Alarm: 4 in / 2 out
- TCP/IP, RTSP

IP65 **EMP**



HYU-831

2 WIRE POWER SUPPLY CON INTERFAZ DE 6 CANALES

- 6 two-wire interfaces
- Includes 1 interface (max. 16 W) for door station
- Power: 24 VDC
- Temperature: -10 °C a 50 °C
- RH : 10% a 90%



HYU-832

PUSH MODULE FOR OUTDOORS WITH 6 BUTTONS

- Simple module for modular IP video door phones
- Customizable labels
- Requires mount frame
- Connection band RS485, IP65
- Power from **HYU-709**



HYU-711

VIDEO DOORPHONE DISPLAY MODULE FOR OUTDOORS

- 3,5" LCD touchscreen
- Backlight, 4 keys
- Contact list and number on display
- Unlock code
- Connection band RS485, IP65
- Power supply from other module



HYU-710

MIFARE READER MODULE FOR OUTDOORS

- Mifare reader module for video doorphone
- Unlock by 13,56MHz card
- Requires mount frame
- Connection band RS485, IP65
- Power supply from other module



HYU-714

BLIND MODULE FOR OUTDOORS

- Blind module for fill empty grids during installation
- Replaceable by other modules



HYU-716

EM READER MODULE FOR OUTDOORS

- Em reader module for video doorphone
- Unlock by 125KHz card
- Requires mount frame
- Connection band RS485, IP65
- Power supply from other module



HYU-715

POWER SUPPLY AT 2 WIRES WITH 9 CHANNEL INTERFACE

- Supports 9 stations of 2 wires
- Transmission up to 100 meters
- External switch supported
- Network interface: 10/100M
- Powers 1 VDP and 1 monitor
- DIN rail mount supported



HYU-637

VIDEO DOORPHONE STATION

ESTACIÓN PRINCIPAL DE VIDEO PORTERO

- 7" LCD TFT colorfull
- H.264
- CMOS 0.3 MP, 1280 x 720
- 25 fps, 12.5 fps
- Alarm processing function
- Supports the remote door unlock function
- Hands free supported



HYU-826

VIDEO
DOORPHONE

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

VIDEO DOORPHONES

VIDEO DOORPHONE IP KITS



VDP KIT THAT INCLUDES:

- 1X IP STATION FOR OUTDOORS
- IP video doorphone station
- 1X IP MONITOR FOR INDOOR
- 7" touchscreen IP monitor for indoors

HYU-557



KVDP KIT THAT INCLUDES:

- 1X IP STATION FOR OUTDOORS
- IP video doorphone station
- 1X IP MONITOR FOR INDOOR
- 7" touchscreen IP monitor for indoors
- 1X SWITCH
- 4x Poe ports

HYU-725



VDP KIT THAT INCLUDES:

- 1X IP STATION FOR OUTDOORS
- IP video doorphone station
- 1X IP MONITOR FOR INDOOR
- 7" touchscreen IP monitor for indoors
- 1X SWITCH
- 4x Poe ports

HYU-726

VIDEO DOORPHONES

VIDEO DOORBELL

VIDEO DOORBELL WIFI FOR OUTDOORS

- 1080p CMOS incorporated
- IR led
- 1,96 mm lens (180°)
- 2 way audio
- MicroSD slot
- Reset button, IP54



HYU-561

IP VIDEO DOORPHONE STATION

VANDAL PROTECTION FOR OUTDOORS

- Video intercom
- 720P@25fps HD CMOS
- Access control function
- IR illumination up to 5m
- Motion detection and WDR
- Remote web access supported
- Magnetic alarm supported
- Noise suppression
- Echo cancellation
- IP66, IK0

720P
25fps

5M
IR

WDR
120dB

IP66

VANDAL
PROOF



HYU-724

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

VIDEO
DOORPHONE

VIDEO DOORPHONE ACCESSORIES

TABLE STAND FOR VSP

NEW



- Dimensions: 122 × 86 × 64 mm
- Material: SUS430, gel de sílice

HYU-815

SURFACE INSTALLATION FRAME 1 VIDEO DOORPHONE MODULES



HYU-717

SURFACE INSTALLATION FRAME 2 VIDEO DOORPHONE MODULES



HYU-718

TABLE STAND FOR VSP

NEW



- Dimensions: 95 × 83 × 98.9 mm
- Material: SUS430, gel de sílice

HYU-816

SURFACE INSTALLATION FRAME 3 VIDEO DOORPHONE MODULES



HYU-719

EMBED INSTALLATION FRAME FOR 1 VIDEO DOORPHONE MODULE

- Contains frame, lid, screws, etc.
- Adapts to 1 module surface mount
- Made of aviation aluminium



HYU-720

EMBED INSTALLATION FRAME FOR 2 VIDEO DOORPHONE MODULE

- Contains frame, lid, screws, etc.
- Adapts to 2 module surface mount
- Made of aviation aluminium



HYU-721

EMBED INSTALLATION FRAME FOR 3 VIDEO DOORPHONE MODULE

- Contains frame, lid, screws, etc.
- Adapts to 3 module surface mount
- Made of aviation aluminium



HYU-722

VIDEO DOORPHONE BOX FOR EMBED

- Protective Shield with cap
- Made with stainless steel
- Compatible with HYU-558 VDP
- Compatible with HYU-557 video doorphone kit



HYU-653

CAJA PROTECTORA PARA VIDEOPORTERO

- Temperatura: -40°C a +60°C
- Humedad: 10% a 95%
- Dimensiones: 325.8 × 116.4 × 58mm
- Peso: 702.3 g
- Material: SECC



HYU-830

CAJA PROTECTORA PARA VIDEOPORTERO

- Temperatura: -40°C a +60°C
- Humedad: 10% a 95%
- Dimensiones: 224 × 116.4 × 58 mm
- Peso: 500 g
- Material: SECC



HYU-829

VIDEO
DOORPHONE

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

HYUNDAI

ACCESS AND PRESENCE CONTROL



NEW ACCESS CONTROL LINE WITH FACIAL ID TERMINALS



HYUNDAI ACCESS CONTROL STANDALONE TERMINALS



STANDALONE ACCESS CONTROL TERMINAL WITH FACIAL RECOGNITION, BIOMETRIC FINGERPRINT READER AND MIFARE CARD READER.

Face Recognition Terminal adopts deep learning algorithm, which helps to recognize the face faster and more accurate. It also supports multiple authentication modes: face picture, card, fingerprint etc. Face Recognition Terminal helps managing the door opening/closing, which can apply to the scenarios of buildings, businesses, financial industries, and other important areas.



- Facial recognition: ≤ 1 sec.
- Accuracy: $\geq 99\%$
- Distance: 0,3 ~ 1 meters
- Up to 3.000 facial images
- Up to 5.000 fingerprint
- Up to 5.000 cards
- 100.000 events
- 5" touchscreen (480x800)
- 2MP wide lens camera
- Wide dynamic range
- Communication: TCP/IP and WIFI
- USB for data import/export
- It connects with an external card reader via RS485 and Wiegand
- Connection to external controller via Wiegand
- Input interface: 1 door lock, 1 output button (REX), 1 tamper, 1 alarm input
- Output interface: 1 door relay lock, 1 alarm relay
- IP65
- Watchdog function



HYU-639

ACCESS AND
**PRESENCE
CONTROL**

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

STANDALONE ACCESS CONTROL AND PRESENCE TERMINAL WITH FINGERPRINT READER AND EM CARD READER



Terminal for reading cards with built-in fingerprint reader. Access can be obtained through a code, card or fingerprint. The screen displays information such as time or attendance information. You can program 32 different shifts, 32 different types of hours as well as vacation schedules.

- Integrated access and presence control management
- EM/MIFARE card reader
- EM reading of 0~5 cm
- MIFARE reading of 0~4,5 cm
- Up to 3.000 cards
- Card reader: <1 sec.
- Up to 3.000 fingerprint
- Fingerprint authentication: <1 sec.
- FAR (false acceptance): $\leq 0,001\%$
- FRR (false rejection): $\leq 0,01\%$
- 100.000 events
- 2,4" LCD display (320x240)
- TCP/IP communication
- USB attendance report export
- Presence authentication per person and device
- External readers are not supported
- Interface input: 1 door sensor, 1 exit button (REX)
- Output interface: 1 door lock relay
- Not suitable for outdoors
- Reset button



TERMINAL EM
HYU-640

TERMINAL MIFARE
HYU-728

STANDALONE ACCESS CONTROL AND PRESENCE TERMINAL WITH FINGERPRINT AND EM/MIFARE READER



Fingerprint and card reader, with access control management and integrated presence. It supports six time states including Input, Output, breaks and overtime as well as automatic generation of presence reports. Incorporates tamper to protect the terminal from malicious damage.

- EM/MIFARE card reader
- EM reading of 0~3,5 cm
- MIFARE reading of 0~5 cm
- Up to 1.000 fingerprint/cards
- 100.000 event registration
- 50.000 time tables
- FAR (false acceptance): 0,001%
- FRR (false rejection): 0,1%
- Quick and precise fingerprint recognition
- 2,4" LCD display
- Non backlit button
- You can configure different authentication modes
- Up to 32 normal shifts, 32 shifts per work hour and 32 vacation schedules can be configured
- Generation of automatic assistance reports
- TCP/IP communication
- 2 Inputs (REX and magnet)
- 2 Outputs (lock and buzzer)
- Not suitable for outdoors



TERMINAL EM
HYU-729

TERMINAL MIFARE
HYU-730

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

ACCESS AND
PRESENCE
CONTROL

STANDALONE PRESENCE CONTROL TERMINAL WITH FINGERPRINT AND EM/MIFARE READER



1K
TARJETAS

Fingerprint and card reader for presence control. It supports six time states including Input, Output, breaks and overtime as well as automatic generation of presence reports. Incorporates tamper to protect the terminal from malicious damage.

- EM/MIFARE card reader
- EM reading of 0~3,5 cm
- MIFARE reading of 0~5 cm
- Up to 1.000 fingerprint/cards
- 100.000 event registration
- 50.000 time tables
- FAR (false acceptance): 0,001%
- FRR (false rejection): 0,1%
- Quick and precise fingerprint recognition
- Remote fingerprint addition
- Report generation
- 2,4" LCD display
- Non backlit button
- Up to 32 normal shifts, 32 shifts per work hour and 32 vacation schedules can be configured
- Automatic attendance report generation
- TCP/IP communication
- Not suitable for outdoors



TERMINAL EM
HYU-731

TERMINAL MIFARE
HYU-732

ACCESS CONTROL AND PRESENCE CONTROLLERS



CONTROLLER FOR ACCESS CONTROL FOR 2 DOORS

10K
TARJETAS

Powerful and stable access control controller that uses logical architecture design. The uplinks and downlinks adopt TCP / IP and Wiegand communication respectively. Your signal is processed with a special encryption and can be executed without connection. It also has an anti-sabotage feature.

- Storage of 10.000 cards and 50.000 events
- First card, super card and super password, update function and door remote control
- Recognition and card number storage up to 20 digits
- Online/offline operation mode supported
- Hour synchronization supported
- Watchdog for device status detection on execution
- Data can be stored when access controller is off
- TCP/IP communication
- Up to 4x Wiegand 26/34 readers
- 2 door sensors, 2 REX buttons, 2 alarm inputs
- 2 door lock relay, 2 alarm output relay



HYU-638

ACCESS AND
PRESENCE
CONTROL

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

CONTROLLER FOR ACCESS CONTROL FOR 2 DOORS

Access controller designed with TCP / IP communication and RS485 interface. The communication data is encrypted to improve the security of the system. The controller also supports offline operation and includes a tamper-resistant switch.

- Storage of 100.000 cards and 300.000 events
- Interlock functions of various doors
- Anti-passback function, multi-card function, first-card function, super card and super password
- Online update function and door remote control
- Recognition and storage of card numbers up to 20 digits
- Online/offline operation mode supported
- Hour synchronization supported
- Watchdog for device status detection on execution
- TCP/IP communication and RS485
- Up to 4x Wiegand 26/34 readers
- 2 door sensor, 2 REX buttons, 4 alarm inputs
- 2 door lock relays, 4 alarm output relays



HYU-727

ACCESS CONTROL AND PRESENCE CARD AND FINGERPRINT READERS



FINGERPRINT AND MIFARE READER FOR ACCESS CONTROL



Fingerprint and card reader, with built-in 32-bit high-speed processor. It communicates with the Access Control controller through RS485. A built-in tamper helps protect the card reader from malicious damage. The degree of protection is IP65.

- Mifare card reader
- Card reader of 3~10 cm
- Supports multiple authentication modes
- Up to 5.000 fingerprint
- Fingerprint comparison: 1:1 and 1:N
- FAR (false acceptance): $\leq 0,001\%$
- FRR (false rejection): $\leq 0,01\%$
- Fingerprint characters can be exported to the card reader
- RS485 communication
- LED indicators
- Wachdog function



HYU-645

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

ACCESS AND
PRESENCE
CONTROL

MIFARE READER WITH KEYBOARD FOR ACCESS CONTROL

IP65

VANDAL
PROOF

- Mifare card reader
- Reading range: ≤50 mm
- 12 key keyboard incorporated
- Acoustic signal incorporated
- Wiegand 26/34 communication and RS485 interface
- LED indicators
- Buzzer incorporated
- Antisabotage alarm
- IP65
- IK10
- Resistant to high and low temperatures
- Wachdog function



HYU-644

MIFARE READER FOR ACCESS CONTROL

IP65

VANDAL
PROOF

- 32 bit processor
- Mifare card reader
- Reading range: ≤50 mm
- Acoustic signal incorporated
- Wiegand 26/34 communication and RS485 interface
- LED indicators
- Buzzer incorporated
- Antisabotage alarm
- IP65
- IK10
- Resistant to high and low temperatures
- Wachdog function



HYU-643

LECTOR MIFARE

- Reading range: ≤50 mm
- 12 key keyboard incorporated
- LED and acoustic signal
- Wiegand 26/34 communication



HYU-641

IP65

LECTOR EM 125KHZ

- Reading range: ≤50 mm
- LED and acoustic signal incorporated
- Wiegand 26/34 communication
- Wachdog function



HYU-642

IP65

FINGERPRINT USB ENROLLMENT


- High definition of 508 dpi
- 256x288px fingerprint template
- Scratch resistant sensor
- USB 2.0 interface
- POWER by USB
- Plug&Play



HYU-647

CARD USB ENROLLMENT

- Accepts frequency reading of 125KHz and 13,56MHz
- Mifare, CPU, PSAM, ID, EM
- USB 2.0 interface
- POWER by USB
- Plug&Play



HYU-646

ACCESS AND
PRESENCE
CONTROL

HYUNDAI

Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

HYUNDAI

HYUNDAI

www.hyundai-security.tech



Distributed by:

