

Alarmsystemen

www.securondistributie.nl

Datum: 9/1/2021

PARADOX® systemen

[SPECTRA SP™ GRADE 2 CENTRALS](#)
[HYBRID MAGELLAN™ GRADE 2 CENTRAL](#)
[EVO™ GRADE 3 CENTRAL](#)
[COMMPACT MAGELLAN™ GRADE 2 CENTRAL](#)
[EVO HD INSIGHT™ CENTRALS](#)
[KEYBOARDS](#)
[VIDEO VERIFICATION KITS](#)
[SPECTRA SP CENTRAL KITS](#)
[MAGELLAN CENTRAL KITS](#)
[EVO CENTRAL KITS](#)
[MAGELLAN™ ELEMENTS AND SYSTEMS VIA RADIO](#)
[MODULES AND ACCESSORIES](#)
[ADDRESSABLE DETECTORS](#)
[EVO DIGIPLEX ACCESS CONTROL](#)
[PARADOX CENTRAL IP / GPRS TRANSMISSION](#)
[MANAGEMENT SOFTWARE](#)

PARADOX® systemen - Spectra SP™ Grade 2 centrals

Referentie	Artikel	Afbeelding	Omschrijving	Prijs (€)
PAR-12	PCBSP4000		4 zone spare Spectra Plus circuit, grado 2	Prijs op aanvraag
PAR-16	PCBSP5500		5 zone Grado 2 spare Spectra Plus™ circuit	Prijs op aanvraag
PAR-31	PCBSP6000		8 zone Spectra Plus™ central spare circuit grado 2	Prijs op aanvraag
PAR-265	SP6000		8 zone Spectra Plus™ control panel. 16 zones with ATZ. 2 partitions 4 PGM. Alarm relay. EN50131 Grade 2.	Prijs op aanvraag

PARADOX® systemen - Hybrid Magellan™ Grade 2 central

Referentie	Artikel	Afbeelding	Omschrijving	Prijs (€)
PAR-30	PCBMG5000		2 zone Hybrid Magellan™ central spare circuit. Grade 2	Prijs op aanvraag
PAR-7	PCBMG5050		5 zone Hybrid Magellan™ central spare circuit. Grade 2	Prijs op aanvraag
PAR-322	MG5075-868		Magellan PARADOX control panel from 5 to 32 zones in a plastic box. Expandable to 32 zones and 16 PGM 2 partitions, 32 users. Supports 15 PIRcams PAR-200 (HD78F) and PAR-284 (HD88). Long-range radio compatible 100% with all Paradox elements. PVC box with integrated tamper and external Led indicators. 2.5A source First plant with FSK System. Certificate Grade 2 EN50131	Prijs op aanvraag

PARADOX® systemen - EVO™ Grade 3 central

Referentie	Artikel	Afbeelding	Omschrijving	Prijs (€)
PAR-10	PCBEVO192		Digiplex Evo™ spare circuit (8 to 192 zones). Grado 3	Prijs op aanvraag

PARADOX® systemen - Compact Magellan™ Grade 2 central

Referentie	Artikel	Afbeelding	Omschrijving	Prijs (€)
PAR-39	PA7		7.5V DC current adapter for PAR-40 central (MG6250)	Prijs op aanvraag
PAR-40N	MG6250		Compact central via radio Magellan™, Grade 2	Prijs op aanvraag

PARADOX® systemen - EVO HD Insight™ centrals

Referentie	Artikel	Afbeelding	Omschrijving	Prijs (€)
PAR-152	EVOHD		Grado 3 Insight system EVOHD circuit (8 to 192 zones)	Prijs op aanvraag

PARADOX® systemen - Keyboards

Referentie	Artikel	Afbeelding	Omschrijving	Prijs (€)
PAR-144	PAR-144		Green frame for PAR-29L (TM50-WH+SOL) keyboard	Prijs op aanvraag
PAR-145	PAR-145		Red frame for PAR-29L (TM50-WH+SOL) keyboard	Prijs op aanvraag
PAR-146	PAR-146		Purple frame for PAR-29L (TM50-WH+SOL) keyboard	Prijs op aanvraag
PAR-147	PAR-147		Blue frame for PAR-29L (TM50-WH+SOL) keyboard	Prijs op aanvraag
PAR-148	PAR-148		Grey frame for PAR-29L (TM50-WH+SOL) keyboard	Prijs op aanvraag
PAR-73	PA6		6Vdc Power Adapter Plug	Prijs op aanvraag

<u>PAR-283</u>	TM70WB		Wall bracket for PAR-231 (TM70).	Prijs op aanvraag
<u>PAR-292</u>	TM50WB		Wall mount for PAR-29L (TM50-WH+SOL) keyboard	Prijs op aanvraag
<u>PAR-125</u>	PAR-125		Map license for PAR-29 (TM50)	Prijs op aanvraag
<u>PAR-5</u>	K10H		10-Zone Hardwired LED Keypad Module	Prijs op aanvraag
<u>PAR-35</u>	K10V		10-Zone Hardwired LED Keypad Module. Switch anti-tamper + input zone	Prijs op aanvraag
<u>PAR-149</u>	PAR-149		5 x color frame pack for PAR-29 keyboard	Prijs op aanvraag
<u>PAR-32N</u>	K32+		32 zone led keyboard with anti tamper+ entry zone switch	Prijs op aanvraag
<u>PAR-48</u>	K35		Blue LCD keypad with icon with anti tamper switch + 1 input zone	Prijs op aanvraag
<u>PAR-6N</u>	K32LCD+		LCD blue screen keyboard. 32 characters with anti tamper + entry zone switch. Grade 2	Prijs op aanvraag
<u>PAR-9N</u>	K641+		Blue LCD screen keyboard with anti tamper + 1 PGM output switch. Grade 3	Prijs op aanvraag
<u>PAR-62</u>	K37		LCD keypad 2 way via radio	Prijs op aanvraag
<u>PAR-65</u>	K32LX		LCD keypad with radio receiver. 32 zones	Prijs op aanvraag

<u>PAR-129L</u>	TM50-BL+SOL		Grade 3 touchscreen keyboard with integrated temperature & humidity sensors and blueprint license included. Black color	Prijs op aanvraag
<u>PAR-29L</u>	TM50-WH+SOL		Grade 3 keyboard with touchscreen. Temperature & humidity sensor and blueprint license included. White color	Prijs op aanvraag
<u>PAR-78</u>	K641R		32-Character Blue LCD Keypad Module with Integrated Card Reader	Prijs op aanvraag
<u>PAR-231</u>	TM70		7" touch screen keyboard with built-in temperature sensor Built in zone tamper Tamper SD slot (includes 4GB card) Color white. EN50131 Grade 3.	Prijs op aanvraag

PARADOX® systemen - Video verification kits

Referentie	Artikel	Afbeelding	Omschrijving	Prijs (€)
<u>PAR-155</u>	PAR-155		Kit composed by: 1 PAR-152(EVOHD) central: Insight 192 zones central. 1x PAR-116 metal box: high quality big box with transformer. 7Ah battery (not included). 1x PAR-151 (HD77) PIR camera: 1.3MP camera Insight system with detector (audio video)	Prijs op aanvraag
<u>PAR-293</u>	PK88270		PARADOX kit consisting of: 1x PAR-231 (TM70) 7" touch screen keyboard, 2x outdoor PIR detectors with 720P camera and PAR-284 (HD88) HiFi audio.	Prijs op aanvraag
<u>PAR-242</u>	PAR-242		Kit composed by: 1x PCBSP5500 5 zone central, 1x big metal box with transformer, 1x PIR WiFi 720P camera with audio, 1x LCD keyboard (2 partitions), 1x IP communication module (Swan).	Prijs op aanvraag
<u>PAR-250</u>	PAR-250		Kit composed by: 1x PCBEVO192 8 to 192 zones central; 1x big metal box with transformer; 1x PIR WiFi 720P with audio camera; 1x LCD keyboard (2 partitions); 1x IP communication module (Swan).	Prijs op aanvraag
<u>PAR-244</u>	PAR-244		Kit composed by: 1x PCBSP5500 5 zone central, 1x big metal box with transformer, 1x PIR WiFi camera 720P with audio, 1x 5" touchscreen, 1x IP communication module (Swan).	Prijs op aanvraag
<u>PAR-316</u>	KIT 3 PIRCAM SPECTRA 5500		Paradox kit composed by: 1x PAR-16 (PCBSP5500) central of 5 to 32 zones. 1x big metal box PAR-116 with 2.2 Amp transformer and 7.2Ah battery capacity. 1x PIRCAM WiFi 720P PAR-200 (HD78F). 1x PAR-231 (TM70) 7,0" touchscreen keyboard. 1x IP communication module (Swan) PAR-21N (IP150_4V).	Prijs op aanvraag
<u>PAR-252</u>	PAR-252		Kit composed by: 1x PCBEVO192 Central (8 to 192 zones); 1x big metal box with transformer; 1x PIR camera WiFi 720P with audio; 1x 5" touchscreen; 1x IP communication module (Swan).	Prijs op aanvraag
<u>PAR-317</u>	KIT 3 PIRCAM EVO192		Paradox kit composed by: 1x PAR-10 (PCBEVO192) central of 8 to 192 zones. 1x PAR-116 big metal box with 2.2 Amp transformer and 7.2Ah battery. 1x PIRCAM WiFi 720P PAR-200 (HD78F). 1x PAR-231 (TM70) 7,0" keyboard touchscreen. 1x IP (Swan) communication module PAR-21N (IP150_4V).	Prijs op aanvraag

<u>PAR-156</u>	PAR-156		Kit composed by: 1x PAR-152 central (EVOHD): central up to 192 zones with Insight system. 1x PAR-116 metal box: high quality big metal box with transformer. 1x PAR-183 (HD77 WHITE LIGHT) PIR camera: 1.3MP Insight system	Prijs op aanvraag
<u>PAR-243</u>	PAR-243		Kit composed by: 1x PCBSP5500 5 zone central, 1x big metal box with transformer, 1x PIR WiFi 720P with audio camera, 1x LCD keyboard (2 partitions), 1x GPRS/GSM communication module.	Prijs op aanvraag
<u>PAR-251</u>	PAR-251		Kit composed by: 1x PCBEVO192 central (8 to 192 zones). 1x big metal box with transformer. 1x PIR WiFi camera (720p and audio). 1x LCD keyboard with PGM output. 1x GPRS/GSM communication module	Prijs op aanvraag
<u>PAR-245</u>	PAR-245		Kit composed by: 1x PCBSP5500 5 zone central, 1x big metal box with transformer, 1x PIR WiFi 720P with audio camera, 1x 5" touchscreen, 1x GPRS/GSM communication module.	Prijs op aanvraag
<u>PAR-315</u>	KIT 4 PIRCAM SPECTRA 5500		Paradox kit composed by: 1x PAR-16 (PCBSP5500) central of 5 to 32 zones. 1x big metal box PAR-116 with 2.2 Amp transformer and 7,2Ah battery capacity. 1x WiFi PIRCAM 720P PAR-200 (HD78F). 1x PAR-231 (TM70) 7" touchscreen keyboard. 1x 4G/3G/2G/GSM/GPRS PAR-188N (PCS260E) communication module.	Prijs op aanvraag
<u>PAR-253</u>	PAR-253		Kit consisting of: 1x PCBEVO192 Control Panel from 8 to 192 zones; 1x Large metal box with transformer; 1x 720P WiFi PIR camera with audio, 1x 5 "touch keyboard; 1x communication module.	Prijs op aanvraag
<u>PAR-312</u>	KIT 4 PIRCAM EVO192		Paradox kit composed by: 1x PAR-10 (PCBEVO192) central of 8 at 192 zones. 1x big metal box PAR-116 with 2.2 Amp transformer and 7,2Ah battery capacity. 1x PIRCAM WiFi 720P PAR-200 (HD78F). 1x PAR-231 (TM70) 7,0" touchscreen keyboard. 1x GPRS/GSM PAR-188N (PCS260E) communication module.	Prijs op aanvraag
<u>PAR-246</u>	PAR-246		Kit composed by: 1x PCBSP5500 5 zone central, 1x big metal box with transformer, 2x PIR WiFi 720P with audio camera, 1x LCD keyboard (2 partitions), 1x IP communication module (Swan)	Prijs op aanvraag
<u>PAR-254</u>	PAR-254		Kit consisting of: 1x PCBEVO192 Control Panel from 8 to 192 zones; 1x Large metal box with transformer; 2x 720P WiFi PIR camera with audio; 1x 2-partition LCD keypad; 1x IP communication module (Swan).	Prijs op aanvraag
<u>PAR-248</u>	PAR-248		Kit composed by: 1x PCBSP5500 5 zone central, 1x big metal box with transformer, 2x PIR WiFi 720P and audio camera, 1x 5"touchscreen, 1x IP communication module (Swan).	Prijs op aanvraag
<u>PAR-256</u>	PAR-256		Kit consisting of: 1x PCBEVO192 Control Panel from 8 to 192 zones; 1x Large metal box with transformer; 2x 720P WiFi PIR camera with audio; 1x 5 "touch keyboard; 1x IP communication module (Swan).	Prijs op aanvraag
<u>PAR-247</u>	PAR-247		Kit composed by: 1x PCBSP5500 5 zone central, 1x big metal box with transformer, 2x PIR WiFi 720P with audio camera, 1x LCD keyboard (2 partitions), 1x GPRS/GSM communication module.	Prijs op aanvraag
<u>PAR-314</u>	KIT 7 PIRCAM SPECTRA 5500		Paradox kit composed by: 1x PAR-16 (PCBSP5500) central of 5 to 32 zones. 1x big metal box PAR-116 with 2.2 Amp transformer and 7,2Ah battery capacity. 2x PIRCAM WiFi 720P PAR-200 (HD78F). 1x PAR-231 (TM70) keyboard with 7" touchscreen. 1x IP (Swan) PAR-21N (IP150_4V) communication module.	Prijs op aanvraag

<u>PAR-311</u>	KIT 7 PIRCAM EVO192		Paradox kit composed by: 1x PAR-10 (PCBEVO192) central of 8 to 192 zones. 1x big metal box PAR-116 with transformer of 2,2 Amp and 7,2Ah battery capacity. 2x PIRCAM WiFi 720P PAR-200 (HD78F). 1x PAR-231 (TM70) 7,0" touchscreen keyboard. 1x IP (Swan) communication module PAR-21N (IP150_4V).	Prijs op aanvraag
<u>PAR-255</u>	PAR-255		Kit consisting of: 1x PAR-10 Central (PCBEVO192) from 8 to 192 zones; 1x Large metal box PAR-116 with transformer; 2x 720P WiFi PIR camera with PAR-200 audio (HD78F); 1x LCD keyboard with PAR-9N PGM output (K641 +); 1x PAR-193 communication module (PCS265LEU).	Prijs op aanvraag
<u>PAR-249</u>	PAR-249		Kit composed by: 1x PCBSP5500 5 zone central, 1x big metal box with transformer, 2x PIR WiFi 720P with audio camera, 1x 5" touchscreen, 1x GPRS/GSM communication module.	Prijs op aanvraag
<u>PAR-313</u>	KIT 8 PIRCAM SPECTRA 5500		Paradox kit composed by: 1x PAR-16 (PCBSP5500) central of 5 to 32 zones. 1x big metal box PAR-116 with 2,2 Amp transformer and 7,2Ah battery capacity. 2x PIRCAM WiFi 720P PAR-200 (HD78F). 1x PAR-231 (TM70) keyboard with 7" touchscreen. 1x 4G/3G/2G/GSM/GPRS PAR-188N (PCS260E) communication module.	Prijs op aanvraag
<u>PAR-257</u>	PAR-257		Kit consisting of: 1x PAR-10 Central (PCBEVO192) from 8 to 192 zones; 1x Large metal box PAR-116 with transformer; 2x PIR WiFi 720P camera with audio PAR-200 (HD78F); 1x 5" touch keyboard PAR-29L (TM50-WH + SOL); 1x PAR-193 communication module (PCS265LEU).	Prijs op aanvraag
<u>PAR-310</u>	KIT 8 PIRCAM EVO192		Paradox kit composed by: 1x PAR-10 (PCBEVO192) central of 8 to 192 zones. 1x big metal box PAR-116 with 2,2 Amp transformer and battery capacity of 7,2Ah. 2x WiFi 720P PIRCAM PAR-200 (HD78F). 1x PAR-231 (TM70) keyboard with 7" touchscreen. 1x communication module GPRS/GSM PAR-188N (PCS260E).	Prijs op aanvraag

PARADOX® systemen - Spectra SP central kits

Referentie	Artikel	Afbeelding	Omschrijving	Prijs (€)
<u>PAR-85</u>	PAR-85		Kit composed by: 1x Central PCBSP4000 of 5 to 32 zones. 1x small metal box with electrical transformer. 1x led keyboard K10H of 10 zones	Prijs op aanvraag
<u>PAR-89</u>	PAR-89		Kit composed by: 1x PCBSP5500 central of 6 to 32 zones. 1x small metal box with transformer. 1x K10H led keyboard, 10 zones	Prijs op aanvraag
<u>PAR-241</u>	PAR-241		Kit composed by: 1 x PCBSP4000 central (4 zones). 1 x big metal box with transformer. 1x led keyboard (10 zones). 2x PIR detector (Pet immunity)	Prijs op aanvraag
<u>PAR-140</u>	PAR-140		Kit composed by: 1x PCBSP4000 central (4 zones), 1x small metal box with transformer, 1x LCD keyboard with 1 input zone	Prijs op aanvraag
<u>PAR-93</u>	PAR-93		Kit composed by: 1x PCBSP6000 central of 9 to 32 zones. 1x big metal box with transformer. 1x K10H led keyboard (10 zones)	Prijs op aanvraag
<u>PAR-86</u>	PAR-86		Kit composed by: 1x Central PCBSP4000 of 5 to 32 zones. 1x small metal box with transformer. 1x keyboard K32LCD , 32 carachter blue display	Prijs op aanvraag

<u>PAR-259</u>	KIT LCD SPECTRA 4000		Pyronix Paradox kit composed of: 1x PAR-12 Central (PCBSP4000) from 5 to 32 zones 1x Large metal box PAR-116 with 2.2 Amp transformer and 7.2Ah battery capacity 1x PAR-6N (K32LCD +) 2-partition LCD keypad 3x PIR PYRO-3 detectors (KX15DD).	Prijs op aanvraag
<u>PAR-133</u>	PAR-133		Kit composed by: 1x PCBSP6000 central (8 zones), 1x big metal box with transformer, 1x 32 zones led keyboard	Prijs op aanvraag
<u>PAR-90</u>	PAR-90		Kit composed by: 1x PCBSP5500 central of 6 to 32 zones. 1x small metal box with transformer. 1x K32LCD+ blue screen keyboard (32 characters)	Prijs op aanvraag
<u>PAR-240</u>	PAR-240		Kit composed by: 1x PCBSP4000 central (4 zones). 1x big metal box with transformer. 1x LCD keyboard (2 partitions). 2x PIR detectors (Pet immunity)	Prijs op aanvraag
<u>PAR-113</u>	PAR-113		Kit composed by: 1x PCBSP4000 central from 5 to 32 zones, 1x metal box with power transformer 1Amp, 1x K10H keyboard, 4x NV5 detector, 1x DEM-2 battery	Prijs op aanvraag
<u>PAR-94</u>	PAR-94		Kit composed by: 1x SP6000 central of 8 to 32 zones 1x big metal box with transformer 2,2Amp 1x K32LCD+ keyboard (blue display, 32 characters)	Prijs op aanvraag
<u>PAR-260</u>	KIT LCD SPECTRA 5500		Pyronix Paradox kit consisting of: 1x PAR-16 Central (PCBSP5500) from 6 to 32 zones. 1x Large metal box PAR-116 with 2.2 Amp transformer and 7.2Ah battery capacity. 1x PAR-6N (K32LCD +) 2-partition LCD keypad. 3x PYRO-7 dual technology detectors (KX15DT).	Prijs op aanvraag
<u>PAR-262</u>	KIT TACTIL SPECTRA 4000		Pyronix Paradox kit composed of: 1x PAR-12 Central (PCBSP4000) from 5 to 32 zones. 1x Large metal box PAR-116 with 2.2 Amp transformer and 7.2Ah battery capacity. 1x Keyboard PAR-29L (TM50-WH + SOL) 5.0 "touch. 3x PIR PYRO-3 detectors (KX15DD).	Prijs op aanvraag
<u>PAR-114</u>	PAR-114		Kit composed by: 1x PCBSP4000 central from 5 to 32 zones, 1x metal box with power transformer 1Amp, 1x K32LCD+ keyboard 32 character. 4x NV5 detectors, 1x DEM-2 battery	Prijs op aanvraag
<u>PAR-307</u>	KIT TACTIL 7 SPECTRA 4000		Pyronix Paradox kit composed by: 1x PAR-12 (PCBSP4000) central of 5 to 32 zones. 1x big metal box PAR-116 with 2.2 Amp transformer and battery capacity of 7.2Ah. 1x PAR-231 (TM70) 7,0" touchscreen. 3x PIR PYRO-3 (KX15DD) detector.	Prijs op aanvraag
<u>PAR-91</u>	PAR-91		Kit composed by: 1x PCBSP5500 central of 6 to 32 zones. 1x TM50 keyboard (5,0" touchscreen)	Prijs op aanvraag
<u>PAR-232</u>	PAR-232		Kit composed by: 1x PCBSP4000 central (4 zone). 1x big metal box with transformer. 1x touchscreen with entry zone and temperature reading	Prijs op aanvraag

<u>PAR-238</u>	PAR-238		Kit composed by: 1x PCBSP4000 central (4 zones). 1 x big metal box with transformer. 1x 5" touchscreen. 2x PIR detector (Pet immunity)	Prijs op aanvraag
<u>PAR-309</u>	KIT 1 CABLEADO SPECTRA 4000		Paradox kit composed by: 1x PAR-12 (PCBSP4000) central of 5 to 32 zones. 1x big metal box PAR-116 with 2,2 Amp transformer and 7,2Ah battery capacity. 1x PAR-231 (TM70) keyboard 7,0" touchscreen. 2x PET immunity PIR detector PAR 4N (NV5).	Prijs op aanvraag
<u>PAR-71</u>	BTM50		Demo briefcase with SP4000 + le dkeyboard + LCD keyboard with receiver via radio + touch keyboard	Prijs op aanvraag
<u>PAR-277</u>	KIT TACTIL SP5500 OPTEX 1		Optex Paradox kit consisting of: 1x PAR-16 Central (PCBSP5500) from 6 to 32 zones, expandable to 32 868 MHz radio receiver. 1x Large metal box PAR-116 with 2,2 Amp transformer and 7,2Ah battery capacity. 1x Keyboard PAR 29L (TM50-WH + SOL) 5,0 "touch. 3x OPTEX-5 dual technology detectors (RXC-DT-X5).	Prijs op aanvraag
<u>PAR-233</u>	PAR-233		Kit composed by: 1x PCBSP5500 central (5 zones). 1x big metal box with transformer, 1x touchscreen with entry zone and temperature reader	Prijs op aanvraag
<u>PAR-239</u>	PAR-239		Kit composed by: 1x PCBSP4000 central (4 zones). 1 x big metal box with transformer. 1x touchscreen keyboard with entry zone and temperature reader. 2x PIR detector (Pet immunity)□	Prijs op aanvraag
<u>PAR-299</u>	KIT TACTIL 7 SP5500 OPTEX 1		Optex Paradox kit consisting of: 1x PAR-16 Central (PCBSP5500) from 6 to 32 zones, expandable to 32 868 MHz radio receiver. 1x Large metal box PAR-116 with 2,2 Amp transformer and 7,2Ah battery capacity. 1x PAR-231 (TM70) 7,0 "touch keyboard. 3x OPTEX-5 dual technology detectors (RXC-DT-X5).	Prijs op aanvraag
<u>PAR-95</u>	PAR-95		Kit composed by: 1x SP6000 central of 8 to 32 zones 1x big metal box with transformer 2,2Amp 1x TM50 keyboard (5,0" touchscreen)	Prijs op aanvraag
<u>PAR-87</u>	PAR-87		Kit composed by: 1x PCBSP4000 central of 5 to 32 zones. 1x small metal box with transformer. 1x keyboard TM50 (5,0" touchscreen)	Prijs op aanvraag
<u>PAR-263</u>	KIT TACTIL SPECTRA 5500		Pyronix Paradox kit consisting of: 1x PAR-16 Central (PCBSP5500) from 6 to 32 zones. 1x Large metal box PAR-116 with 2,2 Amp transformer and 7,2Ah battery capacity. 1x Keyboard PAR-29L (TM50-WH + SOL) 5,0 "touch. 3x PYRO-7 dual technology detectors (KX15DT).	Prijs op aanvraag
<u>PAR-306</u>	KIT TACTIL 7 SPECTRA 5500		Pyronix Paradox kit composed by: 1x PAR-16 central (PCBSP5500) of 6 at 32 zones. 1x big metal box PAR-116 with transformer 2,2 Amp and battery capacity of 7,2Ah. 1x keyboard PAR-231 (TM70) 7,0" touchscreen. 3x double technology detector PYRO-7 (KX15DT).	Prijs op aanvraag
<u>PAR-234</u>	PAR-234		Kit composed by: 1x PCBSP6000 central (8 zones). 1x big metal box with transformer. 1x touchscreen keyboard with entry zone and temperature reader	Prijs op aanvraag

<u>PAR-279</u>	KIT TACTIL SP5500 OPTEX 3		Optex Paradox kit consisting of: 1x PAR-16 Central (PCBSP5500) from 6 to 32 zones, expandable to 32 868 MHz radio receiver. 1x Large metal box PAR-116 with 2.2 Amp transformer and 7.2Ah battery capacity. 1x Keyboard PAR-29L (TM50-WH + SOL) 5.0 "touch. 2x double PIR outdoor detectors for side vision OPTEX-21 (BX-80N).	Prijs op aanvraag
<u>PAR-297</u>	KIT TACTIL 7 SP5500 OPTEX 3		Optex Paradox kit consisting of: 1x PAR-16 Central (PCBSP5500) from 6 to 32 zones, expandable to 32 868 MHz radio receiver. 1x Large metal box PAR-116 with 2.2 Amp transformer and 7.2Ah battery capacity. 1x PAR-231 (TM70) 7.0 "touch keyboard. 2x double PIR outdoor detectors for side vision OPTEX-21 (BX-80N).	Prijs op aanvraag
<u>PAR-278</u>	KIT TACTIL SP5500 OPTEX 2		Optex Paradox kit consisting of: 1x PAR-16 Central (PCBSP5500) from 6 to 32 zones, expandable to 32 868 MHz radio receiver. 1x Large metal box PAR-116 with 2.2 Amp transformer and 7.2Ah battery capacity. 1x Keyboard PAR-29L (TM50-WH + SOL) 5.0 "touch. 2x OPTEX-15 outdoor PIR detectors (VXI-ST).	Prijs op aanvraag
<u>PAR-298</u>	KIT TACTIL 7 SP5500 OPTEX 2		Optex Paradox kit consisting of: 1x PAR-16 Central (PCBSP5500) from 6 to 32 zones, expandable to 32 868 MHz radio receiver. 1x Large metal box PAR-116 with 2.2 Amp transformer and 7.2Ah battery capacity. 1x PAR-231 (TM70) 7.0 "touch keyboard. 2x OPTEX-15 outdoor PIR detectors (VXI-ST).	Prijs op aanvraag

PARADOX® systemen - Magellan central kits

Referentie	Artikel	Afbeelding	Omschrijving	Prijs (€)
<u>PAR-326</u>	KITMG-18		Magellan Paradox kit consisting of: 1x PAR-322 Control Panel (MG5075-868) with 5 zones expandable to 32 in a plastic box 1x PAR-5 10 zone wired led keypad (K10H)	Prijs op aanvraag
<u>PAR-97</u>	PAR-97		Kit composed by: 1x PCBMG5000 hybrid central of 3 to 32 zones with receiver via radio. 1x big metal box with transformer 1Amp 1x K10H led keyboard (10 zones)	Prijs op aanvraag
<u>PAR-101</u>	PAR-101		Kit composed by: 1 x Hybrid central PCBMG5050 (6 to 32 zones with receiver via radio) 1x big metallic box with 1Amp transformer, 1x K10H keyboard (10 zones)	Prijs op aanvraag
<u>PAR-327</u>	KITMG-19		Magellan Paradox kit consisting of: 1x PAR-322 Control Panel (MG5075-868) with 5 zones expandable to 32 in a plastic box 1x PAR-6N 32-character LCD keypad (K32LCD +)	Prijs op aanvraag
<u>PAR-98</u>	PAR-98		Kit composed by: 1x PCBMG5000 hybrid central of 3 to 32 zones with receiver Via Radio 1x big metal box with transformer 1Amp 1x K32LCD+ keyboard (Blue display, 32 characters)	Prijs op aanvraag
<u>PAR-267</u>	KIT LCD MG5050 OPTEX 1		Optex Paradox kit consisting of: 1x 5-zone hybrid PAR-7 control panel (PCBMG5050) (10 with ATZ), expandable to 32. 868 MHz radio receiver. 1x Large metal box PAR-116 with 2.2 Amp transformer and 7.2Ah battery capacity. 1x PAR-6N (K32LCD +) 2-partition LCD keypad. 3x PIR detectors OPTEX-1 (RXC-ST).	Prijs op aanvraag
<u>PAR-102</u>	PAR-102		Kit composed by: 1 x Hybrid central PCBMG5050 (6 to 32 zones with receiver via radio) 1x big metallic box with 2.2Ah transformer, 1x K32LCD keyboard + blue screen (32 characters)	Prijs op aanvraag
<u>PAR-108</u>	PAR-108		Kit composed by: 1x RTX3 receiver via radio (32 zones), 3x PMD2P via dual radio, pet immunity, 1x REM15 remote control via radio (5 channel)	Prijs op aanvraag

<u>PAR-328</u>	KITMG-20		Magellan Paradox kit consisting of: 1x PAR-322 Control Panel (MG5075-868) with 5 zones expandable to 32 in a plastic box. 1x PAR-29L (TM50) 5.0 "touch keyboard	Prijs op aanvraag
<u>PAR-258</u>	KIT LCD MG5050 PYRONIX		Pyronix Paradox kit consisting of: 1x 5-zone hybrid PAR-7 control panel (PCBMG5050) (10 with ATZ), expandable to 32. 868 MHz radio receiver. 1x Large metal box PAR-116 with 2.2 Amp transformer and 7.2Ah battery capacity. 1x PAR-6N (K32LCD +) 2-partition LCD keypad. 3x PYRO-7 dual technology detectors (KX15DT).	Prijs op aanvraag
<u>PAR-272</u>	KIT TACTIL MG5050 OPTEX 1		Optex Paradox kit consisting of: 1x 5-zone hybrid PAR-7 control panel (PCBMG5050) (10 with ATZ), expandable to 32. 868 MHz radio receiver. 1x Large metal box PAR-116 with 2.2 Amp transformer and 7.2Ah battery capacity. 1x Keyboard PAR 29L (TM50-WH + SOL) 5.0 "touch. 3x PIR detectors OPTEX-1 (RXC-ST).	Prijs op aanvraag
<u>PAR-329</u>	KITMG-21		Magellan Paradox kit consisting of: 1x PAR-322 Control Panel (MG5075-868) with 5 zones expandable to 32 in a plastic box. 1x PAR-231 (TM70) 7.0 "touch keyboard	Prijs op aanvraag
<u>PAR-304</u>	KIT TACTIL 7 MG5050 OPTEX 1		Optex Paradox kit consisting of: 1x 5-zone hybrid PAR-7 control panel (PCBMG5050) (10 with ATZ), expandable to 32. 868 MHz radio receiver. 1x Large metal box PAR-116 with 2.2 Amp transformer and 7.2Ah battery capacity. 1x PAR-231 (TM70) 7.0 "touch keyboard. 3x PIR detectors OPTEX-1 (RXC-ST).	Prijs op aanvraag
<u>PAR-99</u>	PAR-99		Kit composed by: 1x MG5000 hybrid central of 3 to 32 zones with receiver via Radio 1x big metal box with transformer 1Amp 1x TM50 keyboard (5,0" touchscreen)	Prijs op aanvraag
<u>PAR-103</u>	PAR-103		Kit composed by: 1 x Hybrid central PCBMG5050 (6 to 32 zones with receiver via radio) 1x big metallic box with 1Amp transformer, 1x 5" touchscreen TM50 keyboard	Prijs op aanvraag
<u>PAR-330</u>	KITMG-22		Magellan Paradox kit consisting of: 1x PAR-322 Control Panel (MG5075-868) with 5 zones expandable to 32 in a plastic box. 1x PAR-5 10 zone wired led keypad (K10H). 1x 5-channel remote control PAR-3 (REM-15) 3x PIR Detectors with PAR-1 (PMD2P). 1x 12V, 4.2Ah battery	Prijs op aanvraag
<u>PAR-236</u>	PAR-236		Kit composed by: 1 x PCBMG5050 central (5 zones). 1x big metallic box with transformer. 1x touchscreen keyboard with entry zone and temperature reading	Prijs op aanvraag
<u>PAR-261</u>	KIT TACTIL MG5050 PYRONIX		Pyronix Paradox kit consisting of: 1x 5-zone hybrid PAR-7 control panel (PCBMG5050) (10 with ATZ), expandable to 32. 868 MHz radio receiver. 1x Large metal box PAR-116 with 2.2 Amp transformer and 7.2Ah battery capacity. 1x Keyboard PAR 29L (TM50-WH + SOL) 5.0 "touch. 3x PYRO-7 dual technology detectors (KX15DT).	Prijs op aanvraag
<u>PAR-308</u>	KIT TACTIL 7 MG5050 PYRONIX		Pyronix Paradox kit composed by: 1x Hybrid Central PAR-7 (PCBMG5050) of 5 zones (10 with ATZ), expandable to 32. Wireless receiver 868 MHz. 1x big metal box PAR-116 with 2.2 Amp transformer and 7.2Ah battery capacity. 1x keyboard PAR 231 (TM70) 7,0" touchscreen. 3x double technology detector PYRO-7 (KX15DT).	Prijs op aanvraag
<u>PAR-126</u>	PAR-126		Kit composed by: 1x K32LX keyboard with 32 zone receiver via radio; 3x IR PMD2P via dual radio, pet immunity ; 1x REM15 remote control (5 channels via radio)	Prijs op aanvraag

<u>PAR-268</u>	KIT LCD MG5050 OPTEX 2		Optex Paradox kit consisting of: 1x 5-zone hybrid PAR-7 control panel (PCBMG5050) (10 with ATZ), expandable to 32. 868 MHz radio receiver. 1x Large metal box PAR-116 with 2.2 Amp transformer and 7.2Ah battery capacity. 1x PAR-6N (K32LCD +) 2-partition LCD keypad. 2x OPTEX-15 outdoor PIR detectors (VXI-ST).	Prijs op aanvraag
<u>PAR-109</u>	PAR-109		Kit composed by: 1x MG5000 hybrid central of 3-32 zones with receiver via radio, 1 box with power transformer 1Amp 1x K10H keyboard, 3x IR PMD2P via radio, 1x REM15 remote control via radio, 1x DEM.2 battery	Prijs op aanvraag
<u>PAR-10700</u>	PAR-10700		Kit composed by: 1x compact central (MG6250) via radio, 64 zones (GPRS not included) + power supply, 3x IR PMD2P via dual radio, pet immunity. 1x remote control REM15, 5 channel via radio	Prijs op aanvraag
<u>PAR-291</u>	BTM70		Demo case consisting of: 1x MG5050 5-zone hybrid control panel (10 with ATZ), expandable to 32. 1x PAR-231 (TM70) 5.0 "touch keyboard. 1x PAR-35 led keyboard (K10V). 1x IP PAR-21 module (IP150_4V). 1x PAR-229 remote (REM25-868MHZ-W).	Prijs op aanvraag
<u>PAR-143</u>	PAR-143		Kit composed by: 1x PCBMG5050 hybrid central (6 to 32 zones with receiver via radio), 1x box with 1Amp transformer, 1x K37LCD keyboard, 3x PMD2P IR via radio, 1x REM-15 remote control via radio, 1x DEM-2 battery	Prijs op aanvraag
<u>PAR-111</u>	PAR-111		Kit composed by: 1x PCBMG5050 hybrid central from 6 to 32 zones with receiver via radio, 1x box with power transformer 1Amp, 1x K10H keyboard, 3x PMD2P IR via radio, 1x REM15 remote control via radio, 1x DEM.2 battery	Prijs op aanvraag
<u>PAR-333</u>	KITMG-25		Magellan Paradox kit consisting of: 1x PAR-322 Control Panel (MG5075-868) with 5 zones expandable to 32 in a plastic box. 1x PAR-5 10 zone wired led keypad (K10H). 1x 5-channel remote control PAR-3 (REM-15) 3x PIR Detectors with PAR-1 (PMD2P). 1x 12V, 4.2Ah battery. 1x PAR-160 GPRS Module (PCS250-G01), 1x PAR-21N IP Module (IP150_4V)	Prijs op aanvraag
<u>PAR-332</u>	KITMG-24		Magellan Paradox kit consisting of: 1x PAR-322 Control Panel (MG5075-868) with 5 zones expandable to 32 in a plastic box. 1x PAR-5 10 zone wired led keypad (K10H). 1x 5-channel remote control PAR-3 (REM-15). 3x PIR Detectors with PAR-1 (PMD2P). 1x 12V, 4.2Ah battery. 1x GPRS PAR-160 Module (PCS250-G01)	Prijs op aanvraag
<u>PAR-110</u>	PAR-110		Kit composed by: 1x PCBMG5000 hybrid central from 3 to 32 zones with receiver via radio, 1x box with power transformer, 1x K32LCD keyboard, 3x PMD2P IR via dual radio, 1x REM15 remote control via radio, 1x DEM-2 battery	Prijs op aanvraag
<u>PAR-274</u>	KIT TACTIL MG5050 OPTEX 3		Optex Paradox kit consisting of: 1x 5-zone hybrid PAR-7 control panel (PCBMG5050) (10 with ATZ), expandable to 32. 868 MHz radio receiver. 1x Large metal box PAR-116 with 2.2 Amp transformer and 7.2Ah battery capacity. 1x Keyboard PAR 29L (TM50-WH + SOL) 5.0 "touch. 2x double PIR outdoor detectors for side vision OPTEX-21 (BX-80N).	Prijs op aanvraag
<u>PAR-302</u>	KIT TACTIL 7 MG5050 OPTEX 3		Optex Paradox kit consisting of: 1x 5-zone hybrid PAR-7 control panel (PCBMG5050) (10 with ATZ), expandable to 32. 868 MHz radio receiver. 1x Large metal box PAR-116 with 2.2 Amp transformer and 7.2Ah battery capacity. 1x PAR-231 (TM70) 7.0 "touch keyboard. 2x double PIR outdoor detectors for side vision OPTEX-21 (BX-80N).	Prijs op aanvraag
<u>PAR-273</u>	KIT TACTIL MG5050 OPTEX 2		Optex Paradox kit consisting of: 1x 5-zone hybrid PAR-7 control panel (PCBMG5050) (10 with ATZ), expandable to 32. 868 MHz radio receiver. 1x Large metal box PAR-116 with 2.2 Amp transformer and 7.2Ah battery capacity. 1x Keyboard PAR 29L (TM50-WH + SOL) 5.0 "touch. 2x OPTEX-15 outdoor PIR detectors (VXI-ST).	Prijs op aanvraag

<u>PAR-303</u>	KIT TACTIL 7 MG5050 OPTEX 2		Optex Paradox kit consisting of: 1x 5-zone hybrid PAR-7 control panel (PCBMG5050) (10 with ATZ), expandable to 32, 868 MHz radio receiver. 1x Large metal box PAR-116 with 2.2 Amp transformer and 7.2Ah battery capacity. 1x PAR-231 (TM70) 7.0 "touch keyboard. 2x OPTEX-15 outdoor PIR detectors (VXI-ST).	Prijs op aanvraag
<u>PAR-112</u>	PAR-112		Kit composed by: 1x PCBMG5050 hybrid central from 6 to 32 zones with receiver via radio, 1x box with power transformer, 1x K32LCD keyboard, 3x PMD2P IR via radio, 1x REM15 remote control via radio, 1x DEM-2 battery	Prijs op aanvraag
<u>PAR-107</u>	PAR-107		Kit composed by: 1x compact central (MG6250) via radio, 64 zones + power supply, 3x IR PMD2P via dual radio, pet immunity. 1x remote control REM15, 5 channel via radio, 1x GPRS (GPRS14)	Prijs op aanvraag
<u>PAR-127</u>	PAR-127		Kit composed by: 1x PCBMG5050 hybrid central (5 to 32 zones with receiver via radio); 1x box with transformer; 1x GPRS transmitter; 1 x K37 LCD keyboard; 3x PMD2P IR via radio; 1x remote control REM15 via radio; 1x DEM-2 battery	Prijs op aanvraag
<u>PAR-269</u>	KIT LCD MG5050 OPTEX 3		Optex Paradox kit consisting of: 1x 5-zone hybrid PAR-7 control panel (PCBMG5050) (10 with ATZ), expandable to 32, 868 MHz radio receiver. 1x Large metal box PAR-116 with 2.2 Amp transformer and 7.2Ah battery capacity. 1x PAR-6N (K32LCD +) 2-partition LCD keypad. 2x outdoor detectors for radio via double PIR for side vision OPTEX-22 (BX-80NR). 2x 2-zone wireless magnetic PAR-41 (DCTXP2). 2x 3V / 1500mAh NAP-84 (CR123A) lithium batteries.	Prijs op aanvraag
<u>PAR-122</u>	PAR-122		Kit composed by: 1x PCBMG5050 hybrid central of 5 to 32 zones with receiver via radio; 1x transformer box; 1x GSM/GPRS transmitter; 1x K10H keyboard; 3x PMD2P IR via radio; 1x REM15 remote control via radio; 1x DEM-2 battery	Prijs op aanvraag
<u>PAR-128</u>	PAR-128		Kit composed by: 1x hybrid central PCBMG5050 (5 to 32 zones receiver via radio); 1x transformer box; 1x GSM/GPRS transmitter; 1x PAR-62 LCD keyboard (2 partitions); 3x IR PMD2P via radio; 1x REM15 remote control via radio; 1x DEM-2 battery	Prijs op aanvraag
<u>PAR-271</u>	KIT LCD MG5050 OPTEX 5			Prijs op aanvraag
<u>PAR-123</u>	PAR-123		Kit composed by: 1x PCBMG5050 hybrid central (5 to 32 zones via radio receiver); 1x transformer box; 1x GSM/GPRS transmitter; 1 LCD K32LCD+ keyboard (2 partitions); 3x PMD2P IR via radio; 1x REM15 remote control via radio; 1x DEM-2 battery	Prijs op aanvraag
<u>PAR-275</u>	KIT TACTIL MG5050 OPTEX 4		Optex Paradox kit consisting of: 1x 5-zone hybrid PAR-7 control panel (PCBMG5050) (10 with ATZ), expandable to 32, 868 MHz radio receiver. 1x Large metal box PAR-116 with 2.2 Amp transformer and 7.2Ah battery capacity. 1x Keyboard PAR 29L (TM50-WH + SOL) 5.0 "touch. 2x OPTEX-18 (VXI-R) double PIR outdoor detectors for radio. 2x OPTEX-42 battery holder (RBB-01). 2x 2-zone wireless magnetic PAR-41 (DCTXP2). 6x 3V / 1500mAh NAP-84 (CR123A) lithium batteries.	Prijs op aanvraag
<u>PAR-301</u>	KIT TACTIL 7 MG5050 OPTEX 4		Optex Paradox kit consisting of: 1x 5-zone hybrid PAR-7 control panel (PCBMG5050) (10 with ATZ), expandable to 32, 868 MHz radio receiver, 1x Large metal box PAR-116 with 2.2 Amp transformer and 7.2Ah battery capacity, 1x PAR-231 (TM70) 7.0 "touch keypad. 2x OPTEX-18 (VXI-R) double PIR outdoor detectors for radio, 2x OPTEX-42 battery holder (RBB-01), 2x 2-zone wireless magnetic PAR-41 (DCTXP2), 6x 3V / 1500mAh NAP-84 (CR123A) lithium batteries.	Prijs op aanvraag
<u>PAR-276</u>	KIT TACTIL MG5050 OPTEX 5		Optex Paradox kit consisting of: 1x 5-zone hybrid PAR-7 control panel (PCBMG5050) (10 with ATZ), expandable to 32, 868 MHz radio receiver. 1x Large metal box PAR-116 with 2.2 Amp transformer and 7.2Ah battery capacity. 1x Keyboard PAR 29L (TM50-WH + SOL) 5.0 "touch. 2x OPTEX-118 dual PIR radio outdoor side view detectors (BXS-R-W). 2x OPTEX-42 battery holder (RBB-01). 2x 2-zone wireless magnetic PAR-41 (DCTXP2).	Prijs op aanvraag

<u>PAR-300</u>	KIT TACTIL 7 MG5050 OPTEX-5		Optex Paradox kit consisting of: 1x 5-zone hybrid PAR-7 control panel (PCBMG5050) (10 with ATZ), expandable to 32. 868 MHz radio receiver. 1x Large metal box PAR-116 with 2.2 Amp transformer and 7.2Ah battery capacity. 1x PAR-231 (TM70) 7.0 "touch keyboard. 2x OPTEX-118 dual PIR radio outdoor side view detectors (BXS-R-W). 2x OPTEX-42 battery holder (RBB-01). 2x 2-zone wireless magnetic PAR-41 (DCTXP2).	Prijs op aanvraag
PARADOX® systemen - EVO central kits				
Referentie	Artikel	Afbeelding	Omschrijving	Prijs (€)
<u>PAR-105</u>	PAR-105		Kit composed by: 1x PCBEVO192 central (8 to 192 zones); 1x big metal box with power transformer; 1 x K641 keyboard + 32 characters blue screen	Prijs op aanvraag
<u>PAR-106</u>	PAR-106		Kit composed by: 1x PCBEVO192 central (8 to 192 zones); 1x big metal box with power transformer; 1 x TM50 5" techscreen keyboard	Prijs op aanvraag
<u>PAR-237</u>	PAR-237		Kit composed by: 1 x PCEVO192 central (8 zones). 1x big metal box with transformer. 1x touchscreen with entry zone and temperature reading	Prijs op aanvraag
<u>PAR-134</u>	PAR-134		Kit composed by: 1x PCBEVO192 central (8 to 192 zones), 1x big metal box with 2.2 Amp transformer, 1x Grado 3 LCD keyboard with proximity detector	Prijs op aanvraag
<u>PAR-264</u>	KIT TACTIL EVO192		Kit composed by: 1x Central PAR-10 (PCBEVO192) 8 to 192 zones; 1x PAR-116 big metal box with transformer; 3x PYRO-9 double technology detectors (KX15DTAM) with antimasking, Grade 3.	Prijs op aanvraag
<u>PAR-305</u>	KIT TACTIL 7 EVO192		Pyronix Paradox kit composed by: 1x PAR-10 central (PCBEVO192) of 8 to 192 zones; 1x big metallic box PAR-116 with transformer; 1x PAR-231 keyboard (TM70) 7,0" touchscreen; 3x double technology detector PYRO-9N (DS-PD2 D15AME) with antimasking, Grade 3.	Prijs op aanvraag
<u>PAR-280</u>	KIT TACTIL EVO192 OPTEX 1		Optex Paradox kit consisting of: 1x PAR-10 control panel (PCBEVO192) from 8 to 192 zones. 1x Large metal box PAR-116 with 2.2 Amp transformer and 7.2Ah battery capacity. 1x Keyboard PAR-29L (TM50-WH + SOL) 5.0 "touch. 3x OPTEX-6 Grade 3 dual technology detectors (CDX-DAM-X5).	Prijs op aanvraag
<u>PAR-296</u>	KIT TACTIL 7 EVO192 OPTEX 1		Kit Optex Paradox compuesto por: 1x Central PAR-10 (PCBEVO192) de 8 a 192 zonas. 1x Caja metalica grande PAR-116 con transformador 2.2 Amp y capacidad para batería de 7,2Ah. 1x Teclado PAR-231 (TM70) tactil de 7,0". 3x detectores doble tecnología de Grado 3 OPTEX-6 (CDX-DAM-X5).	Prijs op aanvraag
<u>PAR-282</u>	KIT TACTIL EVO192 OPTEX 3		Optex Paradox kit consisting of: 1x PAR-10 control panel (PCBEVO192) from 8 to 192 zones. 1x Large metal box PAR-116 with 2.2 Amp transformer and 7.2Ah battery capacity. 1x Keyboard PAR-29L (TM50-WH + SOL) 5.0 "touch. 2x double PIR outdoor detectors for side vision OPTEX-21 (BX-80N).	Prijs op aanvraag
<u>PAR-294</u>	KIT TACTIL 7 EVO192 OPTEX 3		Optex Paradox kit consisting of: 1x PAR-10 control panel (PCBEVO192) from 8 to 192 zones. 1x Large metal box PAR-116 with 2.2 Amp transformer and 7.2Ah battery capacity. 1x PAR-231 (TM70) 7.0 "touch keyboard 2x double PIR outdoor detectors for side vision OPTEX-21 (BX-80N).	Prijs op aanvraag
<u>PAR-281</u>	KIT TACTIL EVO192 OPTEX 2		Optex Paradox kit consisting of: 1x PAR-10 control panel (PCBEVO192) from 8 to 192 zones. 1x Large metal box PAR-116 with 2.2 Amp transformer and 7.2Ah battery capacity. 1x Keyboard PAR-29L (TM50-WH + SOL) 5.0 "touch. 2x OPTEX-15 outdoor PIR detectors (VXI-ST).	Prijs op aanvraag

<u>PAR-295</u>	KIT TACTIL 7 EVO192 OPTEX 2		Optex Paradox kit consisting of: 1x PAR-10 control panel (PCBEVO192) from 8 to 192 zones. 1x Large metal box PAR-116 with 2.2 Amp transformer and 7.2Ah battery capacity. 1x PAR-231 (TM70) 7.0 "touch keyboard 2x OPTEX-15 outdoor PIR detectors (VXI-ST).	Prijs op aanvraag
PARADOX® systemen - Magellan™ elements and systems via radio				
Referentie	Artikel	Afbeelding	Omschrijving	Prijs (€)
<u>PAR-77</u>	WB101		Wall mount bracket for remote control via radio PAR-49 (REM101).	Prijs op aanvraag
<u>PAR-79</u>	B101		Wrist strap for remote control via radio PAR-49 (REM101)	Prijs op aanvraag
<u>PAR-49</u>	REM101		1 channel remote control via radio for panic signal transmission, waterproof. Grade 2	Prijs op aanvraag
<u>PAR-288</u>	ES1		Sensor extension for wireless flood detector PAR-287 (WD1). It does not work as a standalone product.	Prijs op aanvraag
<u>PAR-325</u>	REM101_868MHZ_BLACK			Prijs op aanvraag
<u>PAR-3</u>	REM15		Remote Control with Backlit Buttons. Waterproof. 868MHz frequency. GRADE 2 according EN 50131	Prijs op aanvraag
<u>PAR-214</u>	DCTXP2		Wireless magnetic contact of 2 zones in brown color. EN50131 2-6 Grade 2.	Prijs op aanvraag
<u>PAR-229</u>	REM25-868MHZ-W		Two-way wireless remote control. 6 buttons , water resistant. 868 MHz frequency. White color	Prijs op aanvraag
<u>PAR-28</u>	DCT2		Magnetic contact via small size radio. Frequency 868 MHz.	Prijs op aanvraag
<u>PAR-41</u>	DCTXP2		Magnetic contact via 2 zone radio	Prijs op aanvraag
<u>PAR-230</u>	REM25-868MHZ-B		Two-way wireless remote control. 6 buttons , water resistant. 868 MHz frequency. Black color	Prijs op aanvraag

<u>PAR-208</u>	DCT6_WHITE		Magnetic contact via radio to embed. White. EN50131 Grade 2.	Prijs op aanvraag
<u>PAR-209</u>	DCT6_BROWN		Magnetic contact via radio to embed. Brown. EN50131-2-6 Grade 2, Class II.	Prijs op aanvraag
<u>PAR-23</u>	REM2		2-Way Remote Control with Backlit Buttons. Waterproof. 868 MHz frequency	Prijs op aanvraag
<u>PAR-1</u>	PMD2P		Wireless PIR Motion Detector with Built-in Pet Immunity up to 10 kg. Grado 2	Prijs op aanvraag
<u>PAR-13</u>	DCT10		Magnetic contact via radio and universal transmitter. Frequency 868 MHz. GRADE 2 certificate according to EN 50131	Prijs op aanvraag
<u>PAR-175</u>	NV35MR		Dual curtain wired detector for windows and sliding doors with antimasking and pet immunity, Grade 2	Prijs op aanvraag
<u>PAR-20</u>	PMD85		Outdoor Digital Dual-Optic High-Performance PIR (40kg/90lb True Pet Immunity)	Prijs op aanvraag
<u>PAR-42</u>	REM3		Remote control via two-way radio with StayD function. GRADE 2 certificate	Prijs op aanvraag
<u>PAR-58</u>	PMD75		IR via digital radio. PET immunity up to 40 kg. Dual lens sensor	Prijs op aanvraag
<u>PAR-287</u>	WD1		. Two-way radio flood detector. Selectable dual frequency: 433MHz / 868MHz. Health and battery monitoring Degree of protection IP67. Powered by AA alkaline battery.	Prijs op aanvraag
<u>PAR-192</u>	SD360		Smoke detector via radio 868MHz for ceiling mount. 85dB siren. Test / mute button. 3 CR123A battery.	Prijs op aanvraag
<u>PAR-191</u>	NV780MR		Digital Outdoor Dual Side-View Detector with 4x Dual Sensors	Prijs op aanvraag

<u>PAR-162</u>	SR130		Wireless outdoor siren with integrated strobe light	Prijs op aanvraag
<u>PAR-289</u>	PAR-289		Dual technology curtain detector with radio transceiver compatible with Paradox for outdoor use. 12 meter range 7.5 °. 24GHz microwave frequency, AND operating mode. Relay output and tamper tamper. IP54. Low consumption.	Prijs op aanvraag
<u>PAR-323</u>	PAR-323		Dual technology curtain detector with radio transceiver compatible with Paradox for outdoor use. 8 meter coverage, 30 °. 24GHz microwave frequency. It incorporates via radio PARADOX. Anti-sabotage tamper. Powered by 3.6V lithium battery Degree of protection IP54. Low consumption	Prijs op aanvraag
<u>PAR-72</u>	G550		Glass break detector via radio. 6 m 360° radio coverage. 868 MHz frequency	Prijs op aanvraag
<u>PAR-64</u>	SR150		Outdoors siren via radio. 868 MHz frequency. Grade 2	Prijs op aanvraag

PARADOX® systemen - Modules and accessories

Referentie	Artikel	Afbeelding	Omschrijving	Prijs (€)
<u>PAR-119</u>	PAR-119		Bowler hat and keys for PAR-115 and PAR-116 boxes	Prijs op aanvraag
<u>PAR-75</u>	CVT485		Plug-In RS485 Converter	Prijs op aanvraag
<u>PAR-17</u>	ZX8SP		8 zone extender module + 1 PGM output. Only compatible with SpectraPlus™ and magellan™ range.	Prijs op aanvraag
<u>PAR-115</u>	AWO003		High quality small box for MG5000, MG5050, SP4000, SP5500 and SP6000	Prijs op aanvraag
<u>PAR-59</u>	ZX1		1-Zone Expansion Module	Prijs op aanvraag
<u>PAR-116</u>	PAR-116		High quality big box for MG5000, MG5050, SP4000, SP5500 y SP6000 and EVO192	Prijs op aanvraag
<u>PAR-18</u>	VDMP3		Plug-In Voice Module	Prijs op aanvraag

<u>PAR-81</u>	PMC5		USB Memory Key	Prijs op aanvraag
<u>PAR-33</u>	PGM4		4-PGM Expansion Module	Prijs op aanvraag
<u>PAR-54</u>	307USB		Direct Connect Interface	Prijs op aanvraag
<u>PAR-211</u>	ZX82		Expansion module of 8 zones. Compatible with Spectra, Magellan and Digiplex Evo alarm control panels. It is delivered in ABS plastic box. EN50131 of Grade 3.	Prijs op aanvraag
<u>PAR-22N</u>	RTX3		Wireless Expansion Module (32 zones). Grade 2	Prijs op aanvraag
<u>PAR-212</u>	PS25_METALBOX		Supervised power supply module (2.8 Amps) in metal box.	Prijs op aanvraag
<u>PAR-8</u>	ZX8		8 zone expansion module (16 zones with ATZ function) + 1 PGM output. Grade 3	Prijs op aanvraag
<u>PAR-324</u>	PS25		Paradox supervised power supply module. 2.8A current, battery and limit supervision. 2.5A auxiliary output. Up to 1.2A battery charge. 1 PGM output. Compatible BOX-P box. Plate tamper	Prijs op aanvraag
<u>PAR-63</u>	2WPGM		Radio module with 1 PGM output and 1 input zone. Frequency 868 MHz.	Prijs op aanvraag
<u>PAR-52</u>	RPT1		Repeater via radio (868 MHz frequency)	Prijs op aanvraag
<u>PAR-68</u>	HUB2		Hub and Bus Isolator. Compatible with SPECTRA PLUS and EVO	Prijs op aanvraag
<u>PAR-210</u>	PGM82		Module of 8 outputs of PGM relay of 4A. Compatible with Spectra, Magellan, Digiplex Evo and Swan alarm centers from Paradox. Activation of manual outputs, programmed to follow events or from the add Insite GOLD. It is delivered in ABS plastic box.	Prijs op aanvraag

<u>PAR-338</u>	459		Tester for PARADOX glass break sensors. It is used to test glass break detectors such as the PAR-60 (DG457). Produces a test tone to verify high frequency audio detection capabilities. Portable tester. Works with batteries	Prijs op aanvraag
<u>PAR-80</u>	PRT3		Integration Module	Prijs op aanvraag
<u>PAR-121</u>	CV4USB		RS-485/RS-232 converter for central to Pc connection (up to 300 meters)	Prijs op aanvraag
<u>PAR-213</u>	PS45		Supervised power supply of 75W (box) Can work as autonomous.	Prijs op aanvraag

PARADOX® systemen - Addressable detectors

Referentie	Artikel	Afbeelding	Omschrijving	Prijs (€)
<u>PAR-163</u>	HD77B		Ball joint for wall mount for PAR-151 and PAR-183 detectors	Prijs op aanvraag
<u>PAR-205</u>	HDB7		Wall mounting bracket for PAR-200, PAR-201, PAR-202, PAR-203 and PAR-204 detectors	Prijs op aanvraag
<u>PAR-285</u>	BR88O		Wal mount for PAR-284 (HD88) detector with camera	Prijs op aanvraag
<u>PAR-37</u>	DG467		360° Ceiling Mounted Digital Motion Detector	Prijs op aanvraag
<u>PAR-60</u>	DG457		Glassbreak Bus Detector	Prijs op aanvraag
<u>PAR-66</u>	DM70		High-Security Motion Detector Module with Pet Immunity	Prijs op aanvraag
<u>PAR-285N</u>	BR88CW			Prijs op aanvraag
<u>PAR-182</u>	NV780MX		Digital Outdoor Dual Side-View Detector with 4x Dual Sensors	Prijs op aanvraag

<u>PAR-27</u>	DG85		Outdoor High-Security Digital Motion Detector Module. Grade 2 EN 50131	Prijs op aanvraag
<u>PAR-284</u>	HD88		Outdoor PIR detector, 16 m / 110 ° with camera and audio. H.264. Day / night vision with 720P resolution at 10 ips with capacity for 15 minutes for alarm events and 15 minutes ROT / VOD. IR illumination up to 10 meters. HiFi audio recording. Video streaming. Programming, installation and administration through Insite GOLD, store files in the application or in Google Drive. Paradox DNS service with 24/7 access. Stream videos to CCTV systems. 3-second pre-alarm recording. Compatible with	Prijs op aanvraag
<u>PAR-200</u>	HD78F		WiFi indoor PIR detector, 12x12 m / 110 ° with camera and audio. Day / night vision with resolution 720P at 10 fps with capacity for 40 minutes of internal events and 20 minutes for alarm events. HiFi audio recording. Streaming video. Programming, installation and administration through Insite GOLD, stores files in the application or in Google Drive. Paradox DNS service with 24/7 access. Transmits videos to CCTV systems. 3-second pre-alarm recording. Compatible	Prijs op aanvraag

PARADOX® systemen - EVO Digiplex access control

Referentie	Artikel	Afbeelding	Omschrijving	Prijs (€)
<u>PAR-44</u>	C706		ISO Proximity Card	Prijs op aanvraag
<u>PAR-154</u>	C705		Proximity keychain	Prijs op aanvraag
<u>PAR-46</u>	C704		Llavero de proximidad	Prijs op aanvraag
<u>PAR-74</u>	R910		4-Wire Indoor/Outdoor Proximity Reader	Prijs op aanvraag
<u>PAR-83</u>	R915		4-Wire Sealed Indoor/Outdoor Proximity Reader and Keypad	Prijs op aanvraag
<u>PAR-83A</u>	R915_BLACK		Indoor / outdoor proximity reader with built-in keyboard. 4-wire installation	Prijs op aanvraag
<u>PAR-67</u>	ACM12		4-Wire Access Control Module	Prijs op aanvraag

PARADOX® systemen - PARADOX Central IP / GPRS Transmission

Referentie	Artikel	Afbeelding	Omschrijving	Prijs (€)
<u>PAR-141</u>	COMCABLE		Cable link for PCS250 and PCS250-G01 to IP150	Prijs op aanvraag

<u>PAR-55</u>	EXT-ANT		2 meters long cable for PAR-25 (PCS250), PAR-142 (PCS250-G03), PAR-160 (PCS250-G01), PAR-158 (GPRS14), PAR-188N (PCS260E) et PAR-189 (PCS265)	Prijs op aanvraag
<u>PAR-130</u>	ANTKIT		2 meters antenna extender for PAR-25 (PCS250), PAR-142 (PCS250-G03), PAR-160 (PCS250-G01), PAR-158 (GPRS14), PAR-188N (PCS260E) and PAR-189 (PCS265)	Prijs op aanvraag
<u>PAR-170</u>	EXTKIT-4MTS		4 meter cable for PAR-25 (PCS250), PAR-142 (PCS250-G03), PAR-160 (PCS250-G01), PAR-158 (GPRS14), PAR-188N (PCS260E) and PAR-189 (PCS265)	Prijs op aanvraag
<u>PAR-171</u>	EXTKIT-7MTS		7 meter cable for PAR-25 (PCS250), PAR-142 (PCS250-G03), PAR-160 (PCS250-G01), PAR-158 (GPRS14), PAR-188N (PCS260E) and PAR-189 (PCS265)	Prijs op aanvraag
<u>PAR-172</u>	EXTKIT-14.5MTS		14,5 meter cable for PAR-25 (PCS250), PAR-142 (PCS250-G03), PAR-160 (PCS250-G01), PAR-158 (GPRS14), PAR-188N (PCS260E) and PAR-189 (PCS265)	Prijs op aanvraag
<u>PAR-173</u>	EXTKIT-18MTS		18 meter cable for PAR-25 (PCS250), PAR-142 (PCS250-G03), PAR-160 (PCS250-G01), PAR-158 (GPRS14), PAR-188N (PCS260E) and PAR-189 (PCS265)	Prijs op aanvraag
<u>PAR-158</u>	GPRS14		GPRS/GSM/SMS communication module for PAR-40N central	Prijs op aanvraag
<u>PAR-160</u>	PCS250-G01		GPRS communication module	Prijs op aanvraag
<u>PAR-21N</u>	IP150_4V		Transparent bi-directional IP communication module in box. Only supports connection to SWAN server. Grade 3 ATS 5	Prijs op aanvraag
<u>PAR-21N-PLUS</u>	IP150+			Prijs op aanvraag
<u>PAR-25</u>	PCS250		GPRS/GSM Communicator Module	Prijs op aanvraag
<u>PAR-193</u>	PCS265LEU		Communication module LTE/4G/3G/2G with BUS RS485 communication	Prijs op aanvraag

PAR-82	IPR512		GPRS / IP Monitoring Receiver	Prijs op aanvraag
------------------------	--------	---	-------------------------------	-------------------

PARADOX® systemen - Management Software

Referentie	Artikel	Afbeelding	Omschrijving	Prijs (€)
PAR-137	PAR-137		NEWARE administration software. 32 door control	Prijs op aanvraag

Bewegingsmelders

[IR](#)
[IR ACCESORIES](#)
[DOUBLE TECHNOLOGY](#)
[OUTDOOR DETECTORS AND ACCESORIES](#)

Bewegingsmelders - IR

Referentie	Artikel	Afbeelding	Omschrijving	Prijs (€)
PAR-4N	NV5		Double element IR digital detector. PEt immunity up to 16 kg. Grade 2 EN50131	Prijs op aanvraag
PAR-320	476		PIR motion detector Range 10.6 x 10.6 meters, 110 °. Alarm output and tamper output	Prijs op aanvraag
PAR-24	DG65		Quad Element Digital Motion Detector. Grade 2 according EN 50131	Prijs op aanvraag
PAR-19	DG55		Dual Element Digital Motion Detector	Prijs op aanvraag
PAR-43	DG75		High-Security Digital Motion Detector with Pet Immunity	Prijs op aanvraag
PAR-70	460		Vertical View Motion Detector	Prijs op aanvraag
PAR-176	NV35M		Outdoor/Indoor Window and Sliding Door Dual Detector with Anti-Masking and Pet Immunity	Prijs op aanvraag
PAR-174	NV35MX		Dual curtain wired detector for windows and sliding doors with antimasking and pet immunity, Grade 3	Prijs op aanvraag

Bewegingsmelders - IR accesories

Referentie	Artikel	Afbeelding	Omschrijving	Prijs (€)
<u>PAR-138</u>	SB100		Wall mount bracket for wall&ceiling for PAR-4N (NV5) detectors	Prijs op aanvraag
<u>PAR-47</u>	SB469		Corner, ceiling or wall mount bracket for PARADOX	Prijs op aanvraag
<u>PAR-286</u>	SB35		Side wall mounting bracket, for the PAR-174 (NV35MX), PAR-175 (NV35MR) and PAR-176 (NV35M) family of detectors	Prijs op aanvraag

Bewegingsmelders - Double technology

Referentie	Artikel	Afbeelding	Omschrijving	Prijs (€)
<u>PAR-34</u>	525DM		Anti masking and anti lock double technology detector	Prijs op aanvraag

Bewegingsmelders - Outdoor detectors and accesories

Referentie	Artikel	Afbeelding	Omschrijving	Prijs (€)
<u>PAR-150</u>	RC80			Prijs op aanvraag
<u>PAR-26</u>	SB85		Heavy duty Outdoor Swivel Bracket	Prijs op aanvraag
<u>PAR-50</u>	CU-4 L2		Vertical curtain lens for DG 85 and MG-PMD 85	Prijs op aanvraag
<u>PAR-207</u>	PE-4		Horizontal curtain lens L1 for PAR-20 (PMD85) and PAR-27 (DG85)	Prijs op aanvraag
<u>PAR-135</u>	NVX80		Outdoor IR detector with double technology with antimasking. EN50131 grado 3	Prijs op aanvraag

Accessoires

[POWER SUPPLY](#)
[BATTERIES](#)
[ACCESSORIES](#)

Accessoires - Power supply

Referentie	Artikel	Afbeelding	Omschrijving	Prijs (€)
PAR-76	PA12		13,8V DC at 1A power supply. For PAR-63 (2WPGM) wireless module.	Prijs op aanvraag
Accessoires - Batteries				
Referentie	Artikel	Afbeelding	Omschrijving	Prijs (€)
PAR-157	PAR-157		4x NI-MH battery pack (4,8V 4*AA, 1200mAh) for PAR-40N	Prijs op aanvraag
Accessoires - Accessories				
Referentie	Artikel	Afbeelding	Omschrijving	Prijs (€)
PAR-190	780MRC		Rain protection cap for NV780M Series	Prijs op aanvraag
PAR-153	950		Safe box protector	Prijs op aanvraag

Voorwaarden

Orders

Afhankelijk van beschikbaarheid

Transport

De levertijd is 24 tot 48 uur, afhankelijk van regio's en landen en uiteraard indien niet op voorraad

Raadpleeg verzendkosten aan de verkoopafdeling

Garantie

2 jaar garantie op alle producten vanaf factuurdatum

Uitzondering zijn batterijen, harde schijven, UPS-, TFT-, LCD- en plasmamonitoren

Het dekt geen onderdelen met normale slijtage, schade als gevolg van overbelasting of storm, of oneigenlijk gebruik

Onjuiste behandeling van apparatuur leidt tot verlies van garantie

Om door te gaan met de retourzending, moet het materiaal binnen de gestelde termijn en in perfecte staat worden geretourneerd

Openingstijden

Maandag tot vrijdag van 8.30 uur tot 17.00 uur

Neem voor meer informatie en prijzen contact op met:

Ron Mantel

Securon Distributie

06 46 876 740

info@securondistributie.nl